Phase III, Volume 2 Progress Report

Galaxy Scientific Corporation Pleasantville, NJ 08323

Office of Aviation Medicine Federal Aviation Administration Washington, DC 20591

July 1994

CHAPTER ONE PHASE III OVERVIEW

1.0 INTRODUCTION

The Federal Aviation Administration (FAA) Office of Aviation Medicine (AAM) Human Factors in Aviation Maintenance research program has developed an industry reputation for maintaining an awareness for "where the rubber meets the road." The program combines solid human factors principles with the knowledge and active involvement of industry and government personnel. There have been extensive publications and presentations, as well as software distributed throughout the industry. **Table 1.1** offers a partial listing of the research products and publications. A detailed bibliography of the publications is included as **Chapter Eight** in this report.

Table 1.1 AAM Human Factors in Maintenance Products - A Partial Listing

- Seven workshops (nearly 1,000 total participants)
- Environmental Control System Trainer (distributed to more than 100 Part 147 schools and most of the U.S. airlines)
- **CD-ROM** (over 700 copies distributed)
- Publications (over 100 articles and scientific papers published)
- <u>Performance ENhancement System (In Phase IV, a job aid will be fielded for</u> FAA inspectors in all regions)
- Phase Reports (Four large technical reports like this one)

Since 1989, this research program was designed and executed according to the diagram in **Figure 1.1**. In the early stages of the research program, the scientific team conducted extensive

site surveys of airline maintenance organizations. That process not only prompted an enhanced understanding of the "real world" of airline maintenance but also identified numerous manufacturer, airline, and **FAA** partners who wanted to cooperate in this pragmatic research program.

An Ongoing Research & Development Program




Figure 1.1 The Research Program

Figure 1.1 shows that the research proceeded from problem definition to the development, implementation, and evaluation of a variety of human performance enhancements in aviation maintenance. Examples, included in past reports and in this volume, include: an operational example of intelligent tutoring using a B-767 environment control system; a **CD-ROM** containing all the publications of the research program and a variety of multimedia and other software demonstrations; seven conferences on human factors in maintenance and inspection with over 1000 total attendees; and a variety of other reports and demonstrations. **Figure 1.1** also shows that the industry adoption of research products provides feedback to all stages of the research.

When the research program began, in the late eighties the concept of human factors in aviation maintenance was, for the most part, ignored. The National Plan for Aviation Human Factors recognized the importance of the aviation maintenance system by assigning maintenance human factors equal prominence with air traffic control and flight operators. The AAM Human Factors in Aviation Maintenance research program has successfully demonstrated that attention to the

human can not only promote safety but all affected maintenance efficiency, thus having a positive effect on maintenance costs.

As with the other reports from this research program, this volume begins with a sincere thanks to and acknowledgement of the many government and industry personnel who continue to cooperate with the research team. As the work continues, the number of contributors (FAA entities, air carriers, and consortiums of industry groups) has grown beyond a reasonable size to individually list all those who have provided guidance and cooperation.

The remainder of this overview chapter describes each chapter in this report.

1.1 THE AAM HYPERMEDIA INFORMATION SYSTEM (Chapter Two)

A prototype Hypermedia Information System (HIS) was developed in Phase II of the research program. This prototype demonstrated the tremendous potential of hypermedia technology for **AAM** research. Phase III work added eight documents to the framework provided by the prototype. The current **HIS** incorporates seven conference proceedings and two Phase Reports with over 1,700 pages of text and more than 500 graphics. It also includes two complete training simulations (**ECS** Tutor and **ATCBI-4** Tutor), as well as a demonstration job aid for Aviation Safety Inspectors. **Figure 1.2** shows the **HIS** main menu.

About
FAA Hypermedia
Information System
HUMAN FACTORS ISSUES
and Inspection
To get started, open a book from the Book Shelf by clicking on a book icon.
Book Shelf by clicking on a book icon.

Figure 1.2 Main Menu from FAA Hypermedia Information System

In early 1993, the **HIS** was distributed on Compact Disc, Read-Only Memory (CD-ROM). The system was very well received in the research community and in the aviation industry as a whole.

In addition, **Chapter Two** discusses the changes to the **HIS** such as more powerful search and display tools, print functions, and an authoring system to allow a "hypermedia author" to transform paper documents into hypermedia documents. The chapter also describes how the **HIS** was integrated into a maintenance training environment and a job aid for aviation safety inspectors. Future needs of the **HIS** are also addressed.

1.2 GUIDELINES FOR DESIGNING AND IMPLEMENTING COMPUTER-BASED TRAINING FOR AVIATION MAINTENANCE (Chapter Three)

The application of advanced technology to training has been an important portion of the research

program since its beginning in 1989. Industry and government personnel have looked to the **AAM** research for a glimpse of the cutting edge of instructional technology. The result has been demonstrations, development, and evaluation of simulation-based intelligent tutoring systems. The B-767 environmental control system training software has been distributed to many **FAA**-approved technician schools and to most U.S. airlines.

Chapter Three offers extensive discussion of computer-based training **(CBT)** for maintenance. The discussion is based on the knowledge gained through the research program, literature reviews, and reviews of off-the-shelf training systems. Written for managers, instructors, aviation safety investigations, and others associated with maintenance training, the chapter provides guidelines for **CBT** decision making.

1.3 IDENTIFICATION OF BARRIERS TO SUCCESS FOR NONTRADITIONAL PARTICIPANTS IN AVIATION MAINTENANCE CAREERS (Chapter Four)

Due to the changing demographics of the work force, an increasing number of new workers in aviation maintenance will come from nontraditional populations. Nontraditional members of the work force include females, Afro Americans, Asians, and Hispanics.

Chapter Four identifies the "barriers" that have hindered the acceptance and success of nontraditional participants in aviation maintenance career fields. Our changing society has removed many of the barriers; however, there is still opportunity for improvement. The chapter reports the results from a survey of nontraditional participants that was developed and distributed by a major U.S. carrier to its aviation maintenance work force. The chapter concludes with recommendations to ensure that the aviation maintenance work environment is barrier-free for all workers. **Appendix 4** includes a demographic projection of future aviation maintenance technician (**AMT**) supply and demand.


1.4 A PILOT STUDY TO MEASURE CORRELATES OF INDIVIDUAL DIFFERENCES IN NONDESTRUCTIVE INSPECTION PERFORMANCE (Chapter Five)

An interim report (FAA AAM & GSC, in press) reviewed previous research programs and studies in the area of nondestructive inspection (NDI). A repeated concern in the literature was the existence of substantial differences between inspectors' **NDI** proficiency. The report identified a number of variables which would appear potentially relevant to **NDI** inspector selection and/or proficiency. The variables can be grouped into the following categories:

- boredom susceptibility
- concentration/attentiveness/distractibility
- extraversion/impulsivity

- motivation/perseverance
- decision making/judgement
- mechanical/electronics aptitude
- need for autonomy.

Chapter Four reports on the plan and pilot study to investigate relationships of these variables to **NDI** performance. The chapter discusses the tests and scales used to measure these variables, as well as the task employed in the study (**NDI** Task Simulation, **Figure 1.3**).





1.5 EVALUATION OF MAINTENANCE CREW RESOURCE MANAGEMENT (Chapter Six)

This project has co-developed and evaluated the effects of one airline's maintenance Crew Resource Management (**CRM**) training program (FAA/AAM & GSC, 1993). This training and evaluation focuses on maintenance managers' attitudes, their reported behaviors, and the maintenance performance of their units. The maintenance **CRM** program represents a long-term

commitment to improving safe, dependable, and efficient performance through effective communication at all levels in airline maintenance operations. Extensive post-training questionnaires and on-the-job performance measures reveal a strong positive effect of the training.

As discussed in **Chapter Six**, the research examined maintenance performance changes and attitude changes that occurred following training. Maintenance performance changes occurred in the following areas: safety from ground damage, safety from injury, maintenance costs in overtime paid, delays in RON (remain in station overnight) aircraft departures, as well as dependability of on-time departures for other scheduled flights.

The analysis showed positive trends in a number of the company's overall maintenance performance measures for the 12 months after the onset of training compared with the previous 12 months. Comparisons of managers' attitudes before and after their training showed a significant improvement in three of the four attitude indicators: "willingness to share command responsibility," "usefulness of communication & coordination," and "recognition that stressors affect management decision making" (FAA AAM & GSC, 1993).

The most important summary finding of the maintenance **CRM** training is that the concept works. As with cockpit **CRM**, improved attitude and communications result in a more productive, less error prone, and safe work environment.

1.6 A GUIDE TO HUMAN FACTORS IN AVIATION MAINTENANCE (Chapter Seven)

The operation of any system can only be optimized if every system element is working properly and if each element is carefully coordinated with every other element. The manager of a maintenance operation system should have all necessary information concerning maintenance technicians and, in particular, those features of the maintenance environment which serve either to enhance or to degrade technician performance. The manager or supervisor of a maintenance activity can be aided by the use of the *Human Factors Guide*, a handbook that provides this information in a form suitable for day-to-day reference.

Chapter Seven describes the *Human Factors Guide* development in Phase III. The *Human Factors Guide* presents established principles of job design and work that, if well applied, can contribute greatly to the control of human error in aircraft maintenance and inspection. Issues of communications, equipment utilization, work scheduling and load, work environment, and management relations are all important in determining worker effectiveness. The *Human Factors Guide* covers these and other human performance issues that can be applied in aviation maintenance. The *Human Factors Guide* is designed to address aviation maintenance and inspection needs. **Table 1.2** presents an outline of the *Human Factors Guide* sections.

 Table 1.2 Outline for Human Factors Guide Sections

•

- Importance of Topic in Industrial Operations
 - Industrial Experience

- Related Research
- Application in Aviation Maintenance
 - Industry Practices
 - Opinionnaire/Audit/Research Findings
- Human Factors Guidelines
 - Brief Discussion
 - Specific Guidelines
 - Procedures for Evaluating the Situation

During Phase IV, the *Human Factors Guide* will undergo Beta testing with maintenance personnel in the United States. It is expected to be generally available in 1994 and will continue to be revised by the Office of Aviation Medicine. In addition to the hardcopy, a digital version of the Guide is planned.

1.7 BIBLIOGRAPHY - FORMAL PRESENTATIONS AND PUBLICATIONS (Chapter Eight)

Disseminating research results to the aviation industry is an important goal of the Human Factors in Aviation Maintenance research program. One effective way to do this is through presentations and publications for airlines, conferences, industry/government committees, schools, and magazines and journals. **Chapter Eight** provides a list of over 100 presentations and publications resulting from the research program to date.

1.8 CONTINUING RESEARCH

Future research will continue to emphasize the measurable impact of the research program on increasing maintenance effectiveness and efficiency with resultant cost control. In light of the serious financial trouble of the aviation industry, research dedicated to human-centered design and human resource development can have a wide-spread and immediate postive impact on the "bottom line." The research team will continue to interact with government personnel, airline management, and aircraft maintenance technicians to ensure the success and acceptance of research products by the aviation maintenance community.

1.9 REFERENCES

Federal Aviation Administration, Office of Aviation Medicine (FAA/AAM) & Galaxy Scientific Corporation (GSC). (In press). *Human factors in aviation maintenance - Phase three, volume one progress report.*

Federal Aviation Administration, Office of Aviation Medicine (FAA/AAM) & Galaxy Scientific Corporation (GSC). (1993). *Human factors in aviation maintenance - Phase two progress report*. Washington, DC: Federal Aviation Administration. (NTIS No. DOT/FAA/AM-93/5).

CHAPTER TWO HYPERMEDIA INFORMATION ON CD-ROM

2.0 INTRODUCTION

Aviation technicians, managers, engineers, and support personnel spend endless hours searching for information every day, not to mention the hours they spend creating and revising this information. Improvements in the way aviation personnel access information will lead to more reliable and more cost- effective air transportation.

Toward this end, the Federal Aviation Administration (FAA) Office of Aviation Medicine (AAM) Human Factors in Aviation Maintenance research program studied the challenges associated with creating, accessing, and maintaining digital documentation using a Hypermedia Information System (HIS). Hypermedia presents material in a fashion that encourages browsing and discovery by combining text, graphics, audio, video, and animation. This technology can be used solely as a tool to access information, or it can be integrated with job aiding and training systems (Johnson and Norton, 1992). The AAM hypermedia research developed and distributed the Compact Disc, Read-Only Memory (CD-ROM), shown in Figure 2.1, in early 1993.




Figure 2.1 Human Factors Issues in Aircraft Maintenance and Inspection CD-ROM

This chapter focuses on designing and developing of a Hypermedia Information System for the **AAM**, and the **CD-ROM** on which the **HIS** was distributed. It describes the current and future technical challenges associated with the development of such a system.

2.1 ASPECTS OF HYPERMEDIA

Before delving into the specifics of the **AAM HIS** and the **CD-ROM**, it is first necessary to provide some background information about hypermedia and digital documentation.

2.1.1 Access to Technical Information

Technicians, depending on their experience and maintenance role, estimate that they spend as much as forty percent of their workday accessing technical information. This information usually spans many volumes. For example, the maintenance documentation for the Boeing 727 consists of multiple volumes with more than 33,000 pages each (Cruickshank, 1993). Trying to

locate all references to a particular component or procedure within such a large collection of data is a daunting and time-consuming task. It requires hours of effort, with no guarantee of locating all the references.

New automated technical systems are referred to by many names, including electronic library systems (ELS), hypermedia, digital documentation, and electronic documents. They attempt to reduce the amount of time required to access information. Initial studies have found that time required to search a maintenance manual is reduced by as much as forty percent when the manual is on a **CD-ROM** rather than on paper or microfiche (Cruickshank, 1993). With such technology, technicians spend less time accessing information, which allows for more time directed toward maintenance. Thus, aircraft will be available to produce revenue more quickly.

New aircraft such as the Boeing 777 are incorporating ELSs at design time. Since ELSs are only available for the newer aircraft, older aircraft do not offer this advantage. Therefore, the **AAM** research program has been exploring issues involved in creating digital documentation to support older aircraft, as well as the other documentation needs in the aviation maintenance system. The Hypermedia Information System applies hypermedia technology to these needs. The **HIS** and other results of the **AAM** program are contained on the Human Factors Issues in Aircraft Maintenance and Inspection **CD-ROM**.

2.1.2 New Terms for New Technologies


New technology leads to the need for a new vocabulary. Creating a hypermedia document is more than scanning hard-copy into digital format. That process would be similar to the creation of microfiche, searchable only by an index. The reader would have to refer to the index, then manually go to the appropriate page. Hypermedia documents are far more powerful than that, and the additional power requires a new vocabulary. This section defines common terms used to describe electronic documents: *hypertext, hot words*, and *hypermedia*.

A useful digital document capitalizes on *Hypertext* technology. Using a computer's assistance, hypertext makes it possible to establish connections (called *Links*) within and between documents. Hypertext links are usually denoted by *Hot Words*, using different colors, fonts, or outlining to differentiate them from the rest of the text. With hypertext, for example, a maintenance technician can link the Maintenance Manual to the Minimum Equipment List.

Hypermedia extends a hypertext document to include such media as animation, video, and audio. For example, with hypermedia in a Maintenance Manual, the reader could click on a hot word to see a video clip that demonstrates a selected maintenance procedure. (For more on the basics of hypertext and hypermedia, see Howell, 1992.)

2.2 THE CD-ROM

Figure 2.2 shows the main screen on the **CD-ROM**. Each of the six programs shown in the figure is described in this chapter. One is an intelligent information retrieval system; two are intelligent tutoring systems; one is a demonstration; and two are kiosk programs. The first one --



the HIS -- is the focus of the chapter and is discussed first and in the most detail.

Figure 2.2 Applications on the CD-ROM

2.2.1 The AAM Hypermedia Information System

The goal of the **AAM** Hypermedia Information System (HIS) research program is to investigate hypermedia technology and how it can help the aviation community. The research strives to create new tools and methods for information storage and retrieval. The hypermedia research to date has been conducted over a two-year period.

During the first year of the research, a prototype hypermedia information system was developed. This is reported in detail elsewhere (FAA/AAM and GSC, 1993). For this system, a selected subset of publications from the AAM research program were put on-line. Links to graphics were then added to the documents. The prototype HIS provided a mechanism for viewing and searching these documents. The product was distributed on floppy discs to over 100 persons with either aviation and/or human factors expertise. An opinionnaire and informal interviews elicited user feedback on the HIS interface. The feedback was positive and supported further development of the HIS.

With user feedback from the prototype, as well as on-going user evaluation of the software, the prototype was enhanced during the second year of the research and is described herein. The enhancements to the **HIS** made it a turn-key system. It has been used in a research setting, as well as in aviation maintenance and inspection tasks. These applications are described below, followed by an in-depth discussion of the **HIS**.

2.2.1.1 The HIS Supports the Aviation Maintenance System

The **HIS** has proven its ability to benefit all facets of the Aviation Maintenance System: air carriers, schools, aviation maintenance technicians, researchers, etc. The version of the **HIS** presented on the **CD-ROM** addressed the needs of aviation researchers. It was also successfully incorporated into both a maintenance training environment, as well as a job aid for aviation safety inspectors.

2.2.1.1.1 The Research Community

The development of the first **AAM CD-ROM** presented most of the challenges that the industry would face in production of digital data. Documents were selected for the **HIS** library based on the following criteria: (1) documents that would have value for the **FAA**, the aviation industry, and the research program and (2) documents in the public domain so that the end product could be distributed at no charge. With these criteria, it became obvious that the **CD-ROM** document library should include the products of the Aviation Medicine Human Factors in Aviation Maintenance research program. These products include reports and conference proceedings which encompass over 1,700 pages of text and over 500 graphics.

2.2.1.1.2 Training for Aviation Maintenance Technicians

Using hypermedia technology, a version of the Environmental Control System (ECS) Tutor (described in more detail below) provides links from the Tutor to the **HIS**. The library for this new Tutor uses text and graphics directly from the cooperating airline's training manuals, allowing direct access to information in a format familiar to those using the Tutor. This replaces the abridged format presented in earlier versions. With the data in the **HIS**, the student can browse the information or search for specific topics while troubleshooting with the Tutor.

2.2.1.1.3 A Job Aid for Aviation Safety Inspectors

The **HIS** also supports a Job Aid for Aviation Safety Inspectors. The Job Aid (described in **FAA/AAM & GSC, 1993**) supports the Aviation Safety Inspector in a variety of regulatory activities. The Inspector accesses various manuals and guidelines throughout the work day. A version of the **HIS** modified the interface to meet inspectors' special requests.

To demonstrate the power of the **HIS** for job aiding, several key **FARs** were incorporated into a new library. The **HIS** allows the Inspector to browse and search the **FAR** library for specific information related to the particular inspection task.

2.2.1.2 HIS Features

The prototype **HIS**, developed in the first year of research, demonstrated the tremendous potential of hypermedia technology for **AAM** research, but it was just a prototype. Over the last year, the functionality of the **HIS** has been increased to give readers more power to browse and

search through the hypermedia documents. The **HIS**' features that support the reader in navigating the system, viewing and searching a document, and printing text and graphics are described below.

2.2.1.2.1 Navigation

The **HIS** provides the reader with multiple ways to navigate through a collection of documents, or a library: the Bookshelf, the Table of Contents, and the Overview Map. The Bookshelf, shown in **Figure 2.3**, is the first display the reader sees in the **HIS**. The reader chooses a library to view from the Bookshelf. The numbered icons in the bottom left of the screen represent nine different libraries in this example.

Once the reader selects a library, the Table of Contents for that library appears, as shown in **Figure 2.4**. When the reader selects one of the displayed chapters, that chapter's text then appears.




Figure 2.4 Table of Contents

Another way to choose a chapter is to use the Overview Map, as shown in **Figure 2.5**. The Overview Map provides a more detailed list of a library's contents than the Table of Contents. When the reader selects a rectangular document icon, that document's text then appears.




Figure 2.5 The HIS Overview Map

The system also maintains internal bookmarks to aid navigation. An internal bookmark remembers the reader's place in a document in the same way that a paper bookmark keeps the reader's place in a paper book. For example, if the reader is viewing the "Foreword," goes to the Overview Map, and then wants to return to the "Foreword," the **HIS** returns to the last location in the "Foreword," instead of returning to the first line of the "Foreword."

2.2.1.2.2 Viewing Area

The document viewing area shown in **Figure 2.6** allows a reader to scroll through and read a hypermedia document. Text formatting such as boldface, italics, and underlining enables the on-line document to resemble the original.




Figure 2.6 The Document Viewing Area

While viewing a document, a reader may come across a hot word, indicating a link. The hot word is enclosed in a rectangle. When selected by the reader, some hot words will link to a graphic. A Graphics Viewer will display the figure, as shown in **Figure 2.7**.

Search	¥iew	Érint	Åddendum					
John	Manac son/No or the :	iement rton/U School		w Technold Flightline	ygy		ð	
	emedia i	nterfece.		complete set of DBS PUELICA		sanuais with e		+
deve lister phat beer bein this c proja infor	Apping a ryear his mation sy ographs, ninstrums g davelo complete withas re mation ar nation ar	hyperns tory of the satern TH and othe satel in so past at G. hyperns suited in the care he carear		system Close The QA for price Corpore System for dela permec trates or 2.	decoments Figure 2		th bes The	rteinn b

Figure 2.7 Hot Link to a Graphics Viewer

2.2.1.2.3 Searching

One of the most powerful features of a hypermedia system is its ability to quickly locate specific

words in large amounts of text without the reader having to scan each line of text. A reader performs a search by typing in a query, as shown in **Figure 2.8**. The **HIS** then rapidly searches all documents in the library and highlights the document icons on the Overview Map which satisfy the query. From that point, the reader can select a document for viewing that contains the "search hits." Once the selected document is loaded, the reader can use menu items to find the exact locations of the search hits. Search hits are highlighted to provide the context, as shown in **Figure 2.6**.

	Text Search	
compu	ter and training	
?	What text are you searching for?	OK Cancel

Figure 2.8 Search Query Dialogue Box

The **HIS** supports four types of searching: term, wildcard, phrase, and Boolean. "Term" search, the simplest, is a search for one specific term, such as *computer*. Every document which contains this term will be highlighted on the Overview Map.

The "wildcard" search allows the reader to look for variations of a term, e.g., computer, computers, computing. For example, <u>compute*</u> would highlight all documents containing any variation of "compute". A document with "compute" (or "computer", or "computer-based", etc.) would match the search, but a document with "computing" would not.

"Phrase" searching enables the reader to specify the order and adjacency of multiple terms. For example, phrase searching for <u>"computer training"</u> will only display places where that exact phrase appears. The reader specifies a phrase search by placing quotes around the phrase.

The "Boolean" search combines any of the above types with Boolean operators (AND, OR, NOT). For instance, <u>computers or "computer training"</u> will identify documents which contain either the word "computers" or the phrase "computer training".

2.2.1.2.4 Printing

The second year **HIS** also provides several ways to print information. Two menu items, "Print Selected Text" and "Print Document", are available from the document viewing screen. "Print Selected Text" allows the reader to highlight text as small as a single word using the mouse and to send that portion of the document to the printer. "Print Document" prints the entire current document.

As text might not provide the only pertinent information in a hypermedia system, a printing capability exists in the Graphics Viewer as well. This allows the reader to print any graphic that is referenced by a document.

2.2.1.2.5 On-line Help

An extensive, on-line help program exists in the **HIS**. It describes the features of the **HIS** and assists a reader in navigating through the **HIS**.

2.2.2 Other CD-ROM Applications

The **CD-ROM** showcases software developed in support of the Federal Aviation Administration. In addition to the **HIS**, the applications include two intelligent tutoring systems, two video kiosk programs, and one demonstration of a job aid currently under development.

2.2.2.1 The Environmental Control System (ECS) Tutor

This software was sponsored by the **FAA AAM** as part of the Human Factors in Aviation Maintenance research program and is described in **Phase II** (FAA/AAM & GSC, 1993) and **Phase III Volume 1**(FAA/AAM & GSC, 1993). The **ECS** Tutor investigates the use of advanced technology in maintenance training. This intelligent simulation compares models of the student, the instructor, and the **ECS** expert to provide remediation to the student and uses the student's previous performance to decide when the student requires assistance in troubleshooting a malfunction.

The ECS Tutor software simulates the operation of the Air Conditioning portion of the Environmental Control System (ECS) for the B-767-300 and assumes some background knowledge of this system. The system can operate in two modes: normal operating mode and malfunction mode. Normal operating mode lets the students manipulate the switch lights and control knobs as needed to observe normal ECS operation. The ECS will respond as demanded, just like in the "real" world. Malfunction mode presents component malfunctions to the student. The ECS displays data values corresponding to the current malfunction.

2.2.2.2 Portable Performance Support System Demo

This software demonstration was sponsored by the **FAA** Office of Aviation Medicine. The Portable Performance Support System (PPSS) demo provides an overview of the **FAA's** efforts to apply pen computer and hypermedia technology to provide real-time job aiding and information retrieval for Flight Standards Activities. The **PPSS** has since been renamed the Performance Enhancement System (PENS). The initial target users are Aviation Safety Inspectors.

Aviation Safety Inspectors perform a variety of tasks, including accident and incident investigation, certificate management, and aircraft inspection. Aviation Safety Inspectors must document their activities on forms. The **FAA** would like the inspectors to record their data in a format that can be directly stored in the database.

Not only must inspectors maintain their records, but they must have access to the large amounts of information relevant to their jobs. Such information includes Federal Aviation Regulations,

Airworthiness Directives, Advisory Circulars, and other documentation. **PENS** will use the **HIS** to provide ready access to such information. (An in-depth description of this system is found in **FAA/AAM & GSC**, 1993.)

2.2.2.3 Office of Aviation Medicine Video Brochure

This software was sponsored by the **FAA** Office of Aviation Medicine. It describes the goals, organization, and work of the **FAA AAM** by allowing the user to browse through a series of short video clips.

2.2.2.4 The Air Traffic Control Beacon Interrogator Tutor

This software was sponsored by the **FAA** Technical Center, Advanced System Technology Branch (ACD- 350). This proof-of-concept tutor investigates the use of advanced technology in Airways Facilities maintenance training. The goal of the training system is to help experienced technicians maintain proficiency.

This tutor contains a simulation of the Air Traffic Control Beacon Interrogator (ATCBI-4) and references information about the **ATCBI-4**, including part/output descriptions, test/adjustment/replacement explanations, preventive maintenance procedures, standard and tolerance values, and functional block schematics.

2.2.2.5 The FAA Human Factors Laboratory Video Overview

This software was sponsored by the **FAA** Technical Center. It introduces the goals and facilities of the Human Factors Laboratory (HFL) at the **FAA** Technical Center in New Jersey through a series of short video clips and still images. The mission of the **HFL** is to ensure optimum safety as greater demands are placed upon the National Airspace System. As a facility featuring state-of-the-art technology and an innovative structural configuration, the **HFL** will have a great impact on the movement of aviation into the next century.

2.2.3 Production of the CD-ROM

The **HIS** and other applications were distributed on **CD-ROM** for two reasons: a CD-ROM holds large amounts of data and it is a cost effective means of distribution. This section describes how much data a CD-ROM holds, how one is produced, and how much production costs.

2.2.3.1 How Much a CD-ROM Holds

A **CD-ROM** disc contains approximately 650 Megabytes of storage, the rough equivalent of 325,000 pages of text. The **HIS** and the library together used 40 Megabytes of storage, leaving ample disc space for other applications.

Because of the volume of data, any other means of distribution would be costly and

cumbersome. The potential of a **CD-ROM** disc to store vast amounts of information ensures its continued use for distributing the **HIS** and any application libraries. Even if a CD-ROM disc eventually reaches capacity, the system can be distributed over multiple CD-ROM discs.

2.2.3.2 How One is Produced

A **CD-ROM** is a storage medium similar to floppy and hard discs. It holds digital data like floppy and hard disks, with one important distinction: once the CD-ROM is produced, a user can only **read** from it. Therefore, the creator of a CD-ROM must take special care in its preparation.

In order to produce the **CD-ROM**, Galaxy contracted with a disc manufacturing company. The first step in the process was to gather all of the data files for the CD-ROM and to send them to the disc manufacturer for premastering. During this process, the manufacturer put the files into a special format along with error detection and correction codes to produce a proof disc that was returned to Galaxy.

Galaxy thoroughly tested the proof to ensure that neither the disc manufacturer nor Galaxy had inadvertently left data files off the disc. From the proof, a master disc was produced. The master disc was duplicated, producing the **CD-ROM** discs that were distributed to the aviation maintenance community.

2.2.3.3 How Much a CD-ROM Costs to Produce

Table 2.1 shows the production costs for the **AAM CD-ROM**. The CD-ROM package contained the disc, an 8-page booklet describing each application, and an inlay card for the CD-ROM jewel case. The CD-ROM discs, holding 650 Megabytes of data, cost approximately \$1.75 each in lots of 1000. These 1992 prices are expected to drop in the future. The accompanying 9 pages of paper documentation cost as much as the CD-ROM disc! This clearly illustrates the cost advantage of digital documents over paper documents.

 Table 2.1 CD-ROM Production Costs

PRODUCT	QUANTITY	CC	DST
Premastering Disc	1	\$	500.00
Proof Discs	2	\$	400.00
Master Disc	1	\$	500.00
CD-ROM Replicas	950 (+ 50 free)	\$	1710.00
Total		\$	3110.00
8 Page Booklet	1000	\$	1512.00
Inlay Card	1000	\$	265.00
Total		\$	1777.00

2.3 THE FUTURE

The **HIS** shows great promise in all areas of the Aviation Maintenance System and will continue to evolve. The **HIS** developers look to the following goals for guidance with future enhancements:

- To support a wider variety of media.
- To support a wider range of users by offering more methods for navigating documents.
- To provide tools for the creators of hypermedia documents.
- To support existing and emerging documentation standards.

The following sections describe plans to enhance the **HIS** in support of these goals.

2.3.1 Additional Media

The **HIS** Graphics Viewer allows the reader to view a PCX-formatted picture - enlarging, reducing, or printing the picture as needed. A PCX-formatted picture is the only medium other than text which the **HIS** supports. Because a computer-based document can incorporate many different types of media, future **HIS** enhancements will support new media and graphics formats.

Possible graphics formats include, among others, bitmap (BMP), encapsulated postscript (EPS), graphics interchange file (GIF), targeted image file format (TIFF), and Joint Photographic Experts Group (JPEG). Additionally, more innovative types of media for computer presentation, e.g., sound, video, animation, etc., will be supported. A Multimedia Viewer will be added to play audio, video, animation, **CD**, etc. A reader will be able to access the media through a hot word in the manner currently used for static graphics.

2.3.2 Navigating Documents

A traditional paper book provides several methods for navigating its contents: a Table of Contents, an Index, and simple page turning. Likewise, a hypermedia information system must provide multiple methods for navigating a hypermedia document. This is important because different readers access information in different ways. As mentioned earlier, the **HIS** currently provides a Bookshelf, a Table of Contents, an Overview Map, and Internal Bookmarks. Future enhancements to the **HIS** will add a more flexible Table of Contents and user-definable Bookmarks.

The improved Table of Contents will act as a textual representation of the library, similar to its graphical counterpart, the Overview Map. A reader will be able to view the sections as a "collapsed" Table of Contents, as is done now, or to expand a section to see what subsections fall within it, as shown in **Table 2.2**.




Table 2.2 Collapsed and Expanded Table of Contents

The current **HIS** provides system-defined internal bookmarks. However, it is sometimes desirable for a reader to mark a place in a document. A bookmarking capability will be added to the **HIS** to create multiple bookmarks for a document.

2.3.3 Tools for Creating Hypermedia Documents

As mentioned earlier, a hypermedia document is more than just a digital version of a paper document. It may contain links to other documents, graphics, animation, and even other software programs. Before a digital document can be called a hypermedia document, someone must transform it from its original form into a form by the **HIS** can use. Just as a "reader" views, or reads, the hypermedia document, an "author" creates the hypermedia document. The author's job is similar to that of an editor, i.e., to gather source material into a cohesive form. A hypermedia author does the same, but also defines the relationships among the different sources (text, graphics, audio, video, and animation).

Example: An author wants to transform a maintenance manual (already in digital format) into a hypermedia document. The manual has wiring diagrams and pictures of components. Also, the manual describes certain removal and installation procedures for which the manufacturer has supplied video.

Using this example, the author would first access three different source materials: the *text* of the maintenance manual, the *graphics* files containing the pictures and diagrams, and the *video* files of the procedures. The author must bring these three types of information to a common destination -- the hypermedia library. By adding references in the text to link information with other source materials, the author transforms the digital document into a hypermedia document.

In order to facilitate the creation of hypermedia documents, future work will provide support tools for the author. The research will investigate ways to make the conversion from existing source documents to their hypermedia counterparts less time-consuming. One solution will be to provide filters for existing word processing packages. The filters will translate the source documents into hypermedia documents, preserving all previously formatted text. Additionally, the authoring process will be streamlined, integrating all such authoring tools into one seamless authoring environment.

2.3.4 Documentation Standards

The **HIS** proved that hypermedia technology is useful to the aviation community. For the **HIS** to continue to succeed, it must adhere to aviation documentation standards, such as Air Transport Association Specification 100 (ATA Spec 100) and Standard Generalized Markup Language (SGML) (Goldfarb, 1990).

Also, because commercial and military aviation have many similarities, the **HIS** must consider Department of Defense (DoD) standards as well. The **DoD** mandates that the Federal Computer-aided Acquisition and Logistical Support (CALS) program adhere to **SGML**. Also, new weapons systems are using Interactive Electronic Technical Manual (IETM) Specifications. The **HIS** will consider these and other emerging standards in future versions.

2.4 CONCLUSIONS/SUMMARY

Tough economic times in the aviation industry have forced air carriers to find ways to reduce costs without sacrificing safety. Hypermedia technology provides such a way. Advanced technology information systems such as the **HIS** showcased on the **AAM CD-ROM** save time and money (Johnson, in press). In addition, by providing a complete search of the information, these systems support safer maintenance. The **HIS** is an important part of safer, more cost-effective maintenance. Continued, enthusiastic cooperation from the aviation industry will make further progress with hypermedia technology possible.

2.5 REFERENCES

Cruickshank, D. (Spring, 1993). Moving mountains at Boeing. IRIS Universe, pp. 12-17.

Federal Aviation Administration, Office of Aviation Medicine (FAA/AAM) & Galaxy Scientific Corporation (GSC). (1993). *Human factors in aviation maintenance - Phase two progress report*. Washington, DC: Federal Aviation Administration. (NTIS No. DOT/FAA/AM-93/5).

Federal Aviation Administration, Office of Aviation Medicine (FAA/AAM) & Galaxy Scientific Corporation (GSC). (1993). *Human factors in aviation maintenance - Phase three, volume one progress report*. (NTIS No. DOT/FAA/AM-93/15).

Goldfarb, C.F. (1990). The SGML Handbook. New York: The Oxford University Press.

Howell, G.T. (1992). *Building Hypermedia Applications: A Software Development Guide*. McGraw Hill, Inc.

Johnson, W.B. (in press). Human factors research: Can it have an impact on a financially troubled aviation industry? *Proceedings of the 37th Annual Meeting of the Human Factors and Ergonomics Society*. Seattle, Washington: The Human Factors and Ergonomics Society.

Johnson, W.B. & Norton J.E. (1992). Integrated information for maintenance training, aiding,

and on-line documentation. *Proceedings 36th Annual Meeting of the Human Factors Society*. Atlanta, GA: The Human Factors Society.

CHAPTER THREE GUIDELINES FOR DESIGNING AND IMPLEMENTING COMPUTER-BASED TRAINING FOR AVIATION MAINTENANCE

3.0 ABSTRACT

This report is an overview of computer-based training (CBT) hardware, software, and instructional design. It will assist aviation maintenance training and FAA inspection personnel in making informed decisions about CBT. A central part of this report is the description of a process for analyzing the instructional requirements for a specific task and then selecting a CBT program or designing and implementing a program from scratch. The intended audience for this report includes FAA managers, aviation training managers and instructors, and others interested in CBT design and implementation. After reading this report, the reader will have a better understanding of the managerial, instructional, and technological issues involved in selecting or implementing CBT programs.

3.1 INTRODUCTION

Broadly defined, a computer-based training (CBT) system is a combination of computers and special software for training and education. Within this broad definition, there are many different approaches, systems, and technologies. Their common goal is to transfer skills and knowledge from an expert to the student via a computer system in such a way that the knowledge will develop and/or improve performance on a set of tasks. This goal is the same as that of instructional systems in general, including instructional aids, text books, and instructors. What differentiates a CBT system from traditional teaching methods is that CBT can be interactive, dynamic, and individualized. CBT does not require one-on-one interaction with an instructor. The computer program can be designed to simulate a piece of equipment, to react to user actions, and to provide useful feedback when the user makes mistakes. Sections 3.2 and 3.3 of this report describe CBT in detail.

3.1.1 Purpose of This Report

This report is for

- **FAA** managers
- Aviation training managers
- Aviation training instructors
- Those who are interested in designing and implementing **CBT** systems.

This report

- Provides an overview of **CBT** hardware, software, and instructional design
- Helps aviation maintenance training and **FAA** inspection personnel to make informed **CBT** decisions
- Presents a process for designing and implementing **CBT** systems
- Describes the issues that instructional design teams should consider in designing and implementing **CBT** systems.

The reader does not need to be familiar with **CBT** design and implementation to understand and apply this report but should be familiar with aviation training issues. The author assumes that the reader's organization does not currently have **CBT** capability. Additional information relevant to the topics covered in this report can be found in **Section 3.9**, "References."

3.1.2 Overview of Part 147 Changes Related to CBT

Appendix A of FAR 147 describes curriculum requirements. Recent revisions to that section under "(c) Teaching material and equipment," state the following:

The curriculum may be presented utilizing currently accepted educational materials and equipment, including, but not limited to: calculators, computers, and audio-visual equipment.

While this revision is loosely worded, it is interpreted to mean that **CBT** can be a reasonable part of the approved Part 147 school curriculum. Explicit guidelines for **FAA** inspectors have not yet been issued. However, it is generally expected that student hours spent with **CBT** will become an approved portion of school curriculum. This report will contribute toward making **CBT** an approved part of the school curriculum.

3.2 OVERVIEW OF COMPUTER-BASED TRAINING

Before an organization attempts to produce or use a **CBT** system, it needs to examine its need for training and understand the issues involved in **CBT** design, production, and use. This includes knowledge of what makes **CBT** successful or unsuccessful. This section describes the issues involved in deciding whether **CBT** should be applied to aviation maintenance training tasks.

3.2.1 When to Use CBT

There are no strict rules for deciding when **CBT** should and should not be applied. The ability to judge the appropriateness of any training technology comes from knowledge of the technology, experience with previous applications of the technology, and knowledge of the training task. Each training technology has its own peculiarities that make it appropriate for certain types of tasks and domains, and inappropriate for others. In the case of **CBT**, these peculiarities include the interactivity of training, the ability to include several information types,

and the individualization of instruction. **Table 3.1** lists situations when **CBT** is generally appropriate.

On the other hand, **CBT** does not currently provide support for all types of training. The lack of realism in current computer interfaces and the difficulty of providing intelligent human-computer dialog means that some training is better accomplished with other methods. **Table 3.2** lists situations when **CBT** is usually inappropriate.

 Table 3.1 When CBT is generally appropriate

- Textbook teaching methods are used in current course curriculum
- Task requires strong problem-solving skills
- Students need to understand dynamic behavior of equipment
- Real equipment is too expensive for training
- Task is dangerous
- There are not enough human instructors available
- Flexibility of training schedule is desirable
- Training needs to be delivered to multiple, decentralized sites
- Students need extensive practice and review to accomplish task
- Students have wide range of experience and backgrounds
- Consistency of training is important

 Table 3.2 When CBT is generally inappropriate

- Significant psychomotor or sensory skills are required for task
- Training requires significant instructor/student interaction
- Aesthetic judgement is required for task evaluation
- Extensive team skills need development
- Few students require training
- Training needs to be implemented quickly

As shown in **Figure 3.1**, there are two reasons for applying **CBT** to a particular task: reduced cost and improved performance (Kearsley, 1982). In the case of reduced cost, the goal is to provide training more cost effectively than the current method while maintaining the quality of training. Cost savings can come from reduced work force requirements, decreased travel cost, lower training equipment costs, and a decrease in the time required to attain knowledge or skill proficiency. For example, a **CBT** program that teaches a new maintenance procedure could be more cost-effective than teaching the procedure with an instructor because of money saved in travel and per diems. Improved performance, the second reason for applying **CBT**, results from the high-level of interactivity possible with graphical computer simulations. For example, a **CBT** program could improve technicians' troubleshooting abilities by allowing them to practice and improve their diagnostic skills. A **CBT** program can provide realistic simulation that rivals that of on-the-job experience, without the danger, equipment, and time required for on-the-job training.




Figure 3.1 CBT goal to lower cost and increase performance

There are financial tradeoffs to consider when comparing **CBT** to traditional training. **Figure 3.2** shows a generic trend comparing the development and delivery costs between the two methods. The initial development cost for **CBT** is often higher than for traditional instruction. However, over time the **CBT** delivery cost is likely to be less than that of traditional instruction. Financial condsiderations are also discussed in **Section 3.4.1.3**.




Figure 3.2 Comparison of development and delivery costs for CBT and traditional training

3.3 CET OPTIONS

There are many decisions to make in designing and implementing a **CBT** system. The selection of approaches and technologies should be based on the organization's instructional needs and budget. This section describes factors that must be considered when creating **CBT** programs.

3.3.1 Instructional Approach

Depending on the type of information and knowledge being taught to the student, there are usually several appropriate instructional approaches. For example, to teach the rules of the road, a standard present-and- test approach is appropriate. Actual driving (or a simulation) is appropriate for teaching the physical and coordination skills necessary for safe driving. This report lists several common approaches to instruction and gives examples of when each is appropriate. Note that a **CBT** program may combine several of these elements. For example, a "simulation-based" **CBT** could include an "intelligent training" component. **Table 3.3** lists four instructional approaches.

	What is it?	When to use it?
Linear	Resembles book reading	Teaching facts and procedures
Simulation-Based	Simulates equipment or tasks	Teaching how to perform tasks
Intelligent Tutoring	Provides human-like response to user actions	Teaching a complicated task that requires reasoning
Microworld	Simulates context of problem solving	Teaching relationships between actions and outcomes

Table 3.3 Instructional approaches

Table 3.3 Instructional Approaches

3.3.1.1 Linear Training

The linear training method of **CBT** presents the material in much the same way as a book. Users can "step" forward and backward through the material, and possibly jump to other topics and subjects. Typically, the instructional design is taken from a book or lesson plan that has been used to teach the course in the past. Linear training differs from a book in that the program can use multiple types of presentation methods, including graphics, audio, and video. Multiple types of media (multimedia) can make such a **CBT** system more interesting and instructive than a book or lecture.

Linear training is most appropriate when the material being taught consists of procedures, lists of items, or regulations that the student must memorize. One example of linear training is a **CBT** system that teaches the procedures for starting up an aircraft's engines. This type of task requires that the technician follow procedures in a specific order, so linear presentation of the material is appropriate. The testing unit of the **CBT** could then ask the user to order the procedures in the correct sequence. Linear training is usually the easiest to use, and it is also the least complex to design and implement. **CBT** that uses linear training has to be carefully designed to hold the user's attention, since linear presentations can quickly become monotonous.

3.3.1.2 Simulation-based Training

A simulation-based **CBT** system differs from a linear training system in that the former attempts to simulate some type of task through dynamic graphics. The software provides a realistic

imitation of the necessary equipment and activities and behaves like the "real" world. For example, the **CBT** may require the student to troubleshoot a piece of equipment by inspecting, testing, and replacing its components. By simulating only the important features of a task, simulation-based **CBT** can provide cheaper, faster, and safer training than a real system, while requiring limited supervision from an instructor.

Simulation-based training should be used when the training task involves the manipulation of complicated equipment or when the equipment itself is too expensive to use for training. Examples of such training systems are a **CBT** that trains for avionics troubleshooting skills or a **CBT** that teaches the operation of **NDI** equipment. The way that a student uses a simulation-based system is much less constrained than the way a linear **CBT** works, since the student can perform the actions in any order.

3.3.1.3 Intelligent Tutoring

An intelligent tutoring system (ITS) mimics the instructional strategies of an instructor or domain expert. An ITS can give advice, provide feedback, and explain mistakes. The levels of intelligence in ITSs vary from "canned" text feedback to expert systems that understand the domain being taught. By automating some of the assistance that instructors usually have to repeat several times, ITS can provide consistent training to a large number of students.

An **ITS** cannot replace the role of the instructor because computer programs currently lack the intelligence and flexibility of human trainers. Computer intelligence in training should be seen as an instructional aid. An **ITS** can provide help for the simple, commonly asked questions, while the instructor provides the answers for the harder questions. These systems can perform some of the simple training and help tasks of the instructor, but the tasks requiring large amounts of interactivity and intelligence should be left to the instructor. By automating these tasks, the instructor has more time to answer the difficult questions and provide individualized instruction to students who need more help.

3.3.1.4 Microworld Training

Instead of simulating a piece of equipment or a particular task as a simulation-based trainer does, a microworld trainer models an entire job for a particular worker. The microworld trainer attempts to give a realistic context for problem solving, thus increasing the chance that the user will remember what he or she learned in the training while on the job. An aviation technician microworld **CBT**, for example, would simulate the cognitive tasks of troubleshooting, and allow the technician to replace parts and test the equipment.

Microworld training is most appropriate when the goal is to teach cognitive skills. Most text-based training systems attempt to teach the user a set of facts; a microworld trainer imbeds these facts in real- world problem solving. Microworld training provides the user with a context for problem solving, making it easier to remember when a similar situation occurs on the job.

Another advantage of microworld training is that it can be extremely engaging when designed correctly, thus motivating the student to use the **CBT**. Microworld computer games (such as

SimCity and) have high entertainment value, in comparison with other computer games, because the player has full control over the course of the game.

Remember: The instructional approaches described above are not mutually exclusive. Combine them to meet the students' instructional needs.

3.3.2 Presentation Formats

The training and instructional analysis provides a functional description of what information the **CBT** must provide to the user. Presentation media affects a **CBT**'s cost so the media should be selected based on instructional criteria, rather than any aesthetic judgements or preferences. Common presentation formats are summarized in **Table 3.4**.

	When to Use	Guidelines for Use
Text	Identify and describe processes, objects, and procedures	 Limit word use, be clear Use large fonts and readable colors
Graphics	Show what equipment looks like or how a system is organized	 Make as simple as possible and do not show unnecessary objects Consider display resolution of computers
Animation	Explain a process or demonstrate the steps of a procedure	 Makes the program more engaging Do not make longer than necessary Give user control over playback
Audio	Add realism, increase entertainment factor, or communicate long text passages	 Do not overuse; have a reason for using it Allow user to control volume, turn off
Video	Describe procedures or increase entertainment factor	 Give user control over playback Match purpose with video quality

Table 3.4 Presentation Formats

 Table 3.4 Presentation Formats

3.3.2.1 Text

Text is the most common **CBT** presentation format, since all computers support text. Text can be used to identify and describe processes, objects, and procedures. While audio narration has a fixed rate of playback, text allows the reader to absorb information at his or her own pace. One drawback of text is that the low resolution of most computer monitors makes it difficult to read long text passages. **CBT** designers should take this into account by shortening the length of text and deleting unnecessary words and sentences.

3.3.2.2 Graphics

When a **CBT** program needs to show what a piece of equipment looks like, or how a system is organized, a graphic is the best presentation method. Graphics can be pictures or line drawings of equipment or schematics showing connectivity and functionality of components. The **CBT**

team must consider the resolution of graphics required for effective instruction, as this partially determines the type of computer display necessary to support the program. The required resolution is a function of the purpose of the graphics: teaching for recognition requires high resolution, while simple schematic drawings can be displayed in lower resolution. In cases where aesthetics or entertainment value is important, higher resolution may be desirable.

3.3.2.3 Animation

Motion is an effective method of drawing attention to a particular item. The simplest way of displaying motion is through animation, which is the movement of simple graphical objects along simple paths. Animations differ from video in that they capture the general content of an event while discarding some information, thus making it easier for the user to understand the relevant issues. An animation can be used to explain a process or to demonstrate the steps of a procedure. Examples include animations of flows in electrical and hydraulic systems and animations of the installation procedure for an avionics component.

3.3.2.4 Audio

Audio in **CBT** can add another level of realism to the training system, give more entertaining feedback, or make the communication of long text passages much simpler. **CBT** audio can be divided into three classes: narration, equipment sounds, and musical accompaniment. Narration allows the user to listen to a description while watching an animation or video; this is not possible with text annotations. Machine sounds such as jet engines are usually not needed for instruction but may increase the entertainment value of the program. Musical accompaniment makes the program more interesting or adds emphasis to a point. Before adding audio to a **CBT** program, remember that an audio sound board is required to play audio on **PCs**, and audio files can greatly increase the program's total size.

3.3.2.5 Video

Like animation, video can be used to describe a process or to show a procedure. Video differs from animation in that it is a more accurate representation of the "real world" and usually has an accompanying soundtrack. Since video is more realistic than animation, it is usually better for describing procedures such as test or installation steps that a technician will perform on the job. The viewer more easily understands the context of actions shown in a video than in an animation. There are several methods for displaying video on computers, with varying degrees of resolution and cost (Pearce, 1993). All current desktop full-motion video technologies require some type of high-end hardware and large amounts of data storage.

Remember: It is important to decide early in the design process which data types the **CBT** will use, since this partially determines the training application's hardware and software requirements.

3.3.3 Integrated Training and Job Aiding

Another important issue to consider before designing a **CBT** system is whether technicians could also benefit from a computer-based job aid. A job aid differs from a training system in that a job aid helps the technician when the task is performed, not before it is performed. This approach to training can also be called "just in time," borrowing from current "just in time" inventory and production management techniques. Some training is still necessary with a job aiding system, since workers need some background knowledge before starting to perform a task.

Because the knowledge and software required for training systems and job aids are usually very similar, it is more cost-effective to design a system that serves dual purposes than to design two separate systems independently. Integrated training and job aiding also implies active learning and on-the-job training. The chance of the user remembering an important fact or lesson is greater when the user is actually performing the job than when he or she is sitting in the training room. A job aid also decreases the need for "up- front" training, since the worker learns how to perform a task immediately before doing it.

3.4 HOW TO DESIGN AND IMPLEMENT COMPUTER-BASED TRAINING

The following section describes a process for designing and implementing **CBT**. The authors have used this process successfully. It maximizes the likelihood of producing successful **CBT** systems. **Figure 3.3** is a flow chart of the steps in and outputs of this **CBT** production approach.




Figure 3.3 Typical CBT development process with outputs

3.4.1 Needs Analysis

The first step in designing a **CBT** system is to decide whether the system is really needed for a specific task, and to describe the expected benefits of implementing a **CBT** system. Note that this step is not specific to **CBT**; a needs analysis is necessary for all training systems and job aids. If a need is incorrectly identified or the nature of the problem is not understood, then the final product probably will not be useful. The needs analysis consists of three main steps: problem identification, current training methods analysis, and cost/benefit analysis. Each step is described below.

3.4.1.1 Problem Identification

The first step in needs analysis is to identify a task that needs improved performance or lower training costs. This can be done informally through interviews with technicians and managers. A more formal evaluation would include a description of the technicians' tasks, how long it takes technicians to perform these tasks, and any "bottlenecks" that delay completion. The final product of this step should be a list of technicians' tasks that may benefit from improved training methods.

Remember: The two reasons for using **CBT** are to increase efficiency for a task and to increase effectiveness of training.

3.4.1.2 Current Methods of Teaching the Task

The second step in needs analysis is to perform a training analysis to determine how the training for the task is currently conducted. This step helps determine if an improvement in the current method is possible and to identify strengths and weaknesses of present training methods. Once the current process is described explicitly, it is much easier to critique it and find its weak and strong points. Such a description should include what is taught, who teaches it, how long it takes, how it is taught, what resources are needed, and the students' performance before and after training.

The training analysis identifies one of the following possibilities: no formal training exists, training exists but could be improved, or current training is sufficient. Typically, workers learn many of their tasks on the job. When there is an existing training program, there are two more possibilities: the training could be made more effective (thus increasing technicians' performance and productivity), or efficiency could be increased (which decreases the training cost).

3.4.1.3 Pre-Production Cost/Benefit Analysis

The final step in needs analysis is to determine if training for the specified task will give an adequate return on investment. This is one of the hardest tasks in **CBT** production, because it is difficult to:

• Measure benefits of intangibles, such as safety and customer satisfaction

- Predict the actual performance improvement for a system that has not yet been built
- Predict the cost of building **CBT** systems (and computer programs in general).

Given all these unknowns, it is still possible to generate a rough estimate of a training system's effectiveness before it is produced. It is important to remember that these are rough estimates, so take this into consideration when planning resources and deadlines.

In deciding if **CBT** is appropriate for a specific task, look at other training methods and compare their costs and benefits. There are several methods for doing this, but this report will only mention them in passing, as most of the methods involve complex economic and mathematical analysis. One method is to compare the total "life cycle" costs of the **CBT** to that of other systems (Kearsley, 1982). Typically the costs are broken down into three categories:

- Research & development/start up costs associated with planning and designing
 CBT
- Transition costs one-time costs of implementing **CBT** hardware and software
- Steady state costs continuing costs (such as maintenance) of using **CBT**.

The result of this step should be a description of the **CBT** system's goals and an estimate of its benefits (either improved efficiency and/or decreased cost). The goals provide a high-level summary of what the **CBT** system will do for the users.

3.4.2 Job Task Analysis

Job analysis is a process used to break a job into tasks and rate the tasks for further analysis. Task analysis is a process to determine how a task is performed and the factors that affect performance. Consequently, job task analysis (JTA) is a method used to identify what tasks are included in a particular job and how these tasks are supposed to be done. **JTA** identifies the knowledge, skill, and activity requirements necessary for job performance. The goal of the **JTA** is to explicitly describe the job so that the workers' efficiency, effectiveness, and error rates can be improved. There are many different methods for performing **JTA**, ranging from detailed formats for describing each step in performing a task to more informal observational methods (Woods, 1993).

Formal **JTA** methods are used during system design or when there appears to be serious problems with the design of a system or the procedures used to operate it. In most cases, **JTA** need not be formal. **JTA** for instructional design can be as simple as a one-page description of what the workers do to perform the task. Particular attention should be paid to errors that repeatedly happen on the job and to inefficiencies that could possibly be eliminated through improved training.

Remember: Each organization will have to determine its acceptable level of **JTA**. **JTA** is merely a "means" to the "end" of developing **CBT**. The **JTA** process must not become the product.

3.4.3 Instructional Design and System Planning

Once the **JTA** is finished, the instructional design of the system must be created. Instructional design is concerned with understanding, improving, and applying instructional methods to specific problems (Reigeluth, 1983); it describes *how* certain material will be taught. This differs from curriculum design, which describes *what* will be taught. The goal of instructional design is to choose the best methods to achieve specific improvement in knowledge and skills for a given group of students. The description should summarize the training process to be implemented in the **CBT** program, including

- What the **CBT** will teach (its instructional goals)
- Knowledge students are assumed to know before using the system
- The instructional approach
- Structure of lessons, exercises, tests, etc.
- Types and number of questions
- How the information will be presented (text, graphics, video, etc.)
- How the **CBT** will be used with other instructional methods (instructor, books, etc.)
- How to evaluate the students' knowledge.

There are several common approaches to instructional design. Which approach is appropriate for a particular project depends on the training task. See Section 3.3.1 for more information on the various approaches to instructional design.

Once a particular instructional approach is chosen, the **CBT** team has a better idea of the time, skills, and resources necessary to complete the project. For example, simple training systems with text instruction do not require much effort to program and test; a large training project with complex equipment simulations and a multimedia presentation demands much more effort. The **CBT** team manager should apply standard planning methods, including

- Developing a program time line and Gantt chart
- Planning resource allocation, including people, computers, software, training, etc.
- Setting milestones for the development cycle.

Remember: The instructional design is one of the most important components of a successful **CBT** system. Poor instructional design will lead to poor training and possibly poor job performance.

3.4.4 Prototype System

Once the instructional design is finished, system implementation can begin. This is done by producing one or more prototypes of the **CBT** program. A prototype is a tool for critiquing the design of the system. The demo system can be evaluated by the designers, content experts, managers, users, and programmers to ensure that they all agree on the system's design before full-scale implementation begins. If there is not agreement that the prototype design is good, then it is unlikely that the organization will accept the final system.

The prototype demonstration is best done on a computer since this provides the interactivity that other methods lack. The demonstration program should include the "main" features described in the instructional design, with the secondary features (for example, student logging and

multimedia) omitted. Also, some of the prototype computer program code can be used in the production version of the **CBT** program.

Although computer-based prototyping methods require more up-front effort than other approaches, they are often more efficient in the end. One advantage of computer-based prototyping is the ease with which the users can participate in program design. A user can suggest changes to the program, and the changes can be made while the user watches. Another advantage is that the effort which goes into building the prototype can be applied to the actual **CBT** programming by using the prototype as the basis for the **CBT** program. The use of authoring systems in building **CBT** (covered in **Section 3.6.3.2**) makes the transition from prototyping to programming more manageable.

There are several prototyping approaches that do not require computers, and some find these methods easier to use. One method of producing a quick demonstration without computers is to produce a paper "storyboard" of how the screens will look. Each "frame" of the storyboard includes a rough sketch of what the screen will look like with a caption that describes the screen's purpose. Storyboarding can also be done on an erasable board, so that many **CBT** team members can participate in the design. A storyboard created before the computer prototype can act as a guide for the programmer.

3.4.5 Rapid Prototyping Software Development

The rapid prototyping approach to software production grew out of the observation that many computer programs do not meet the needs of the intended users. This often is the result of a divergence between what users need and what programmers think the users need. Often, users do not know what they want or do not want until they see it. Rapid prototyping helps solve this problem by including users in the software design process and by using their feedback to drive changes and improvements to the program (Sewell & Johnson, 1990).

The last two steps described in this **CBT** production process (prototype system creation and evaluation) are used as the basis for rapid prototyping. The instructional design is a definition of what requirements the designers want the software to meet and a high level description of how the program will meet the requirements. From this analysis, the programmers create a prototype program that can be critiqued by instructors, students, and administrators. The programmers then make changes to the software based on the users' feedback during the evaluation. The evaluation should include checks for

- Correctness of the information
- Ease of use of the program
- Spelling and grammar mistakes
- Graphical layout, user of color, and other aesthetic issues
- "Bugs" (programming errors) in the **CBT** program.

To ensure that the reported problems are addressed, it is best to have a formal reporting scheme. Such a scheme can be as simple as a written log of each problem found, the person who found it, the solution to the problem, and the person(s) who fixed it. Once all of the bugs have been fixed in the current version of the **CBT**, it should be tested again to ensure that previous problems were solved and that no new problems were introduced. This iterative process continues until the organization is satisfied that the software is suitable for its intended purpose. Because this step in **CBT** production is so unpredictable, set aside enough time to address both large and small problems that come up during the evaluations.

3.4.6 Evaluation of CBT System

Evaluate the **CBT** system to determine if any changes are needed to fulfill the goals of the **CBT** system and to provide data for future **CBT** systems. In the first case, the evaluation examines the instructional features of the **CBT** system and how the students use the system. Usually, any problems found may not have been known at the time the program was written and may arise from design decisions. For example, students without much computer experience may not understand how to use a control on the **CBT** program's interface that is familiar to experienced computer users. The other purpose of an evaluation, to help in developing future **CBT** systems, has the goal of using what was learned during the design and implementation of one **CBT** system to assist in the creation of other **CBT** systems. The data for this evaluation may include formal experiments or informal surveys of users' experiences with the training system.

One drawback of evaluations is that they can be very expensive. While one or two people can build a **CBT** system in several months, it takes numerous experimental **CBT** users to provide statistically significant data. Depending on what type of data are being collected, evaluation can require anywhere from several hours to several weeks of a **CBT** user's time. Also, it is difficult to collect "on-the-job" data, so written tests that may not measure actual learning and job performance improvements are often used as substitutes. Because of the expense of some types of evaluations, the **CBT** team should formulate specific issues that they want the evaluation to examine. When producing an evaluation, the **CBT** team should

- Develop a hypothesis about the training system(s)
- Collect data relevant to the hypothesis
- Analyze the data with respect to the hypothesis
- Apply the outcome of the evaluation to current and future training systems.

There are several common models for evaluating training. Models vary in the types of data needed for the analysis and the types of information that they produce. The appropriate method also depends on whether the **CBT** system was built to save money, to improve performance, or both. Sometimes a combination of models is appropriate to generate the information needed to make future decisions. **Table 3.5** summarizes the types of evaluations commonly used on **CBT** systems.

	Purpose	When to Use			
Questionnaires and interviews	Collect information about users' opinions	After CBT is finished			
Content verification	Ensure that information is correct	During development			
Cost/benefit analysis	Determine the CBT's overall cost effectiveness	After CBT is finished			
Usability testing	Evaluate the quality of the interface	During development			

Table 3.5 Evaluation Methods

Table 3.5 Evaluation Methods

3.4.6.1 Questionnaires and Interviews

Cost and learning evaluations only tell part of the story. To judge users' opinions concerning a **CBT** system, the most appropriate tools are questionnaires and interviews. A questionnaire attempts to determine what users like and do not like about a **CBT** system. Make the questionnaire short (two pages or less) and simple, so that it can be filled out in a few minutes. The data can then be analyzed statistically to determine the system's strengths and weaknesses.

Interviews also attempt to collect data about users' opinions of a **CBT** system, but they are less formal than written questionnaires. An interview usually consists of a set of questions for the users and instructors, and they can also allow the subject to discuss unanticipated issues. Although interviews require preparation, data evaluation is often more difficult and subjective because the answers and comments tend to be more open-ended. Consequently, interviews are better for identifying specific problems with a **CBT** system than for determining general trends in acceptance and satisfaction.

3.4.6.2 Content Verification

The most important component of a **CBT** system is its content, since it is content knowledge that is being taught to the users. If the content is incorrect, then the students will not learn the correct information. This may lead to poor and/or unsafe job performance. A content validation verifies that the information contained in the **CBT** is correct.

Content evaluation is commonly accomplished by showing the **CBT** to experts and instructors and having them check for omissions and errors. Ideally, the people doing the content evaluation should not be the subject matter experts who provided the knowledge for the **CBT** program. It is possible that the subject matter experts have misconceptions about the domain. If multiple experts are to evaluate the content, it is likely that there will be conflicts and contradictions in the advice and suggestions they offer. Therefore, when analyzing the results of the content evaluation, differentiate between different styles of problem solving and training and significant errors in the domain knowledge.

3.4.6.3 Cost/Benefit Analysis

Cost/benefiet analysis combines two separate measurements to determine the return on investment for the **CBT**. The cost analysis measures the total cost of designing, producing, and distributing the **CBT**. This data can be gathered from records of time and money spent on development. The benefit portion of the analysis focuses on changes in worker's performance. Benefits are measured from changes, or estimates of changes in on-the job performance.

If the benefits analysis concludes that the training is not effective, then other types of evaluations are necessary to pinpoint the source of the problem. This is because a benefits analysis "lumps" the good and bad features of a **CBT** into one measurement. Some common measures of success of **CBT** systems (and training systems in general) are:

- Higher achievement and productivity level
- Improved quality of work
- Decreased student training completion time
- Increased motivation level
- Increased safety and a lower accident rate.

The more abstract the measure of training success, the harder it is to correlate it with actual **CBT** features. For example, if there is an increase in productivity after the introduction of a **CBT** system, the increase may or may not be a result of the **CBT**. It is usually easier to eliminate other explanations such as the use of new equipment or new accounting methods than to prove that changes in performance are a result of the introduction of **CBT**.

3.4.6.4 Usability Testing

A usability test is conducted to ensure that students can operate and understand the system. This is necessary because the usability of a **CBT** system is an important factor in determining whether or not the users learn. Even if the information in the program is correct, users will not focus their attention on the lessons if the interface is poorly designed. For example, novice computer users may not understand conventions known to more advanced computer users. **CBT** designers need to keep this in mind when designing the interface. It is advisable to make the interface as simple as possible and to avoid cluttering it with unnecessary text and graphics.

Frequently, usability testing is done by observing a few potential users while they operate the program. It is best to have users who have not used the program before and who do not have much computer experience. These users will report problems such as not understanding what to do next. All users should be encouraged to report any difficulties before they start the usability testing. To identify other types of problems, it is best to watch the users and see what types of mistakes they make, keeping interruptions to a minimum. The problems in the interface should then be listed so that the **CBT** designers can discuss them. Once the interface problems have been fixed, the **CBT** team should conduct another usability test to ensure that the problems have been adequately fixed and that new problems have not been introduced.

Remember: Evaluation is part of the rapid prototyping software development method. The evaluations should be done frequently during **CBT** design and development. Ongoing evaluation eliminates surprises at the end.

3.4.7 Maintenance and Updates

A **CBT** system is not finished after the programming and evaluations have been done. The system needs to be kept up-to-date with changing technology, equipment, and procedures. For example, the maintenance procedures may change for a particular piece of equipment. If an existing training system refers to the old maintenance procedure, it will have to be updated to the current method. Also, students using a **CBT** program in the classroom usually uncover bugs that were not found during program testing. Instructors commonly request that new features such as automatic grade reporting be added to **CBT**s after they begin using them. These costs are called "steady state" costs because they remain somewhat constant after the **CBT** program has been finished and is being used.

Other "incidental" costs are rarely planned for, but commonly arise. Computer hardware maintenance costs vary widely, depending on the computers' quality and the amount of use. Public-access computers have higher levels of wear than computers used by individuals; so the budget should account for cleaning, maintenance, and repair. If the lab is to remain open for extended hours, security and lab personnel have to be budgeted. Also, such costs as those for printing paper and writing documentation are necessary for some types of **CBT**.

3.5 ASSEMBLING A CBT TEAM

One of the most important considerations in producing a successful **CBT** system is choosing the team members. Designing a **CBT** system requires skills in diverse areas such as training, graphics, computer software and hardware, and usability. The **CBT** team needs all the skills above, since the lack of even one skill can lead to significant problems with the **CBT** program. If the team does not have these skills, it should seek training in the unknown areas or hire consultants to fill the gaps. Sometimes one person may possess two or more of the skills, so the team does not always have to be large. **Figure 3.4** shows the makeup of a **CBT** team.




Figure 3.4 The CBT Team

3.5.1 Instructional Designer

The instructional designer applies knowledge of training, learning, psychology, and other training systems to the design of the **CBT** system. Most instructional designers have advanced degrees in education or psychology and have the ability to apply their knowledge to the design of training systems. This person should also understand the training domain, the jobs and tasks of the workers, and how training principles and past experience apply to the current training system. Because instructional design is the most important consideration in **CBT** design, the instructional designer is often the team leader.

3.5.2 Subject Matter Expert

The subject matter expect (SME) is key to the success of a **CBT** project because he or she is the source of the knowledge and information that the **CBT** system will teach to the students. If the **SME** does not understand the domain well enough to explain it to the instructional designer, then the chances of building a successful **CBT** system are slim. Therefore, the **SME** is often an

instructor or someone with much on- the-job experience. Johnson (1988) says that instructors are the best **SMEs** because they understand the subject and instructional priciples and also know how to best explain the domain to programmers and other **CBT** developers.

A common problem in building **CBT** systems is difficulty in finding and retaining a knowledgeable **SME**. In aviation, as in most other domains, experts are scarce and are often committed to other projects. Experts may be pulled from a **CBT** project for more pressing tasks, leaving the **CBT** team with the difficult task of trying to bring a new **SME** up to speed on the project. In this case, there is a familiarization period before the new **SME** can contribute to the project, thus delaying any new work on the **CBT**. This problem can be avoided by having two or more experts working on the project, even if one or more of the additional experts are only secondary contributors. This approach has the advantage of allowing more than on person to verify the domain representation.

3.5.3 Computer Programmer

The programmer implements the instructional designer's training plan. An important part of a programmer's job is the ability to design a program that meets the constraints of time, money, performance, and computer hardware. The programmer should have some understanding of instructional design and software usability. The programmer must also be able to take users' feedback and convert it into changes making the software easier to use and more understandable.

Programming usually takes the largest portion of time in implementing a **CBT** system, and large projects require more than one programmer. Programmers' work load can be reduced by ensuring that they have adequate software tools, computer hardware, and design feedback from the rest of the team. Experience is the most important factor in determining a programmer's productivity; an experienced programmer can produce considerably more software than an equally intelligent but inexperienced programmer.

3.5.4 Computer Hardware Support

The computer hardware support person ensures all the computer hardware and software is working properly. If something is not working properly, the hardware support person should know how to test it and how to resolve hardware malfunctions. Another large part of the job is maintaining software configurations, making sure that the computers have the latest version of the **CBT** software. This person should be able to help the students use the software and to answer basic questions about the training program.

3.5.5 Human Factors Expert

When students cannot easily use a **CBT** system, chances are that they will not learn much. When students' attention is drawn away from content, they concentrate on trying to operate the software. The human factors expert ensures that the system is understandable and easy to use. The human factors expert can also provide design guidelines pertaining to program behavior, screen layout, colors, and fonts. It is important that the human factors expert be involved early in the design process so that he or she can critique the overall **CBT** approach. A human factors expert should have experience in the psychological issues of interface design and have practical experience in computer program design.

3.5.6 Graphic Artist

A good graphic artist is often vital to the timely completion of a **CBT** project. Graphics production is time-consuming. If the graphics are on paper, they must be scanned into the computer and then cleaned up with a paint program. If the graphics need to be drawn from scratch, the instructional designer or subject matter expert should sketch them so that the graphic artist does not have to guess at what is needed. The graphic artist should be familiar with issues of color selection, screen layout, design for readability, and usability, and should have some previous experience in designing graphics for the computer. When designing the screen layout and graphics, it is important to keep in mind the graphic limitations of the target computer configuration. For example, when graphics designed to be displayed on systems with 256 or more colors are displayed on computers that can only show 16 colors, the resulting graphics are not understandable or attractive.

Remember: The **CBT** team does not need one individual for each of the described tasks, but all of the skills should be included on the team.

3.6 CBT HARDWARE, SOFTWARE, AND SUPPORT

This section covers a variety of topics related to the budgetary and commercial issues in **CBT**. The material is not technical and presents enough information to allow managers to make informed decisions.

3.6.1 Hardware

Since they first became widely available, there has been a constant increase in the power of personal computers (PC). This increase in power has been followed by a constant increase in the computing power requirements of **PC** software. There is now much personal computer software that will not work (or works too slowly) on computers that are more than a few years old. Because of the high cost of installing and maintaining new computers, many older (and less powerful) computers are still in use.

When designing a **CBT** system, the **CBT** team must consider the type of computer that will be used for running the **CBT** program. If the hardware does not support the **CBT** software, then the students will not be able to make full use of the training. Computer hardware can vary along several dimensions, so the **CBT** team must consider all these dimensions when they design the **CBT** system. This section describes the various dimensions and also explains when special hardware may be needed, and what the hardware will add to the instruction.

3.6.1.1 Processor Type and Speed

A **PC's** processor determines how "powerful" the computer is and how quickly it can do its computations. Because of improvements in processor technology, modern desktop computers are roughly 100 times more powerful than **PCs** of ten years ago. Processor speed is analogous to the thrust of an aircraft's engines, which determines the power of the aircraft. Some text-based applications can be used on an Intel 8088 computer, the first generation **PC** processor, although few of these are currently manufactured. The next step up is the Intel 80286 and 80386 processors which usually have clock speeds between 15MHz and 33MHz. For the most computer-intensive programs, the Intel 80486 with a 33MHz or higher clock speed is required.

3.6.1.2 Computer Memory

A **PC's** memory determines how much data it can work on at a single time. For text-based computer programs, 640 kilobytes (kb, or about 1,000 "words" of computer memory) is an acceptable amount of memory. For more complex programs, between 2 and 8 megabytes (Mb, or about 1,000,000 "words" of computer memory) is standard. With older computer operating systems (such as MS-DOS), extra memory does not make the computer significantly faster and is only a "minimum standard" that determines which programs the computer can run. With more modern computer environments (such as MS Windows), the speed of certain operations is affected by the amount of memory. Commercial **CBT** programs should be tested on one of the computers to be used for training to ensure that there is enough memory for the program. If software is being produced in-house, then programmers need to consider the amount of memory in the organization's computers.

3.6.1.3 Hard Disk Size

The hard disk is used to store data on the **PC** when the data is not being used. Most modern software programs are too large to store on floppy disks. The data stored on the hard disk can be either program, which control what the computer does, or data which the programs process. For text-based applications, a 40 Mb hard disk is usually adequate. If multimedia data such as graphics, animation, and sound is part of the **CBT** program, then a larger hard disk should be considered. The size of hard disk required depends on the number of programs and the type and amount of data being stored on the computer. To store large amounts of data that does not change frequently, a compact disc read-only memory (CD-ROM) drive is preferred. Note that new data cannot be stored on a **CD-ROM** after it is manufactured, so another data storage mechanism is necessary for updates and student data.

3.6.1.4 Computer Display Quality

The computer monitor and the video adapter card work together to display the text, graphics, and video that the **PC** generates. The signals from the computer go through the "video adapter" which converts digital data to the signal the monitor displays. There are several dimensions

along which the adapter/monitor combination can vary:

- Resolution of video adapter number of vertical and horizontal "picture elements" (pixels) that can be displayed; usually ranges from 320 x 140 to 1024 x 768
- Size of the monitor measure of diagonal size of the screen: between 12" and 27"
- Number of colors how many colors can be displayed on the screen at once; from monochrome (black and white) to 16 million colors.

The appropriate combination depends on the type of data the **CBT** displays. For programs that display only text, the lower resolutions are appropriate. If a program displays graphics, video, and animation, then higher-end equipment is necessary. Use the prototype **CBT** program to evaluate resolution requirements.

3.6.1.5 Input Devices

An input device is a computer peripheral that allows the user to enter data into the **PC**. The most widely known input device is the keyboard which allows the user to enter text. However, most training approaches and tasks do not require the user to enter large amounts of text. Keyboards are not widely used in the newer **CBT** systems since it is easier to interact with the computer through a "selection" device such as a mouse, touchscreen, or light pen. These devices allow users to interact with the graphical elements on the display through gestures such as clicking/pressing, dragging and dropping, etc.

While the mouse is the device of choice for controlling most graphical environments, touchscreens and light pens are easier for novices to use. A touchscreen is sensitive to pressure, and the coordination of computer graphics and the user's actions allow for realistic simulation of equipment and tasks. A lightpen works in much the same way, but the user touches the screen with a special pen. Although touchscreens and lightpens are easier to use than mice, they cause arm fatigue when the user is required to perform a large number of selections.

3.6.1.6 Multimedia Accessories

Multimedia can be defined as the integration of several data types in a computer program. These data types include text, pictures, animation, sound, and video. Usually, *multimedia* assumes some level of sound and video, although both do not need to be present. In the case of a **PC**, the presentation of sound or full-motion video requires some hardware accessories, including a sound adapter with speakers and a motion video adapter board. Currently, the most widely used method for delivering video on a computer is through a videodisc player, but digital video technology is quickly becoming widespread. A **CD-ROM** drive is often used to store the large amounts of data associated with multimedia. Simple text-based training programs usually do not require these accessories. However, if multimedia is needed for training, the **CBT** team should plan for this when choosing the computer configuration. **CD-ROM** players are becoming increasingly common, and several software companies are delivering programs on this media.

3.6.1.7 Network Capability

A network connection enables a PC to transfer data to other computers. This allows for data sharing between isolated computers without having to transport a diskette or **CD-ROM**. Data can be transferred in either direction between the students' computers and the instructor's computer. Two applications for CBT are message sending and file sharing. Two examples of message sending are for the instructor to send a note to the students or for the students' grades from a **CBT** program to be sent to the instructor's computer. File sharing allows for more efficient use of computer resources such as keeping a single copy of the CBT program or multimedia data on the network server instead of maintaining a copy on each PC's hard disk.

3.6.2 Examples of Standard Computer Configurations

This section describes three broad classes of **PCs** and is designed to assist in selecting the correct computer configuration for a specific training application. The PC classes are derived from the various levels of processing power and hardware support required to manipulate different types of information. One thing to remember when choosing a computer configuration is changing training needs. Although the first **CBT** programs produced by an organization may be text-based, future training systems may require more computing power. It is possible to run text-based computer programs on multimedia computers, but not vice versa, so you should plan for future needs. Table 3.6 summarizes the minimal hardware requirements for the three standard computer configurations described in this section.

	Text and simple graphics	Partial Multimedia	Full Multimedia
Processor	Intel 80286 processor 15 MHz clock speed	Intel 80366 processor 25 MHz clock speed	intel 80486 processor 33 MHz clock speed
Memory	640 kb memory	1 Mb memory	4 Mb memory
Storage	40 Mb hard drive	80 Mb hard drive	150 Mb hard drive
Display	manachrome/ EGA monitor	VGA 256 color monitor	VGA 256 color manitor
Peripherals		mouse; sound board and speakers	mouse; sound board and speakers; digital video or overlay/ videodisc board; CD-ROM drive

Table 3.6	Minimal	hardware	requirements	for standard	computer	configurations

Table 3.6 Minimal hardware requirements for standard computer configurations

3.6.2.1 Text and Simple Graphics

A text and simple graphics program has the lowest computing power requirements and can run on all first- generation IBM-PC compatible computers. Information the computer displays consists of blocks of text with some small graphics. Because such programs do not use many graphics, smaller displays with 2 or 16 colors are adequate. Also, very little computer memory or hard disk space is required because of the low storage space requirements for text and simple graphics. Multimedia peripherals are not needed. The standard configuration for this computer

- Intel 80286 processor / 15 MHz clock speed
- 640 kb memory
- 40 Mb hard drive
- monochrome / EGA monitor.

3.6.2.2 Partial Multimedia

A partial multimedia machine adds the ability to display high-quality graphics, animation, and sound. Since this type of training applies emulations of equipment and job tasks, this level of computer hardware is required for simulation-based and microworld training. The higher data storage requirements of large graphics and sound make it necessary for the computer to have more memory and a larger hard disk. When the **CBT** program has significant data, it may be more cost effective to store the data on **CD-ROM**. The standard configuration for this computer is

- Intel 80386 processor / 25 MHz clock speed
- 1 Mb memory
- 80 Mb hard drive
- VGA 256 color monitor
- mouse or touchscreen
- sound card and speakers.

3.6.2.3 Full Multimedia

A full multimedia machine includes all the capabilities of the partial multimedia class and adds full motion video. Full multimedia is useful for showing technicians how a procedure should be carried out or for providing greater interactivity with the training. Special hardware is needed for the computer to process and display some types of multimedia data: sound cards to play sound and video cards to display full motion video. There are several computer programs that can display video without special hardware, but the video display is lower quality than that of hardware-assisted technologies. The standard configuration for this computer is

- Intel 80486 processor / 33 MHz clock speed
- 4 Mb memory
- 150 Mb hard drive
- VGA 256 color monitor
- mouse or touchscreen
- sound board and speakers
- digital video or overlay/videodisc board
- **CD-ROM** drive.

3.6.3 Software

Computer programs, collectively known as software, are sets of computer instructions that tell the computer hardware what to do. Without software, the computer would be useless. Software

is

performs different functions. For example, one piece of software may control how keystrokes are interpreted, while another piece may control graphic display on the computer screen. Software is a central part of a **CBT** system, for it acts as a translation between the instructional designer's goals and the way the computer "acts."

There are several approaches to programming **CBT**; they vary in ease of use and flexibility. In most cases, the easier a program is to use, the less flexible it is. On the other hand, the more functions contained in the program, the more flexible it is. More effort is required for the user to learn to use a flexible program. Using the analogy of a car and a helicopter, it is easier to drive a car than it is to fly a helicopter, but the helicopter is more flexible with regard to the pilot's amount of control. Which one is appropriate depends on the needs, knowledge, and constraints of the traveller. **Table 3.7** outlines the advantages and disadvantages of programming systems.

	Advantages	Disadvantages
Programming languages	 Flexible; can make the program do what is needed. Fastest programs. 	 More time needed to implement programs. Experienced programmers needed.
Authoring tools	 Both flexible and easy to use. 	 Not as flexible as programming languages; some things not possible. Slower than programming languages.
Off-the-shelf programs	 Program is ready to run; no need to hire development team. Low cost because it is used by many groups. 	 Doesn't always match need of users.

Table 3.7 Advantages/Disadvantages of Programming Systems

Table 3.7 Advantages/Disadvantages of Programming Systems

3.6.3.1 Programming Languages

A programming language is a set of conventions for specifying a sequence of operations a computer performs. The operations may include displaying graphics and text on the screen, monitoring the input devices, or computating a numerical value from a formula. Like the recipe that a cook follows to transform ingredients into a meal, a computer program tells the computer hardware how to transform input (from a keyboard, mouse, or data file) into meaningful output (text display, graphics, sound, or video).

Programming languages provide the most flexibility in producing **CBT** systems. It is possible to produce **CBT** systems with programming languages that cannot be produced with authoring tools. The cost for the flexibility of programming languages is the extra effort required to produce the program. This trade- off shows up in the experience required to become an expert programmer and the high cost of hiring experienced programmers.

There are several popular programming languages, including Pascal, FORTRAN, BASIC, and

COBOL. The language of choice for most programmers and most commercial programs (word processors, spread sheets, etc.) for **PCs** is "C." The language expertise of the programmers, the existence of any previously written software, and company rules and preferences determine which language is most appropriate for a particular project.

3.6.3.2 Authoring Tools

Like a programming language, an authoring tool is a set of conventions for specifying a sequence of operations a computer performs. The form of an authoring tool's language is different from that of a programming language. In most cases, authoring tools are much easier to use than programming languages. Many authoring tools do not require extensive experience in computer programming and require little training for users to produce working systems. Sometimes the programming is done through "direct manipulation," i.e., drawing icons or objects that control how the program will act directly on the screen. Usually, the programming language for an authoring tool (called a "scripting language") is easier to understand and use than a true programming language.

The disadvantage is that authoring tools are not as flexible as programming languages. For example, consider writting a computer program that simulates a piece of equipment. It may not be possible to do this with some authoring systems because the authoring languages place constraints on the way that the program behaves.

There are different types of authoring tools. At one end of the spectrum are general purpose systems not designed for any particular domain. These systems combine the flexibility of programming languages with the flexibility of authoring tools.

At the other end of the authoring system spectrum there are authoring tools designed for a specific domain or for a specific instructional approach. The premise is that by including domain-specific information and structure in the authoring system, it is easier to produce new training systems. These systems often support standard **CBT** operations such as student login, test score gathering, and grade reporting. The biggest drawback is that flexibility is lost when more structure is added. Occasionally, it is not possible to make the **CBT** program do what is desired.

3.6.3.3 Off-the-Shelf Programs

The simplest way to apply **CBT** is to find an off-the-shelf program that meets the organization's training needs. This approach requires no computer programming or instructional design since the system has been designed and implemented by another company. The cost of pre-configured training systems is often lower than that of in-house **CBT** since the cost is distributed across several groups. Therefore, the break- even cost for off-the-shelf **CBT** as compared to instructor-led training is usually in the tens of students. Comparatively, the average break-even point for self-developed **CBT** is considerably higher.

See Section 3.5 for a list of aviation-specific off-the-shelf CBT programs. Another source of information on off-the-shelf aviation training software is the "CBT Courseware/Hardware

Matrix" report from the Aviation Industry Computer Based Training Committee (AICC, 1992).

The biggest problem with off-the-shelf programs for aviation maintenance is the small number of systems on the market. If training is needed for a specific system, chances are that **CBT** does not exist for that system. On the other hand, it is not necessary that training be provided for all possible systems because of similarities between systems and equipment in the aviation industry. Some off-the-shelf **CBT** programs for aviation maintenance training are listed in **Section 3.6.5**, "Example **CBT** Applications."

Remember: The main tradeoff between these three programming approaches is ease of use vs. flexibility. The type of **CBT** being created and the programmers' experience determines which one is most appropriate.

3.6.4 CBT Computer Labs

There are two basic configurations for computer training rooms: individual carrels and classroom. In the individual training configuration, workstations are arranged so that there are partitions between the individual carrels. This prevents students from disturbing each other while using the computers. A problem with this configuration is that it is difficult for students to help one another with problems. In the classroom configuration, the computers are arranged on tables that face the front of the room, and there are no barriers between workstations. This allows for instructor-led **CBT** and for easy collaboration among students.

The **CBT** laboratory should be large enough to hold the computers and computer furniture. The computer furniture should be large enough for students to place their instructional and reference manuals while using the **CBT**. Lighting and window shades need to be designed so that there is not excessive glare on the computer displays. Computers produce large amounts of heat, so the **CBT** lab should have adequate cooling.

Before designing a **CBT** lab and ordering equipment, the **CBT** team should understand the students' training needs, budget (both for installation and maintenance) for the **CBT** lab, and the technology issues of maintaining and upgrading computer hardware. Such issues include

- Existing computer hardware and software versions
- Compatibility of hardware and software
- Special hardware requirements to simulate equipment
- Access times, lab security, lab assistants, fee collection, etc.
- Projection equipment for instructor-led training
- Networked vs. stand-alone computers, printer access.

3.6.5 Example CBT Applications

This section describes several currently available **CBT** programs for aviation technicians. These programs are either designed to teach procedures for specific aircraft models or to teach general troubleshooting skills.

3.6.5.1 General Troubleshooting & Specific System Troubleshooting

These two programs produced by an aviation training **CBT** company typify the two main types of technical training. The general troubleshooting system is an instructor-led **CBT** system that provides a simulation-based training program. This three-day course covers electrical circuits, tools, and test equipment. The goal of **CBT** systems that teach general troubleshooting skills is to teach knowledge and skills that are applicable to many different types of systems. For example, the troubleshooting skills applied to a general aviation aircraft are the same as those for a commercial aviation aircraft, but the systems are more complex on transport category aircraft.

The second **CBT** is specific to a single aircraft and was developed with a Canadian air carrier. The goal of this system is to teach the user to diagnose faults in the Challenger aircraft. Although the learning in system-specific training systems may transfer to other systems, such programs usually focus on the configuration and procedures specific to that system.

3.6.5.2 Aviation Training with Video

Courseware from another aviation training company ranges from the "Principles of Troubleshooting" course that teaches general troubleshooting skills to aircraft-specific **CBT** for the Gulfstream II, III, and IV, Falcon 50, King Air 200, and the Citation 500 and III. Although this company has begun taking advantage of digital video in their newer systems, many of its older **CBT** programs are videodisc-based.

3.6.5.3 Large Aircraft Training

Another **CBT** company has produced "off-the-shelf" maintenance **CBT** for the 747, 767, MD-11, and various other aircraft. The 767 training course includes 90 hours of **CBT** and covers most of the major aircraft systems. These training systems include multimedia, making the system much more interesting to the user. The videodisc system includes high-quality video, still pictures, and audio.

3.6.5.4 Fundamental Troubleshooting Skills Training

A large American **CBT** developer is working with a German air carrier to develop courseware teaching the fundamentals of jet aircraft. Material covered in this course such as avionics, hydraulics, and mechanics is common to most aircraft and is covered in each of the type ratings. The goal is to save time by teaching this material once, instead of having to teach it for each type rating. The whole **CBT** program, which is 100 hours of training, is scheduled for release in July 1995.

3.6.5.5 737 and 777 Training

One commercial airline has developed three courses covering several different systems and procedures related to the 737. These courses include the APUs, tagging procedures, and fueling regulations. These are mostly one-hour courses that can be used on low-end personal computers. The airline is also working with the manufacturer on developing an instructor-led course for the

777.

3.6.5.6 ECS Intelligent Tutoring System

The Environmental Control System (ECS) Tutor was produced for the FAA Office of Aviation Medicine. This is an intelligent tutoring system (ITS) that teaches general troubleshooting skills in the context of diagnosing and repairing malfunctions of the Boeing 767's ECS. The tutor contains a deep model of the ECS which allows the user to see the consequences of his or her actions on the system down to the sensor level. The tutor is also highly graphical, allowing for direct manipulation of ECS components and realistic pictures and animation of system components and schematics.

3.6.5.7 Part 147 Training

Two companies have produced jointly several multimedia training modules for A&P mechanics. Couse material consists of integrated manual and **CBT** software. Existing courses cover eddy current inspections, electronic communication and navigation systems, and instrumentation systems. The course material is not specific to any particular equipment or system, but teaches general principles and methods of operation for the given task. The software runs on a "partial multimedia" computer and includes the ability to track student performance.

3.7. POTENTIAL PITFALLS IN CREATING CBT

In designing and producing **CBT**, the **CBT** team needs to be aware of several potential problems that are commonly encountered. These problems may be technical, instructional, planning, ergonomic, or organizational (**Table 3.8** summarizes these problems). The **CBT** process described in **Section 3.4**minimizes the chance of these problems arising.

lable J.S CDI Philais					
Problem	Prevention/Solution				
Additional training not required	Perform a thorough task analysis, including an analysis of the current training methods.				
Poor instructional design	Perform a thorough task analysis and an instructional design based on this analysis.				
Poor user interface	Conduct frequent user acceptance evaluations during development; follow interface design guidelines and conventions; know the target users.				
Poor computer programming of CBT	Apply standard software engineering and management techniques; use the right tools and programmers.				
Unplanned organizational impact	Understand the shift in the instructor's role; design and evaluate a prototype course before starting school-wide use.				
System not integrated with other training	Verify the whole instructional design; ensure that the students have all prerequisite knowledge; evaluate the CBT's integration with other courses.				
Oversell of CBT	Set realistic goals (cost effectiveness) that the CBT should meet.				

Table	3.8	CBT	Pitfalls

•

Table 3.8 CBT Pitfalls

3.7.1 Additional Training not Required

Sometimes training systems are built when there is no need for them. This usually happens when a needs analysis is not conducted. Some tasks do not require formal training because they are easy to learn, and on-the-job training is the appropriate instructional method. In other cases, instructor-led training or self- study instruction are adequate for the material being covered.

To determine if additional training is required, the instructional designer needs to perform a thorough needs analysis, including an analysis of the current training methods. The task analysis will determine if there is an opportunity for improving on-the-job performance. A needs analysis may identify ways of restructuring the task for improved performance and efficiency. If a **CBT** is proposed to lower training costs, then a cost/benefit analysis needs to be performed to determine if the **CBT** system will actually result in lower training cost.

3.7.2 Poor Instructional Design

Another pitfall in creating **CBT** systems is poor instructional design resulting from a mismatch between the target users' instructional needs and the training system's design. Occasionally, such a mismatch can hinder users' job performance if they are trained to perform the task incorrectly.

An important part of instructional design is making the **CBT** software interesting to the users. Many failed **CBT** programs are "page turners" that are little more than books that have been transcribed to the computer: these systems do not hold most users' attention. A program cannot be made engaging simply by tacking on pretty pictures and animation; user interest must be designed into the system from the project's beginning.

The best defense against poor instructional design is, again, a thorough job task analysis and instructional design based on this analysis. Instructional design is the bridge between the students' instructional needs and the **CBT** program's design. Without a thorough job task analysis, it is unlikely that the **CBT** program will be useful. If the program is being done in-house, iterative reviews help ensure that it will meet its instructional goals. A thorough analysis of the system's instructional design is necessary for programs built by a contractor or bought off-the-shelf.

3.7.3 Poor User Interface Design

A **CBT** system should be designed so that it is easy to use. The text should be readable, the controls should be intuitive, and the user should be able to determine what the program is doing and what he or she can do with the program. If this is not true, users become frustrated with the system and avoid using it. If students are forced to use a poorly designed program, they usually do not pay attention to what the program is trying to teach. A program can also be unusable and frustrating if the computer is not powerful enough for the software or does not have all of the features (such as multimedia accessories) the software requires. The net effect of poor user

interface design may be a decrease in training and work motivation, so this type of failure requires special consideration.

User interface design problems can be avoided by performing frequent user acceptance evaluations during **CBT** development. The best way to do this is to have intended users operate the program and report any problems they have understanding its content or usage. Someone uninvolved in the **CBT**'s programming should observe the users to record reported problems and to look for problems that users do not report. Data gathered from these evaluations should drive **CBT** design changes.

The **CBT** team should understand the target users. The team should know the users' level of computer experience, background knowledge, and learning styles. For example, if the **CBT** program requires a mouse and the students are unfamiliar with using a mouse, the instructor should give a short lesson on its use (possibly by letting the users play a computer game). With knowledge of user backgrounds, **CBT** software and hardware can be evaluated for "fit" with the students, and changes can be made, if necessary. Users have a variety of experience and knowledge, and **CBT** systems should be designed to be usable by the largest number of students. There is always a number of students who need extra help with any system.

3.7.4 Poor Computer Programming of CBT

A needed and properly designed **CBT** system will not be successful if it is poorly programmed. If the computer program does not do what it was intended to do, then it is unlikely that it will meet its instructional goals. Poor programming can result in incorrect or missing data, or programs that mysteriously "lock up" the computer. A program with too many errors is not instructionally effective because the user pays too much attention to trying to make the program work. Poor computer programming can result from several planning or management problems:

- Poor planning or resource allocation
- Wrong choice of programming tools for the task
- Insufficient training in the use of the programming tools
- Insufficient management of programming tasks, testing, or deadlines
- Personality conflicts between **CBT** team members.

These problems can be avoided by applying standard software engineering and management techniques to administering the programming project. Although team management is not a concern for organizations buying off-the-shelf **CBT**, it is still important to ensure that the training software being bought is error- free. This can be done by conducting a pilot program with a small group of students before buying the **CBT** program.

Because computer programming is still more of an art than a science, it is often difficult to predict how much time it will take to complete a program. On the average, it takes between 200 and 500 hours of development to produce one hour of **CBT**. The time for any particular project depends upon many factors, including the system's complexity, the **CBT** team's experience, and the amount of cooperation with management and instructors. It is important to allocate time for evaluation and testing to ensure that the **CBT** program is useful and usable.

3.7.5 Unplanned Organizational Impact

When applying any technology to a task, it is important to consider the impact that the technology will have on the organization. This is not often done with computer technology since it is usually assumed that the "new" method will improve efficiency and productivity. Sometimes lack of planning for the introduction of new technology results in a refusal to use the new technology. Organizational rejection of technology may be caused by poor training, confusion about the purpose of the technology, or users' feelings that the technology is being imposed on them.

When using **CBT** in an organization for the first time, it is important to understand and account for the shift of the instructor's role from a presenter of information to that of a student assistant. This can best be done by conducting a trial **CBT** course. This trial course should explicitly describe the roles of instructors, students, administrators, and support personnel. Testing a prototype in a classroom also provides useful information before the **CBT** course is implemented school-wide. The students should be familiar with the behavior and operation of computers and the reason for using computers in training.

3.7.6 System not Integrated with Other Training

Just as there is no single tool for all tasks, there is no single technology appropriate for all training. A **CBT** system should be applied to meet specific training goals for which it is appropriate. Since there are other training methods to teach other knowledge, an instructional designer must consider how to integrate **CBT** with other types of training. For example, a **CBT** system that teaches non-destructive inspection may be integrated with classroom lectures that explain the theory behind magnetic and ultrasonic **NDI** and textbook material that describes different **NDI** systems. When dividing a training course among several instructional techniques, the instructional design must be well-planned to ensure that students have all the prerequisite knowledge before proceeding to new lessons.

3.7.7 Oversell of CBT

A **CBT** program is an asset to technical training because it enhances traditional classroom training. **CBT** systems have sometimes failed because they were oversold to school management, instructors, and/or students. **CBT** is not the "end" in training technology; it is rather a "means" in the effort to meet the overall goal of effective and efficient technical training. The broad category of oversell includes optimistic predictions of cost effectiveness, performance improvements, development time, or user acceptance.

A good **CBT** system requires time, money, and other developmental resources. If sufficient resources are not allocated to building the system, it will be inadequate and will probably fail to meet its goals. If the finished **CBT** is ineffectively utilized, it is unlikely to be cost-effective. Another common misconception is that **CBT** solves all of an organization's training problems. As with any training approach, some students will have problems learning from **CBT**. This may

result from poor **CBT** design or from some students' insufficient background knowledge or poor learning habits. Instructors should prepare for this eventuality.

To avoid this problem, set realistic goals for **CBT**. The goals should describe expected changes in training costs and effectiveness. Remember that both of these do not have to improve; in some cases, a **CBT** that increases effectiveness may cost more than the current training method. Finally, make sure that others in the organization understand the goals for the **CBT** system.

3.8 CONCLUSION

The design and implementation of **CBT** systems present many options to aviation training managers. While the decisions may seem complicated, they can be greatly simplified by using a proven systems approach to manage **CBT** selection, development, and implementation.

3.9 REFERENCES

Air Transport Association. (1991, October). Specification 104 - Guidelines for aircraft maintenance training. Washington, DC: Air Transport Association.

Eberts, R. E. & Brock, J. F. (1987). Computer-assisted and computer-managed instruction. In G. Salvendy (Ed.), *Handbook of Human Factors* (pp. 963-975). New York: John Wiley & Sons.

Flexman, R. E. & Stark, E. (1987). Design of selection and training systems. In G. Salvendy (Ed.) *Handbook of Human Factors* (pp. 1012-1038). New York: John Wiley & Sons.

Federal Aviation Regulation, §147. 14 CFR 147 (1993). Washington, DC: U.S. Government Printing Office.

Forth, K. D. (1993, March). CBT applications increasing. *Aviation Equipment Maintenance*, pp. 40-45.

Aviation Industry Computer Based Training Committee. (1992, draft). *CBT courseware/hardware matrix*.

Kearsley, G. (1982). *Costs, benefits, and productivity in training systems*. Reading, MA: Addison-Wesley Publishing Company, Inc.

Pearce, M. (in press). How much is enough? Choosing a computer-based video technology. *Proceedings of the Second Annual Conference on Multimedia in Education and Industry.*

Reigeluth, C. (1983). Instructional design: What is it and why is it? In C. Reigeluth (Ed.), *Instructional Design Theories and Models: An Overview of their Current Status*. Hillsdale, NJ: Lawrence Erlbaum Associates.

Electric Power Research Institute. (1987, June) *Guidelines for the application of computer-based instruction* (Research Project 2294-2 Interim Report).

Woods, D. D. (1993). Process-tracing methods for the study of cognition outside of the

experimental psychology laboratory. In G. A. Klein, J. Orasanu, R. Calderwood, & C. E. Zsambok (Eds.), *Decision making in action: Models and methods* (pp. 228-251). Norwood, NJ: Ablex Publishing Corporation.

CHAPTER FOUR IDENTIFICATION OF BARRIERS TO SUCCESS FOR NONTRADITIONAL PARTICIPANTS IN AVIATION MAINTENANCE CAREERS

4.0 INTRODUCTION

The challenge to improve air safety through employment and retention of an appropriate maintenance work force is extremely diverse. Many factors determine the composition of any air carrier's maintenance team. These factors include Federal Aviation Administration (FAA) regulations, area demographics, pay scales, union rules, and availability of personnel, to name a few. The **FAA** Office of Aviation Medicine, in conjunction with Aviation Education Consultants, has compiled the information in this report in an effort to ensure that a plentiful supply of appropriately qualified persons will be available to meet anticipated Aviation Maintenance Technician (AMT) needs into the 21st century. For the purpose of this investigation, an Aviation Maintenance Technician (AMT) is any person directly involved with the repair or restoration of aircraft. **AMT** personnel includes Airframe and Powerplant (A&P) technicians, Avionics technicians, non-certified technicians employed by repair stations and does not include supervisory, educational, or administrative personnel.

It is anticipated that highly skilled blue collar workers will become increasingly in demand by various trades; therefore, the aviation industry may find it difficult to employ those persons needed for many specialized maintenance operations such as non-destructive testing, composite refabrication, and electronics troubleshooting and repair. The changing role of the U.S. military may also have a dramatic impact on the availability of **AMTs**. Current data from research studies suggests that the supply of white male workers, who have traditionally populated this field, will prove grossly to meet future work force needs. It will be important, therefore, not only from an equity perspective, but also because of employment demands, to emphasize recruitment, training, and placement of nontraditional populations for **AMT** careers.

4.1 THE OBJECTIVES

The primary objective of this study was to delineate effective strategies for meeting the emerging **AMT** work force needs through recruitment, training, placement, and retention of nontraditional workers. Research has shown that historically underrepresented populations such as females, blacks, Hispanics, displaced homemakers, and reeducated older workers, while representing the greatest hope for meeting work force shortfalls, present unique employment challenges. In most cases, individuals in these populations lack adequate training and/or **FAA** certification to allow them to enter an **AMT** career.

In order to prepare effective strategies for meeting the emerging needs of the aviation industry, demographic data was collected to determine the populations most in need of assistance. This portion of the study was also used to predict future supply and demand for **AMT** employees. The methodology was an extensive demographic review of currently employed **AMT** s, Bureau of Labor Statistics, **FAA** and census data, as well as various industrial sources. The historic demographic composition of the **AMT** work force can also have a profound effect on future employees. Historically, **AMT** career fields have been dominated by white males, but, by what percentage and are those percentages changing? The demographic portion of this study examines both the composition of the **AMT** work force, now and in the future, as well as the predicted number of **AMT**s available to fill the emerging positions in the aviation maintenance industry.

In order to identify effective strategies to combat the lack of employment diversity in the aviation maintenance fields, one must first identify the barriers which inhibit nontraditional populations from choosing aviation maintenance as a career. During this study, the research team conducted a thorough literature review and site visitations to **AMT** schools and work facilities. Barriers to nontraditional employment and existing recruitment and retention strategies in airline, general aviation institutions, training, and other related environments were identified and cataloged. With assistance from a commercial airline, the International Association of Machinists, and the Aviation Technical Education Council, information was gathered to identify other delimiters to **AMT** career selection, retention, and post-training articulation into **AMT** career fields. The research team was able to identify several strategies which are potentially helpful in encouraging nontraditional individuals to choose **AMT** careers, succeed in training, and then to entice them to remain in the field.

4.2 DEMOGRAPHIC PROJECTIONS

This section of the report re-examines the results of the 1991 *Working Paper* (FAA, 1993) on Aviation Maintenance Technician (AMT) shortages prepared by the Federal Aviation Administration. The 1991 paper produced projections of pilot and **AMT** work force needs in Civilian Aviation for 1992-2003. This section of the report addresses only the projections of future **AMT** work force needs. A re-examination of civilian commercial pilot work force projections is beyond the scope of this project. A summary of the complete demographic study is in **Appendix 4**.

4.2.1 Background

The re-examination of future **AMT** work force needs was called for in response to questions from aviation officials, union leaders, and others about the large shortages of **AMT**s that were projected in the 1991 working paper. The 1991 working paper states that "numerous sources predict that there will be a need for 100,000-120,000 **AMTs** by the year 2000. This number is based on the current number of technicians combined with new positions related to new aircraft and increased attention to continuing airworthiness of older aircraft." The 1991 report projects

the shortage of **AMTs** to be between 65,000 and 85,000 new **AMTs** by the year 2000. Many felt that the shortfalls were too large; others, that the projected shortfalls were too conservative.

The shortages projected were accompanied by supporting information and arguments that seemed to provide a rationale for the expected large shortfalls. In the report, the projected decline of the population in the 16-24 and 25-34 age groups by the year 2000, a declining pool of potential **AMTs** coming from the military, a low retention rate of **AMTs** in the aviation industry (only 45% of **AMT** school graduates remain in aviation after 2 years), and other reasons are offered to explain why the supply of **AMTs** is not expected to keep up with demand. All of these reasons and rationales focus on the supply of **AMT** work force into the aviation industry. However, the **FAA** report does not offer specific yearly projections of **AMT** work force supply to accompany their detailed yearly projections of **AMT** work force demand. As a result, precise yearly shortages remain unclear.

This study examines the report's projection of **AMT** work force need. The projections are re-calculated using much of the original study's methodology but with some variation where the assumptions of the original projections have been questioned. These variations in assumptions and methodology are described in **Appendix 4**. This study also offers yearly projections of work force supply using data that was not used in the working paper study. This study projects supply by using **FAA** data on estimated active **AMTs** reported in the *FAA Statistical Yearbooks*. The yearly projections of **AMT** work force supply and demand can be compared to produce projected yearly shortages or surpluses.

4.2.2 Projected Demand and Supply of AMTs

The projections of **AMT** demand from **Tables 4A-4**, **4A-5**, and **4A-6** (**Appendix 4**) are combined with projections of **AMT** supply from **Tables 4A-8** and **4A-9** (**Appendix 4**). Projections of **AMT** shortages can be calculated by comparing the supply and demand projections. Only where 40% of active **AMTs** are employed in aviation and where it is assumed that 14 **AMTs**/transport category aircraft, 4.2 **AMTs**/commuter aircraft and .15 **AMTs**/general aviation aircraft are needed do we find that there will be substantial **AMT** shortages (see **Figure 4.1**). However, for circumstances where greater than 40% of active **AMTs** remain employed in aviation and where fewer **AMTs** are needed to maintain each class of aircraft, we do not project shortages (**Figure 4.1**). In general, the supply of **AMTs** will meet the aviation industry's demand.

		Large Jets	1		Net		Commuters ⁴		
\vdash		Large Jets			140	<u>`</u>	Commuters		
Year	Aircraft	Technician	Attrition ²	Transfers	³ Vacant	: Aircraft	Technicians	Attrition ⁵	Transfers ⁶
1980	2538	3553;	2 2487	191	2 575	1094	4595	919	680
1981	1630	2682		204			5540	1108	691
1982	2717	3803		203			5767	1153	701
1983	2841	3977		213			5977	1195	709
1984	2993	4190;		218			6195	1239	719
1985	3180	4452		223			6430	1286	730
1986	3383	4736;		227			6699	1340	737
1987	3575	5005	0 3504	233	2 1172	1680	7056	1411	743
1988	3743	5240;	2 3668	238	9 1273	1757	7379	1476	752
1989	3917	5483;	8 3839	241			7505	1501	759
1990	4032	5644;	8 3951	244	8 1503	1815	7623	1252	766
1991	4237	5931	8 4152	243	1655	1878	7888	1578	775
1992	4304	6025	6 4218	253	6 1682	1923	8077	1615	782
1993	4336	6070-	4 4249	257	1672	1965	8253	1651	793
1994	4499	6298	6 4409	263	0 1775	2032	8534	1707	803
1995	4597	6435	8 4505	268	4 1821	1 2095	8799	1760	814
1996	4781	6693	4 4685	272	8 1957	2139	8984	1797	825
1997	4960	6944	0 4861	276	4 2097	2167	9101	1820	836
1998	5192	7268;		279	9 2283	2188	9190	1838	848
1999	5366	7512-	4 5253	284			9299	1860	862
2000	5494	7691	6 5384	288	4 2500	2253	9463	1893	874
2001	5665	7931	0 5552	292			3568	1914	887
2002	5817	8143;		235			9635	1927	901
2003	5930	8302	0 5811	300	0 281	1 2322	9752	1950	915
			-						
	Net								
	INCO	Gei	neral Aviation ⁷		Combined with other	Total	Added from	Total Net	t Total
					with other				
Year	Vacant	Ger Aircraft	neral Aviation ⁷ Technicians	Other		Total Technicians	Added from Last Year	Vacani	t Attrition
Year				Other	with other				t Attrition
	Vacant	Aircraft	Technicians		with other Attrition ³	Technicians		Vacan Positions	t Attrition
1980	Vacant 239	Aircraft 208918	Technicians 31338	36670	with other Attrition ³ 6801	Technicians 108135	Last Year	Vacan Positions 7615	t Attrition 5 10207
1980 1981	Vacant 239 417	Aircraft 208918 211325	Technicians 31338 31639	36670 37404	with other Attrition ³ 6801 6910	Technicians 108135 111463	Last Year 3328	Vacan Positions 7615 7851	t Attrition 5 10207 7 10595
1980 1981 1982	Vacant 239 417 452	Aircraft 208918 211325 213061	Technicians 31338 31699 31959	36670 37404 38152	with other Attrition ³ 6801 6310 7011	Technicians 108135 111463 113916	Last Year 3328 2453	Vacani Positions 7615 7851 828	t Attrition 5 10207 7 10595 1 10827
1980 1981 1982 1983	Vacant 239 417 452 486	Aircraft 208918 211325 213061 213498	Technicians 31338 31699 31959 32025	36670 37404 38152 38914	with other Attrition ³ 6801 6910 7011 7034	Technicians 108135 111463 113916 116630	Last Year 3328 2453 2774	Vacani Positions 7615 7851 828 8225	t Attrition 5 10207 7 10595 1 10827 9 11073
1980 1981 1982 1983 1984	Vacant 239 417 452 486 520	Aircraft 208918 211325 213061 213498 214886	Technicians 31338 31699 31959 32025 32025 32233	36670 37404 38152 38914 39693	with other Attrition ³ 6801 6910 7011 7034 7193	Technicians 108135 111463 113916 116630 120022	Last Year 3328 2453 2774 3332	Vacan Positions 7615 7851 828 828 828 8663	t Attrition 5 10207 7 10595 1 10827 8 11073 8 11365
1980 1981 1982 1983 1984 1985	Vacant 239 417 452 486 520 556	Aircraft 208918 211325 213061 213498 214886 216420	Technicians 31338 31639 31959 32025 32233 32463	36670 37404 38152 38914 39693 40487	with other Attrition ³ 6801 6910 7011 7094 7193 7295	Technicians 108135 111463 113916 116690 120022 123900	Last Year 3328 2453 2774 3332 3878	Vacan/ Position: 7615 7857 8226 8663 8663 8910	t Attrition 5 10207 7 10595 1 10827 6 11073 6 11365 0 11697
1980 1981 1982 1983 1984 1985 1986	Vacant 239 417 452 486 520 556 603	Aircraft 208318 211325 213061 213438 214886 214886 216420 215813	Technicians 31338 31699 31959 32025 32233 32463 32463 32373	36670 37404 38152 38914 39693 40487 41297	with other Attrition ³ 6801 6910 7011 7034 7193 7295 7367	Technicians 108135 111463 113916 116690 120022 123900 127731	Last Year 3328 2453 2774 3332 3878 3878 3831	Vacan/ Positions 7615 7851 8286 8663 8910 9008	t Attrition 5 10207 7 10595 1 10827 3 11073 3 11073 3 11365 0 11697 3 12022
1980 1981 1982 1983 1984 1985 1986 1987	Vacant 239 417 452 486 520 556 603 668	Aircraft 208918 211325 213061 213498 214886 216420 215819 214240	Technicians 31338 31639 32025 32233 32463 32373 32373 32136	36670 37404 38152 38914 39693 40487 41297 42140	with other Attrition ³ 6801 6910 7011 7034 7193 7295 7367 7428	Technicians 108135 111463 113916 116630 120022 123900 127731 131382	Last Year 3328 2453 2774 3332 3878 3831 3831 3851	Vacani Positions 7619 7857 828 828 828 8663 8910 9008 9268	t Attrition 10207 10535 10827 1073 11073 11365 11637 11637 12343
1980 1981 1982 1983 1984 1985 1986 1986 1987	Vacant 233 417 452 486 520 556 603 668 724	Aircraft 208918 211325 213061 213498 214886 216420 215819 214240 214479	Technicians 31338 31699 32025 32233 32463 32373 32136 32172	36670 37404 38152 38914 39693 40487 41297 42140 43000	with other Attrition ³ 6801 6310 7011 7034 7133 7235 7367 7428 7517	Technicians 108135 111463 113916 116690 120022 123900 127731 131382 134953	Last Year 3328 2453 2774 3332 3878 3831 3651 3571	Vacan/ Position: 761 7851 828 828 828 828 8663 8910 9008 9266 9266 9266	t Attrition 10207 10535 10827 10827 11073 11073 11073 11073 12022 12343 12661
1980 1981 1982 1983 1984 1985 1986 1987 1988 1989	Vacant 239 417 452 486 520 556 603 668 724 742	Aircraft 208318 211325 213061 213438 214886 216420 215819 214240 214473 213245	Technicians 31338 31699 32025 32233 32463 32373 32136 32172 31987	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860	with other Attrition ³ 6801 6910 7011 7034 7193 7295 7367 7428 7517 7585	Technicians 108135 111463 113916 116630 120022 123900 127731 131382 134953 138190	Last Year 3328 2453 2774 3332 3878 3831 3651 3651 3571 3237	Vacan/ Positions 7615 7851 828 8663 8663 8663 8663 8663 8663 8663	4 Attrition 5 10207 7 10595 1 10827 3 11035 3 11365 0 11697 3 12022 3 12042 3 12343 0 12661 3 12925
1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1989	Vacant 239 417 452 486 520 556 603 668 724 742 759	Aircraft 208918 211325 213061 213438 214886 216420 215819 214240 214479 213245 2132601	Technicians 31338 31639 32025 32233 32463 32273 32136 32172 31987 31890	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737	with other Attrition ³ 6801 6910 7011 7034 7193 7285 7367 7428 7517 7585 7663	Technicians 108135 111463 113916 1166900 120022 123900 127731 131382 134953 138190 140638	Last Year 3328 2453 2774 3332 3878 3878 3878 3831 3651 3571 3237 22508	Vacan Positions 7615 7851 828 828 8663 8910 9008 9266 9520 9746 9521 9746	Attrition 4 Attrition 5 10207 7 10535 1 10827 6 11073 8 11365 1 11082 9 110827 9 11073 9 110827 9 12022 9 12022 9 12022 9 12025 9 12025 9 12055 9 120555 9 120555 9 12055 9 120555 9 12055 9
1980 1981 1982 1983 1984 1985 1986 1986 1987 1988 1989 1990 1991	Vacant 233 417 452 486 520 556 603 668 724 742 753 803	Aircraft 208918 211325 213061 213498 214886 216420 215819 214240 214479 214240 214479 213245 212601 212610	Technicians 31338 31639 32025 32233 32463 32373 32136 32172 31987 31890 31892	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631	with other Attrition ³ 6801 6310 7011 7094 7193 7295 7367 7428 7517 7428 7517 7585 7663 7752	Technicians 108135 111463 113316 116630 120022 123300 127731 131382 134353 138190 140638 144729	Last Year 3328 2453 2774 3332 3878 3837 3651 3571 3237 2508 4031	Vacan/ Position: 761 785 828 822 8663 8910 9008 9266 9520 9748 9321 9324 9321 10210	Attrition 5 10207 7 10535 1 10827 3 11365 0 11637 3 12022 3 12022 3 12043 3 12661 3 12343 3 12651 3 1339 3 13482
1980 1981 1982 1983 1984 1985 1985 1986 1987 1988 1989 1990 1991 1992	Vacant 233 417 452 486 520 556 603 668 668 724 742 753 803 803 832	Aircraft 208318 211325 213051 213438 214886 216420 215813 214240 213245 213245 213245 2132610 211338	Technicians 31338 31699 32025 32233 32463 32373 32136 32172 31987 31890 31892 31791	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631 46543	with other Attrition ³ 6801 6310 7011 7034 7133 7295 7367 7428 7517 7525 7663 7752 7833	Technicians 108135 111463 113316 116630 120022 123300 127331 131382 134353 138190 140638 144729 146667	Last Year 3328 2453 2774 3332 3878 3831 3651 3571 3237 2508 4031 1938	Vacan/ Position: 761 7851 828 8226 8663 8910 9006 9266 9520 9746 9322 10210 10210	t Attrition 5 10207 7 10535 1 10827 8 11073 8 11073 8 11085 9 11637 9 12022 9 12343 9 12042 9 12461 9 12925 5 13139 9 13462 7 13666
1980 1981 1982 1983 1984 1985 1986 1986 1989 1989 1990 1991 1992 1993	Vacant 239 417 452 486 520 556 603 668 724 724 759 803 803 832 858	Aircraft 208918 211325 213061 213498 214886 216420 215819 214240 214240 214240 214247 213245 212610 211938 212610 211938 212174	Technicians 31338 31699 32025 32233 32463 32233 32136 32136 32172 31987 31890 31892 31791 31826	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631 46543 47473	with other Attrition ³ 6801 6910 7011 7034 7193 7295 7367 7428 7517 7585 7663 7752 7663 7752 7833 7930	Technicians 108135 111463 113916 116630 120022 123900 127731 131382 134953 138190 140638 144729 146667 148256	Last Year 3328 2453 2774 3332 3878 3651 3651 3651 3571 3237 2508 4031 1938 1589	Vacan/ Positions 7615 7851 828 8663 8663 8663 8910 9006 9006 9366 9520 9748 9321 10210 10341	Attrition 5 10207 7 10595 1 10827 3 11033 1 10827 3 11365 0 11697 3 12022 3 12343 3 12845 3 12855 5 13139 1 13666 1 13830
1980 1981 1982 1983 1984 1985 1986 1986 1989 1990 1991 1992 1993	Vacant 239 417 452 486 520 556 603 668 724 742 759 803 832 858 904	Aircraft 208918 211325 213061 213498 214886 216420 215819 214240 214240 214240 214245 212610 211938 212174 212352	Technicians 31338 31699 32025 32233 32463 32273 32136 32172 31987 31890 31892 31791 31892 31791 31826 31853	36670 37404 38152 38914 39693 40487 41297 42140 43080 43860 44737 45631 46543 47473 48422	with other Attrition ³ 6801 6910 7011 7094 7193 7295 7367 7428 7517 7428 7517 7563 7563 752 7663 7752 7833 7930 8028	Technicians 108135 111463 113316 116630 120022 123300 127731 131382 134953 134953 134953 140638 144723 146667 148256 151795	Last Year 3328 2453 2453 3332 3878 3831 3651 3571 3237 2508 4031 1938 1589 3533	Vacan/ Position: 761 7851 8228 8663 8500 9006 9006 9268 9520 9746 9324 9324 10210 10341 10460 1071	Attrition 5 10207 7 10535 1 10827 6 110635 1 11365 0 112343 0 12661 3 12343 0 12661 3 13330 0 13482 7 13680 0 13830 1 14144
1980 1981 1982 1983 1984 1985 1986 1989 1989 1990 1991 1992 1993 1993	Vacant 233 417 452 486 520 556 603 668 724 742 753 803 832 858 904 346	Aircraft 208318 211325 213061 213438 214886 216420 215819 214240 214479 213245 213245 2132601 211938 212174 212352 213267	Technicians 31338 31639 32025 32233 32463 32373 32136 32172 31830 31830 31890 31892 31791 31826 31853 31930	36670 37404 38152 38314 39633 40487 41297 42140 433000 43860 44737 45631 46543 47473 486543 47473 48422 49330	with other Attrition ³ 6801 6910 7011 7094 7193 7295 7367 7367 7367 7367 7555 7663 7752 7663 7752 7833 7752 7833 7930 8028 8138	Technicians 108135 111463 113316 116630 120022 123900 127731 131382 134953 138190 140638 144723 146667 148256 151795 154537	Last Year 3328 2453 2774 3332 3878 3837 3651 3571 3237 2506 4031 1938 1583 3539 2742	Vacan/ Position: 761 785 828 822 8663 8910 9005 9266 9520 9748 9925 10210 10341 10460 10711 1049	Attrition 5 10207 7 10535 1 10827 7 10335 1 11365 0 11637 3 12022 3 12343 0 12661 5 13139 0 13452 7 13666 0 13830 1 14144 5 14403
1980 1981 1982 1983 1984 1985 1986 1985 1986 1989 1990 1991 1992 1993 1994 1995	Vacant 233 417 452 486 520 556 603 668 724 742 753 803 803 803 803 832 858 904 946 972	Aircraft 208318 211325 213051 213438 214886 216420 215819 214240 213245 213245 213245 2132610 211938 212174 213257 213979	Technicians 31338 31699 32025 32233 32463 32373 32136 32172 31987 31890 31892 31791 31826 31853 31990 32097	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631 46543 47473 48422 49390 50377	with other Attrition ³ 6801 6310 7011 7034 7193 7295 7367 7428 7517 7428 7517 7585 7663 7752 7833 7752 7833 7330 8028 8138 8138	Technicians 108135 111463 113316 116530 120022 123300 127731 131382 134353 138190 140538 144723 146667 148256 151735 154537 158332	Last Year 3328 2453 2774 3332 3878 3831 3651 3571 3237 2508 4031 1938 1589 3539 2742 3855	Vacan/ Position: 7615 7851 828 8226 8663 8910 9006 9266 9520 9746 9520 9746 9520 9746 9521 10210 10341 10460 10711 10460 10711	Attrition 5 10207 7 10535 1 10827 8 11073 9 11073 1 112022 6 120423 1 12661 1 12925 5 13139 1 13666 1 13630 1 14144 6 14403 6 144723
1980 1981 1982 1983 1985 1986 1987 1986 1989 1990 1991 1992 1993 1994 1995 1996 1997	Vacant 239 417 452 486 520 556 603 668 724 759 803 803 803 803 803 804 742 759 803 803 804 904 948	Aircraft 206918 211325 213061 213498 214886 216420 215819 214240 214479 213245 212601 212610 211938 212174 213267 213979 213808	Technicians 31338 31639 32025 32233 32463 32463 32473 32136 32172 31987 31890 31890 31892 31791 31826 31853 31990 32097 32221	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631 46543 47473 48422 49330 50377 51384	with other Attrition ³ 6801 6910 7011 7034 7193 7295 7367 7428 7517 7428 7517 7585 7663 7752 7663 7752 7833 7930 8028 8138 8138 8247 8361	Technicians 108135 111463 113916 116630 120022 123900 127731 131382 134953 138190 140698 144729 148256 151795 154537 158392 162146	Last Year 3328 2453 2774 3332 3878 3831 3651 3237 2508 4031 1938 1589 3539 2742 3855 3754	Vacan/ Position: 7615 7851 828 8226 8663 8663 8300 9006 9006 9366 9520 9326 9520 9326 9520 9326 9326 9326 9326 10210 10341 10460 10711 10340 10711 10340 10711	Attrition 5 10207 7 10595 1 10827 3 11033 1 10827 3 11365 1 12022 3 12343 1 12825 1 13830 1 13830 1 14443 1 144729 2 15042
1980 1381 1982 1983 1984 1985 1986 1986 1986 1980 1990 1991 1993 1994 1995 1994 1995 1996	Vacant 233 417 452 486 520 556 603 668 724 742 753 803 832 858 904 946 912 946 930	Aircraft 208918 211325 213061 213498 214886 216420 215819 214240 214240 214240 214240 214240 214240 214240 212610 211938 212610 211938 212174 21352 213267 213979 214808 216056	Technicians 31338 31699 32025 32233 32463 32273 32136 32172 31987 31890 31892 31791 31826 31853 31990 32037 32221 32408	36670 37404 38152 38914 39633 40487 41297 42140 43000 43860 44737 45631 46543 47473 486543 47473 486543 47473 48422 49330 50377 51384 52411	with other Attrition ³ 6801 6310 7011 7094 7193 7295 7367 7428 7517 7428 7517 7525 7663 7752 7833 7730 8028 8138 8247 8361 8482	Technicians 108135 111463 113316 116630 120022 123300 127731 131382 134953 134953 134953 144658 144729 146658 154537 158392 162146 166697	Last Year 3328 2453 2774 3332 3878 3837 3651 3571 3237 2508 4031 1938 1583 3539 2742 3855 3754 4551	Vacan/ Position: 7619 7851 8228 8226 8663 8910 9008 9520 9748 9921 10210 10341 10460 10711 10309 11176 11442 11613	Attrition 5 10207 7 10535 1 10827 7 11073 8 11365 0 11637 8 12022 1 12661 3 12343 0 12661 3 1339 1 13482 7 13660 1 13830 1 14144 5 14729 2 15042 1 15408
1980 1981 1982 1983 1984 1985 1986 1989 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998	Vacant 233 417 452 486 556 603 556 668 724 742 759 803 832 858 904 946 972 948 938 938	Aircraft 208918 211325 213061 213498 214886 216420 215819 214240 214240 214240 214240 214240 213245 2132601 211938 212174 213252 213267 213979 214808 216056 218127	Technicians 31338 31699 32233 32463 32373 32136 32172 31890 31892 31892 31892 31893 31892 31893 31893 31893 31893 31893 31893 31853 31990 32097 322408 32408 32719	36670 37404 38152 38314 39633 40487 41237 42140 433000 43860 44737 45631 46543 47473 48422 49330 50377 51384 52411 53453	with other Attrition ³ 6801 6910 7011 7034 7133 7235 7367 7428 7517 7428 7517 7428 7517 7555 7663 7752 7663 7752 7833 7130 8028 8138 8247 8361 8482 83618	Technicians 108135 111463 113316 116630 120022 123900 127731 131382 134953 138190 140638 144729 146667 148256 151795 154537 158392 162146 166697 170601	Last Year 3328 2453 2774 3332 3878 3831 3651 3571 3237 2508 4031 1938 1589 3539 2742 3855 3754 4551 3904	Vacan/ Position: 761 785 828 822 8663 8910 9005 9266 9520 9748 9325 10210 10341 10460 1071 104511 1045110000000000	t Attrition 5 10207 7 10535 1 10827 7 11073 8 112022 9 12661 5 1333 9 13482 7 13666 9 13482 7 13666 9 13482 7 13666 9 13442 7 13656 9 13442 7 13656 9 13442 7 13656 9 15440 6 14729 2 15042 5 15737
1980 1981 1982 1983 1984 1985 1986 1985 1986 1989 1990 1990 1993 1994 1993 1994 1993 1996 1997 1996 1997 1999 2000	Vacant 233 417 452 486 520 556 603 668 724 742 753 803 803 803 803 832 858 904 946 972 948 930 938 1019	Aircraft 208318 211325 213051 213438 214886 216420 215819 214240 213245 213245 2132610 21338 212174 213257 213379 214808 216056 218127 213340	Technicians 31338 31699 32025 32233 32463 32373 32136 32172 31987 31890 31892 31791 31826 31853 31990 32097 32221 32408 32901	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631 46543 47473 48422 49390 50377 51384 52411 53459 54528	with other Attrition ³ 6801 6310 7011 7034 7193 7295 7367 7428 7517 7585 7663 7752 7833 7752 7833 7830 8028 8138 8138 8138 8247 8361 8482 8618 8743	Technicians 108135 111463 113316 116630 120022 123300 127731 131382 134353 138190 140538 144723 146667 148256 151735 154537 158332 162146 166637 170601 173808	Last Year 3328 2453 3878 3831 3651 3571 3237 2508 4031 1938 1589 3539 2742 3855 3754 4551 3904 3207	Vacan/ Position: 761 7851 828 828 8663 8910 9006 9266 9520 9746 9322 10210 10341 10460 10711 10460 10711 10460 10711 10505 11176 11442 11613 12035	t Attrition 5 10207 7 10535 1 10827 6 11073 6 11073 6 12022 6 12042 6 12043 1 12661 3 12661 3 12343 1 13656 1 13666 1 13630 1 14144 5 14723 2 15042 3 15408 5 15737 2 16020
1980 1981 1982 1983 1984 1985 1986 1989 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998	Vacant 233 417 452 486 556 603 556 668 724 742 759 803 832 858 904 946 972 948 938 938	Aircraft 208318 211325 213061 213438 214886 216420 215819 214240 214240 214240 214240 214240 213245 2132601 211938 212174 213252 213267 213979 214808 216056 216127	Technicians 31338 31699 32233 32463 32373 32136 32172 31890 31892 31892 31892 31893 31892 31893 31893 31893 31893 31893 31893 31853 31990 32097 322408 32408 32719	36670 37404 38152 38314 39633 40487 41297 42140 43000 43860 44737 45631 46543 47473 48422 49330 50377 51384 52411 53453	with other Attrition ³ 6801 6910 7011 7034 7133 7235 7367 7428 7517 7428 7517 7428 7517 7555 7663 7752 7663 7752 7833 7130 8028 8138 8247 8361 8482 83618	Technicians 108135 111463 113316 116630 120022 123900 127731 131382 134953 138190 140638 144729 146667 148256 151795 154537 158392 162146 166697 170601	Last Year 3328 2453 2774 3332 3878 3831 3651 3571 3237 2508 4031 1938 1589 3539 2742 3855 3754 4551 3904	Vacan/ Position: 761 785 828 822 8663 8910 9005 9266 9520 9748 9325 10210 10341 10460 1071 104511 1045110000000000	t Attrition 5 10207 7 10535 1 10827 5 110827 6 11365 0 11637 1 12022 3 12343 0 12661 3 13482 7 13666 0 13482 7 13666 0 13830 1 14144 5 14729 2 15042 6 15737 2 15020 3 16338

Table 4A-4

1 T		Large Jets	1		Net	1	Commuters ⁴		
<u> </u>		Largebets	_			+ r	Commuters		
Year	Aircraft	Technicians	Attrition ²	Transfers	³ Vacant	Aircraft	Technicians	Attrition ⁵	Transfers ⁶
1980	2538	26643	1865	161	7 248	1094	3446	689	602
1981	2630	27615		1722		1319	4155	831	612
1982	2717	28523		176		1373	4325	865	621
1983	2841	2983		1796		1423	4482	896	629
1984	2993	31421		183		1475	4646	929	633
1985	3180	33390		1876		1531	4823	365	648
1986	3383	35522		191		1595	5024	1005	656
1987	3575	37538		1960		1680	5292	1058	662
1988	3743	39302		200		1757	5535	1107	671
1989	3917	41128		2033		1787	5623	1126	679
1990	4032	42336		2053		1815	5717	1143	687
1991	4237	44483		210		1878	5916	1183	636
1992	4304	45192		213		1923	6057	1211	704
1993	4336	45528		2170		1965	6190	1238	713
1994	4499	47240		2214		2032	6401	1280	723
1995	4597	48263		2260		2032	6599	1320	734
1996	4781	50200		2298		2139	6738	1348	745
1997	4960	52080		2330		2155	6826	1365	755
1998	5192	54516		236		2188	6892	1378	767
1999	5366	56343		239		2214	6374	1395	780
2000	5494	57687		243		2253	7097	1419	792
2000	5665	59483		240.		2278	7176	1435	805
2002	5817	61073		2502		2294	7226	1445	818
2003	5930	62265		2540		2322	7314	1463	831
2000	2000	02203	4000		- 1010	2022	1014	1400	
	Net	Gen	ieral Aviation ⁷		Combined	Total	Added from	Total Net	Total
\vdash									
Year					with other				
a rear	Vacant	Aircraft	Technicians	Other ¹	Attrition ³	Technicians	Last Year	Vacant	Attrition
lear	Vacant	Aircraft	Technicians	Other [®]		Technicians	Last Year	Vacant Positions	Attrition
	Vacant 87				Attrition ³		Last Year	Positions	
1980	87	208918	23503	36670	Attrition ³ 6017	90268		Positions 6352	8571
1980 1981	87 219	208918 211325	23503 23774	36670 37404	Attrition ³ 6017 6118	90268 92948	2680	Positions 6352 6548	8571 8882
1980 1981 1982	87	208918	23503	36670 37404 38152	Attrition ³ 6017 6118 6212	90268 92948 94975	2680 2027	Positions 6352	8571 8882 9074
1980 1981 1982 1983	87 219 244 267	208918 211325 213061 213498	23503 23774 23969 24018	36670 37404 38152 38914	Attrition ³ 6017 6118 6212 6233	90268 92948 94975 97245	2680 2027 2270	Positions 6352 6548 6632 6852	8571 8882 9074 9277
1980 1981 1982 1983 1984	87 213 244 267 290	208918 211325 213061 213498 214886	23503 23774 23969 24018 27175	36670 37404 38152 38914 39693	Attrition ³ 6017 6118 6212 6293 6387	90268 92948 94975 97245 102941	2680 2027 2270 5696	Positions 6352 6548 6692 6852 7042	8571 8882 9074 9277 9516
1980 1981 1982 1983 1984 1985	87 219 244 267 290 317	208918 211325 213061 213498 214886 216420	23503 23774 23969 24018 27175 24347	36670 37404 38152 38914 39693 40487	Attrition ³ 6017 6118 6212 6293 6387 6483	90268 92948 94975 97245 102941 105047	2680 2027 2270 5636 2106	Positions 6352 6548 6692 6852 7042 7261	8571 8882 9074 9277 9516 9785
1980 1981 1982 1983 1984 1985 1986	87 219 244 267 290 317 349	208918 211325 213061 213498 214886 216420 215819	23503 23774 23969 24018 27175 24347 24279	36670 37404 38152 38914 39693 40487 41297	Attrition ³ 6017 6118 6212 6293 6387 6483 6558	90268 92948 94975 97245 102941 105047 106122	2680 2027 2270 5636 2106 1075	Positions 6352 6548 6692 6852 7042 7261 7479	8571 8882 9074 9277 9516 9785 10050
1980 1981 1982 1983 1984 1985 1986 1987	87 219 244 267 290 317 349 396	208918 211325 213061 213498 214886 216420 215819 214240	23503 23774 23969 24018 27175 24347 24347 24279 24102	36670 37404 38152 38914 39693 40487 41297 42140	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6558 6624	90268 92948 94975 97245 102941 105047 106122 109072	2680 2027 2270 5636 2106 1075 2350	Positions 6352 6548 6692 6852 7042 7261 7479 7688	8571 8882 9074 9277 9516 9785 10050 10310
1980 1981 1982 1983 1984 1985 1986 1987 1988	87 219 244 267 290 317 349 396 436	208918 211325 213061 213498 214886 216420 215819 214240 214479	23503 23774 23969 24018 27175 24347 24279 24102 24129	36670 37404 38152 38914 33693 40487 41297 42140 43000	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6558 6624 6713	30268 32348 34375 37245 102341 105047 106122 103072 111366	2680 2027 2270 5636 2106 1075 2350 2834	Positions 6352 6548 6692 7042 7261 7479 7688 7893	8571 8882 9074 9277 9516 9785 10050 10310 10571
1980 1981 1982 1983 1984 1985 1986 1985 1988 1989	87 219 244 267 290 317 349 396 436 447	208918 211325 213061 213498 214886 216420 215819 214240 214479 213245	23503 23774 23969 24018 27175 24347 24279 24102 24129 23930	36670 37404 38152 38914 33693 40487 41297 42140 43000 43860	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6624 6713 6785	30268 32348 34375 37245 102341 105047 106122 103072 111366 114608	2680 2027 2270 5636 2106 1075 2350 2834 2642	Positions 6352 6548 6652 7042 7261 7479 7688 7893 8078	8571 8882 9074 9277 9516 9785 10050 10310 10571 10790
1980 1981 1982 1983 1984 1985 1986 1986 1988 1988 1989	87 219 244 267 290 317 349 396 436 436 447 456	208318 211325 213061 213438 214386 214866 216420 215813 214240 214473 213245 213245 212601	23503 23774 23969 24018 27175 24347 24279 24102 24102 24129 23930 23930 239318	36670 37404 38152 38314 33633 40487 41237 42140 43000 43860 44737	Attrition ³ 6017 6118 6212 6233 6387 6483 6558 6624 6713 6785 6865	90268 92948 94375 97245 102941 105047 106122 109072 111966 114608 116708	2680 2027 2270 5636 2106 1075 2950 2834 2642 2100	Positions 6352 6548 6632 7042 7261 7479 7688 7893 8078 8226	8571 8862 9074 9277 9516 9785 10050 10300 10300 10571 10790 10972
1980 1981 1983 1983 1984 1985 1986 1986 1988 1989 1990 1991	87 219 244 267 290 317 349 396 436 447 456 487	208318 211325 213061 213438 214886 216420 215813 214240 214473 213245 212601 212610	23503 23774 23969 24018 27175 24347 24279 24102 24102 24129 23930 23918 23918 23919	36670 37404 38152 38914 33693 40487 41297 42140 43000 43860 44737 45631	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6655 6558 6655 6355	90268 92948 94975 97245 102941 105047 106122 109072 111966 114608 116708 11955	2680 2027 2270 5636 2106 1075 2950 2834 2642 2100 3247	Positions 6352 6548 6692 7042 7261 7479 7688 7893 8078 8226 8455	8571 8882 9074 9277 9516 9785 10050 10310 10501 10510 10572 11252
1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992	87 219 244 267 290 317 349 396 436 436 447 456 487 507	208918 211325 213061 213438 214886 216420 215819 214240 214479 213245 213245 212601 21938	23503 23774 23969 24018 2418 24347 24279 24129 23930 23910 23918 23919 23843	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631 45543	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6624 6713 6785 6865 6355 7039	90268 92948 94975 97245 102941 105047 105047 105047 105047 105047 11966 114608 116708 119355 121635	2680 2027 2270 5636 2106 1075 2950 2834 2642 2100 3247 1680	Positions 6352 6548 6652 7042 7261 7479 7688 7893 8078 8226 8455 8256 8455	8571 8882 9074 9277 9516 9785 10050 10310 10571 10790 10972 11252 11413
1980 1981 1982 1983 1984 1985 1986 1988 1989 1989 1990 1991 1992 1993	87 213 244 267 230 317 343 396 436 436 447 456 487 507 525	208918 211325 213061 213498 214886 216420 215819 214240 214240 214240 214240 214240 214240 214245 212601 212610 211338 212174	23503 23774 23963 24018 24175 24347 24423 24102 24129 23930 23930 23919 23919 23843 23870	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631 46543 47473	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6624 6713 6785 6865 6355 6355 7039 7134	90268 92948 94975 97245 102941 105047 106122 109072 111966 114608 116708 116708 119355 121635 123061	2680 2027 2270 5636 2106 1075 2350 2834 2642 2100 3247 1680 1426	Positions 6352 6548 6652 7042 7261 7479 7688 7893 8078 8226 8455 8574 8574	8571 8882 9074 9277 9516 9785 10050 10310 10571 10790 10972 11252 11413 11559
1980 1981 1982 1984 1985 1986 1986 1988 1989 1990 1991 1992 1993 1994	87 213 244 267 290 317 343 336 436 436 447 456 487 507 525 557	208918 211325 213061 213438 214886 216420 215813 214240 214473 213245 212601 212610 212610 212938 212174 212352	23503 23774 23969 24018 27175 24347 24279 24102 24102 24129 23930 23930 23930 23943 23843 23843	36670 37404 38152 38314 33633 40487 41237 42140 43000 43060 44737 45631 45543 47473 48422	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6624 6713 6785 6865 6355 7039 7134 7231	90268 32948 34975 97245 102941 105047 106122 109072 111966 114608 116708 118955 121635 123061 126003	2680 2027 2270 5636 2106 1075 2350 2834 2642 2100 3247 1680 1426 2342	Positions 6352 6548 6632 6632 7042 7261 7479 7688 7833 8078 8226 8455 8574 8676 8455	8571 8882 9074 9277 9516 9785 10050 10310 10571 10790 10372 11252 11413 11559 11818
1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1989 1991 1992 1993 1994 1995	87 219 244 267 290 317 349 396 436 447 456 487 507 525 557 586	208918 211325 213061 213498 214886 216420 215819 214240 214479 213245 212601 212610 211338 212610 211358 212174 212352 213267	23503 23774 23969 24018 27175 24347 24279 24102 24102 24102 23930 23918 239318 23943 23843 23843 23843 23850 23890 23893	36670 37404 38152 38914 39693 40487 41297 42140 43000 438060 438060 44737 45631 46543 47473 48422 49390	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6654 6785 6865 6865 6355 7039 7134 738	90268 92948 94975 97245 102941 105047 106122 109072 111966 114608 116708 11955 121635 126003 128251	2680 2027 2270 5636 2106 1075 2950 2834 2642 2100 3247 1680 1426 2342 2100	Positions 6352 6548 6632 7042 7261 7479 7688 7893 8078 8226 8455 8574 8676 8881 8043	8571 8882 9074 9277 9516 9785 10050 10310 10571 10790 10972 11252 11413 11559 11818 1159 11818
1980 1981 1982 1983 1984 1985 1986 1989 1989 1989 1991 1991 1993 1993 1993	87 219 244 267 290 317 349 396 436 447 456 447 456 447 507 525 557 586 603	208918 211325 213061 213438 214886 216420 215819 214240 214479 213245 213245 212601 211338 212174 212352 213267 213379	23503 23774 23969 24018 24175 24347 24279 24102 23930 23918 239318 239318 23943 23843 23843 23843 23843 23843 23843 23843 23843	36670 37404 38152 38314 33693 40487 41297 42140 43860 44737 45631 45631 46543 47473 48422 43390 50377	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6685 66855 6355 7039 7134 7231 738 7445	90268 92948 94975 97245 102941 105047 105047 105047 105047 105047 11966 114608 116708 119955 121635 123061 123061 126003 128251 131389	2680 2027 2270 5536 2106 1075 2950 2834 2642 2100 3247 1680 1426 2342 2248 3138	Positions 6352 6548 6652 7042 7261 7479 7688 7893 8078 8226 8455 8574 8676 8851 9043 9264	8571 8882 9074 9217 9516 9785 10050 10310 10571 10790 10372 11252 11413 11559 11818 12037 12307
1980 1981 1982 1983 1984 1986 1986 1986 1980 1990 1991 1993 1994 1995 1996	87 213 244 267 290 317 343 396 436 436 447 456 487 507 525 557 586 603 610	208918 211325 213061 213438 214886 216420 215813 214240 214473 213245 212601 212601 212600 211338 212261 212610 211338 212174 212352 213267 213373 214808	23503 23774 23969 24018 27175 24347 24279 24102 24129 23990 23930 23930 23870 23870 23890 23890 23890 23890 23890 23890 23890 23890 23890 24166	36670 37404 38152 38314 33633 40487 41237 42140 43300 43360 44737 45631 46543 47473 48422 43330 50377 51384	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6624 6713 6785 6865 6855 6865 6855 7039 7134 7231 738 7445 7555	90268 34375 37245 102341 105047 106122 103072 111366 114608 116708 113055 121635 123061 126003 126203 131389 134856	2680 2027 2270 5636 2106 1075 2950 2834 2642 2100 3247 1680 1426 2942 2248 3138 3138 3467	Positions 6352 6548 6692 7042 7261 7479 7688 7893 8078 8226 8455 8574 8576 8851 8576 8851 3043 3264 9481	8571 8882 9074 9277 9516 9785 10050 10310 1050 10310 10510 10372 11252 11413 11559 11818 12037 12307 12566
1980 1982 1983 1984 1985 1986 1986 1986 1980 1991 1992 1993 1994 1995 1996 1997 1998	87 213 244 267 290 317 349 396 436 447 456 487 507 525 557 586 603 610 611	208318 211325 213061 213438 214886 216420 215813 214240 214473 213245 212610 211338 212610 211338 212174 213352 213267 213373 214808 216056	23503 23774 23969 24018 27175 24347 244279 24102 24102 24129 23930 23930 23930 23943 23843 23843 23843 23850 23893 23893 23893 24073 24166 24306	36670 37404 38152 38314 33633 40487 41237 42140 43000 43860 44737 45631 45543 47473 48422 43330 50377 51384 52411	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6624 6713 6785 6865 6355 7039 7134 7231 738 7445 7555 7672	90268 32948 34375 37245 102941 105047 1106122 103072 111966 114608 116708 116708 113955 121635 123061 126003 128251 131389 134856 138125	2680 2027 2270 5636 2106 1075 2834 2642 2100 3247 1680 1426 2342 2248 3138 3467 3263	Positions 6352 6548 6632 6652 7042 7261 7479 7688 7833 8078 8226 8455 8574 8676 8851 8676 8851 3043 3264 9461 9461 9738	8571 8682 9074 9277 9516 9785 10050 10310 10571 10790 10372 11252 11413 11553 11818 12037 12566 12866
1980 1981 1982 1983 1984 1985 1986 1989 1990 1991 1992 1993 1994 1995 1996 1996 1998	87 219 244 267 290 317 349 396 436 447 456 487 507 525 557 586 603 610 611 615	208918 211325 213061 213498 214886 216420 215819 214240 214479 213245 212610 211338 212610 211338 212174 213252 213267 213379 214808 216056 218127	23503 23774 23969 24018 27175 24347 24279 24102 24102 23930 23918 23943 23843 23843 23843 23843 23843 23843 23890 23893 24073 24166 24306	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631 46543 47473 48422 49390 50377 51384 52411 53459	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6655 6655 6655 6655 7039 7134 7134 7231 738 7445 7555 7672 7800	90268 92948 94975 97245 102941 105047 106122 109072 111966 114608 116708 11955 121635 126003 126251 126003 126251 131389 134856 138125 141315	2680 2027 2270 5636 2106 1075 2854 2642 2100 3247 1680 1426 2342 2248 3138 3467 3263 3190	Positions 6352 6548 6632 7042 7251 7479 7638 7638 7638 8078 8226 8455 8574 8676 88514 8676 88514 9043 3264 3481 9738 10012	8571 8882 9074 9217 9516 9785 10050 10310 10571 10790 10372 11252 11413 11559 11818 12037 12307 12307 12566 12866 13189
1980 1981 1982 1983 1984 1986 1986 1987 1988 1990 1990 1991 1993 1994 1995 1995 1995 1995 1995 1995 1995	87 213 244 267 290 317 343 396 436 443 436 447 456 447 507 525 557 586 603 610 611 615 627	208918 211325 213061 213438 214386 216420 215813 214240 214479 213245 212601 212610 211938 2122610 212938 212174 212352 213267 213379 214808 216056 218127 213540	23503 23774 23969 24018 27175 24347 24279 24102 24129 23930 23930 23930 23830 23830 23830 23830 23830 23830 23830 23933 24166 24539 24576	36670 37404 38152 38314 33633 40487 41237 42140 43000 43860 44737 45631 46543 47473 48422 43330 50377 51384 52411 53453 54528	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6655 6355 7039 7134 7231 738 7445 7555 7672 7800 7920	90268 92948 94975 97245 102941 105047 105047 105047 105047 105047 11966 114608 116708 119355 121635 123061 126003 128251 131389 134856 138125 141315 143988	2680 2027 2270 5636 2106 1075 2950 2834 2642 2100 3247 1680 1426 2342 2248 3138 3467 3269 3190 2673	Positions 6352 6548 6652 7042 7261 7479 7688 7833 8078 8226 8455 8574 8574 8574 8574 8574 8574 8574	8571 8882 9074 9217 9516 9785 10050 10310 10571 10790 10372 11252 11413 11559 11818 12037 12307 12366 13189 13378
1980 1981 1982 1983 1984 1985 1986 1989 1990 1991 1992 1993 1994 1995 1996 1996 1998	87 219 244 267 290 317 349 396 436 447 456 487 507 525 557 586 603 610 611 615	208918 211325 213061 213498 214886 216420 215819 214240 214479 213245 212610 211338 212610 211338 212174 213252 213267 213379 214808 216056 218127	23503 23774 23969 24018 27175 24347 24279 24102 24102 23930 23918 23943 23843 23843 23843 23843 23843 23843 23890 23893 24073 24166 24306	36670 37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631 46543 47473 48422 49390 50377 51384 52411 53459	Attrition ³ 6017 6118 6212 6293 6387 6483 6558 6655 6655 6655 6655 7039 7134 7134 7231 738 7445 7555 7672 7800	90268 32948 34975 37245 102941 105047 106122 109072 111966 114608 116708 11955 121635 126003 126251 131389 134856 138125 141315	2680 2027 2270 5636 2106 1075 2854 2642 2100 3247 1680 1426 2342 2248 3138 3467 3263 3190	Positions 6352 6548 6632 7042 7251 7479 7638 7638 7638 8078 8226 8455 8574 8676 88514 8676 88514 9043 3264 93481 9738 910012	8571 8882 9074 9217 9516 9785 10050 10310 10571 10790 10372 11252 11413 11559 11818 12037 12307 12307 12566 12866 13189

Table 4A-5

		Large Jets	1		Net	:	Commuters ⁴		
Year	Aircraft	Technician	 Attrition² 	Transfers	³ Vacant	Aircraft	Technicians	Attrition ⁵	Transfers ⁶
1980	2538	17766	5 1244	132	2 -78	1094	2297	459	523
1981	2630	18410	0 1289	139	7 -108	1319	2770	554	533
1982	2717	1901:	9 1331	142		1373	2883	577	541
1983	2841	1988	7 1392	145	7 -65	1423	2988	598	543
1984	2993	2095		148			3098	620	558
1985	3180	22260		152			3215	643	567
1986	3383	2368		152			3350	670	575
1987	3575	2502		158			3528	706	582
1988	3743	2620		162			3690	738	591
1989	3917	2741		164			3753	751	599
1990 1991	4032 4237	28224 29653		167			3812 3944	762 789	607 616
1992	4231	30128		173			4038	808	624
1993	4336	30352		176			4127	825	634
1994	4499	31493		179			4267	853	644
1995	4597	32173		183			4400	880	654
1996	4781	3346		186			4492	898	664
1997	4960	34720		189			4551	910	675
1998	5192	36344	4 2544	192	4 620	2188	4595	919	686
1999	5366	37562	2 2629	195	4 675	2214	4649	930	698
2000	5494	38458	8 2692	198	7 705	2253	4734	946	710
2001	5665	3965		201			4784	957	722
2002	5817	4071		204			4817	963	734
2003	5930	41510	2906	207	9 821	2322	4876	975	747
	Net	Gen	eral Aviation ⁷		Combined with other	Total	Added from	Total Net	Total
Year	Vacant	Aircraft	Technicians	Other [®]	Attrition ³	Technicians	Last Year	Vacant Positions	Attrition
1980	-64	208918	15663	36670	5234	72402			
1981	21				2604 1			5092	6937
1982		211325	15849		5325		2031	5092 5238	6937 7168
	36	211325 213061	15849 15980	37404	5325 5413	74433	2031 1601	5238	7168
1983	36 49	211325 213061 213498	15849 15980 16012		5325 5413 5493		2031 1601 1767		
1983 1984		213061	15980	37404 38152	5413	74433 76034	1601	5238 5351	7168 7321
	43 62 76	213061 213498	15980 16012	37404 38152 38914	5413 5493	74433 76034 77801	1601 1767 2057 2336	5238 5351 5477	7168 7321 7483 7668 7873
1984 1985 1986	49 62 76 95	213061 213498 214886 216420 215819	15980 16012 16116 16232 16186	37404 38152 38914 39693 40487 41297	5413 5493 5581 5672 5748	74433 76034 77801 79858 82194 86514	1601 1767 2057 2336 4320	5238 5351 5477 5622 5786 5849	7168 7321 7483 7668 7873 8076
1984 1985 1986 1987	49 62 76 95 124	213061 213438 214886 216420 215813 214240	15980 16012 16116 16232 16186 16068	37404 38152 38314 39633 40487 41297 42140	5413 5493 5581 5672 5748 5821	74433 76034 77801 79858 82194 86514 86761	1601 1767 2057 2336 4320 247	5238 5351 5477 5622 5786 5849 6109	7168 7321 7483 7668 7873 8076 8279
1984 1985 1986 1987 1988	49 62 76 95 124 147	213061 213438 214886 216420 215819 214240 214473	15380 16012 16116 16232 16186 16068 16086	37404 38152 38314 39633 40487 41297 42140 43000	5413 5493 5581 5672 5748 5821 5909	74433 76034 77801 79858 82194 86514 86514 88977	1601 1767 2057 2336 4320 247 2216	5238 5351 5477 5622 5786 5843 6103 6265	7168 7321 7483 7668 7873 8076 8279 8481
1984 1985 1986 1987 1988 1988	49 62 76 95 124 147 152	213061 213498 214886 216420 215819 214240 214479 213245	15980 16012 16116 16232 16186 16088 16086 15993	37404 38152 38914 39693 40487 41297 42140 43000 43860	5413 5493 5581 5672 5748 5821 5909 5985	74433 76034 77801 79858 82194 86514 86761 86761 88977 91025	1601 1767 2057 2336 4320 247 2216 2048	5238 5351 5477 5622 5786 5843 6103 6265 6408	7168 7321 7483 7668 7873 8076 8279 8481 8655
1984 1985 1986 1987 1988 1989 1989	49 62 76 95 124 147 152 155	213061 213438 214886 216420 215819 214240 214479 213245 212601	15980 16012 16116 16232 16186 16088 16088 15993 15945	37404 38152 38914 39693 40487 41297 42140 43000 43860 44737	5413 5581 5581 5672 5748 5821 5809 5985 6068	74433 76034 77801 79858 82194 86514 86514 86761 88977 91025 92718	1601 1767 2057 2336 4320 247 2216 2048 1633	5238 5351 5477 5622 5786 5843 6103 6265 6408 6528	7168 7321 7483 7668 7873 8076 8279 8481 8655 8806
1984 1985 1986 1987 1988 1989 1990 1991	49 62 76 95 124 147 152 155 173	213061 213498 214886 216420 215819 214240 214479 213245 213245 212601 212610	15980 16012 16116 16232 16186 16068 16086 15993 15945 15946	37404 38152 38914 39693 40487 41297 42140 43000 43860 44737 45631	5413 5581 5581 5672 5748 5821 5303 5385 6068 6158	74433 76034 77801 79858 82194 86514 86514 88977 91025 92718 95180	1601 1767 2057 2336 4320 247 2216 2048 1693 2462	5238 5351 5477 5622 5786 5843 6103 6265 6408 6528 6702	7168 7321 7483 7668 7873 8076 8279 8481 8655 8806 9023
1984 1985 1986 1987 1988 1989 1990 1991 1992	49 62 76 95 124 147 152 155 173 184	213061 213438 214886 216420 215819 214240 214479 213245 212601 212610 211938	15980 16012 16116 16232 16186 16086 15933 15945 15946 15895	37404 38152 38914 39693 40487 41297 42140 43060 43860 44737 45631 46543	5413 5493 5581 5672 5748 5821 5809 5985 6068 6158 6158 6244	74433 76034 77808 82194 86514 86514 86377 91025 92718 92718 95180 35180	1601 1767 2057 2336 4320 247 2216 2048 1633 2462 1424	5238 5351 5477 5622 5786 5849 6109 6265 6408 6528 6702 6803	7168 7321 7483 7668 7673 8076 8279 8481 8655 8806 9023 9161
1984 1985 1986 1987 1988 1989 1990 1991 1992 1993	49 62 76 95 124 147 152 155 173 184 191	213061 213496 214886 216420 215819 214240 214479 213245 213245 212601 212610 211938 212174	15980 16012 16116 16232 16186 16068 15093 15945 15946 15895 15913	37404 38152 38314 33633 40487 41237 42140 43000 43860 44737 45631 46543 47473	5413 5581 5672 5748 5821 5909 5985 6068 6158 6244 6339	74433 76034 77801 8858 86514 86514 86517 91025 92118 91025 92118 95180 96604 97865	1601 1767 2057 2336 4320 247 2216 2048 1693 2462 1424 1261	5238 5351 5477 5622 5786 5849 6103 6265 6408 6528 6702 6803 6803	7168 7321 7483 7668 7873 8076 8279 8481 8655 8806 9023 9161 9289
1984 1985 1986 1987 1988 1989 1990 1990 1991 1992 1993 1994	43 62 76 124 147 152 155 173 184 191 203	213061 213438 214886 216420 215813 214240 214473 213245 213245 212601 211338 212174 212352	15980 16012 16116 16232 16186 16086 15933 15945 15945 15945 15945 15933 15926	37404 38152 38914 39693 40487 41297 42140 43860 44737 45631 46543 47473 48422	5413 5581 5581 5672 5748 5821 5909 5985 6068 6158 6244 6339 6435	74433 76034 77801 79858 82194 86514 86514 86514 86517 31025 92718 92718 95180 95680 95680 95680 97865 100108	1601 1767 2057 2336 4320 247 2216 2048 1633 2462 1424 1261 2243	5238 5351 5477 5622 5786 5849 6265 6408 6528 6702 6803 6892 7050	7168 7321 7483 7668 7873 8076 8279 8481 8655 8806 9023 9161 9289 9493
1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995	49 62 76 35 124 147 152 155 173 184 191 209 226	213061 213438 214886 216420 215813 214240 214473 213245 212601 212610 211338 212174 212352 213267	15980 16012 16116 16232 16186 16086 15933 15945 15945 15945 15945 15935	37404 38152 38314 39693 40487 41297 42140 43860 44737 45631 46543 47473 48422 43330	5413 5581 55672 5748 5821 5309 5385 6068 6158 6244 6339 6435 6539	74433 76034 77801 82134 86514 86514 86516 88977 91025 92718 95180 95180 95604 97865 100108 101964	1601 1767 2057 2336 4320 247 2216 2048 1693 2462 1424 1261 2243 1856	5238 5351 5477 5622 5786 5849 6109 6265 6408 6528 6702 6803 6892 7050 7182	7168 7321 7483 7668 7613 8076 8279 8481 8655 8806 9023 9161 9289 9493 9493 9672
1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996	49 62 76 95 124 147 152 173 184 191 209 226 234	213061 213436 214886 216420 215813 214240 213245 213245 213260 211338 212174 213262 213267 213373	15980 16012 1616 16232 16186 16086 15933 15945 15945 15945 15945 15913 15925 15935 15935 16048	37404 38152 38314 33633 40487 41237 42140 43000 43860 44737 45631 46543 47473 486543 47473 48422 43330 50377	5413 5581 5581 5672 5748 5821 5909 5985 6068 6158 6244 6339 6435 6539 6643	74433 76034 77801 8858 862194 86514 86561 88577 91025 92718 95180 95604 936604 936604 93865 100108 101964 104384	1601 1767 2057 2336 4320 247 2048 1693 2462 1424 1261 2243 1856 2420	5238 5351 5477 5622 5786 5849 6109 6265 6408 6528 6702 6803 6692 7050 7182 7353	7168 7321 7483 7668 7873 8076 8279 8481 8655 8806 9023 9161 9289 9493 9493 9672 9884
1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997	49 62 76 95 124 147 152 173 184 191 209 226 234 235	213061 213438 214886 216420 215819 214240 214479 213245 212601 214338 212174 212352 213267 213379 214808	15980 16012 1616 16232 16186 16086 15933 15945 15945 15945 15945 15945 15933 15945 15933 15945 15933 15936 15935 16048 16111	37404 38152 38314 33653 40487 41297 42140 43000 43860 44737 45631 46543 47473 48422 43330 50377 51384	5413 5581 5581 5672 5748 5821 5909 5985 6068 6158 6244 6339 6435 6539 6643 6539 6643 6749	74433 76034 77801 78858 82194 86514 86514 86761 91025 92118 91025 92118 91025 92118 91025 92118 91025 92118 91025 910018 100108 100108 1004384 104384	1601 1767 2057 2336 4320 247 2216 2048 1633 2462 1424 1261 2243 1856 2420 2382	5238 5351 5477 5622 5786 5849 6103 6265 6408 6528 6702 6803 6803 68032 7050 7182 7353 7518	7168 7321 7483 7668 7873 8076 8279 8481 8655 8806 9023 9161 9289 9493 9493 9493 9672 9884 10089
1984 1985 1986 1988 1989 1990 1991 1993 1993 1994 1995 1996 1997 1998	49 62 76 95 124 147 152 173 184 191 209 226 234	213061 213438 214886 216420 215819 214240 213245 2132601 212600 211338 212174 212352 213267 213379 214808 216056	15980 16012 1616 16232 16186 16086 15933 15945 15945 15945 15945 15913 15925 15935 15935 16048	37404 38152 38314 33693 40487 41297 42140 43000 43860 44737 45631 46543 47473 48422 493300 50377 51384 52411	5413 5581 5581 5672 5748 5821 5909 5985 6068 6158 6244 6339 6435 6539 6643	74433 76034 77801 79858 82194 86514 86514 86977 91025 92718 92718 92718 92718 92718 93580 96604 93660 936604 93685 100108 101964 104384 106766 103554	1601 1767 2057 2336 4320 247 2048 1693 2462 1424 1261 2243 1856 2420	5238 5351 5477 5622 5786 5849 6265 6408 6528 6702 6803 6892 7050 7182 7353 7518 7715	7168 7321 7483 7668 7873 8076 8279 8481 8655 8806 9023 9161 9289 9493 9493 9672 9884
1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997	49 62 76 95 124 147 152 155 173 184 191 209 226 234 235 233	213061 213438 214886 216420 215819 214240 214479 213245 212601 214338 212174 212352 213267 213379 214808	15980 16012 16116 16232 16186 15983 15985 15945 15945 15945 15945 15945 15935 16048 16111 16204 16340	37404 38152 38314 33633 40487 41237 42140 43000 43860 44737 45631 46543 47473 48422 43330 50377 51384 52411 53453	5413 5581 5581 5672 5748 5821 5909 5985 6068 6158 6435 6539 6643 6749 6643 6749 6862 6382	74433 76034 77801 3858 82194 86514 86514 88977 91025 92718 95180 95604 936604 936604 936654 100108 101964 104384 106766 103554 112100	1601 1767 2057 2336 4320 247 2216 2048 1633 2462 1424 1261 2243 1856 2420 2382 2788 2788 2546	5238 5351 5477 5622 5786 5849 6109 6265 6408 6528 6702 6803 6632 7050 7182 7353 7518 7715 7889	7168 7321 7483 7668 7873 8076 8279 8481 8655 8806 9023 9161 9289 9493 9493 9672 9884 10089 10325
1984 1985 1986 1989 1989 1991 1991 1992 1993 1994 1995 1996 1996 1998	49 62 76 95 124 147 152 155 173 184 191 209 226 234 235 233 232	213061 213438 214886 216420 215819 214240 214479 213245 213245 212601 211338 212174 213267 213267 213379 214808 216056 216056 218127	15980 16012 16116 16232 16186 16086 15933 15945 15945 15945 15945 15935 15933 15926 15935 16048 16111 16204	37404 38152 38314 33693 40487 41297 42140 43000 43860 44737 45631 46543 47473 48422 493300 50377 51384 52411	5413 5581 5572 5748 5821 5909 5985 6068 6158 6244 6339 6435 6539 6643 6749 6862	74433 76034 77801 79858 82194 86514 86514 86977 91025 92718 92718 92718 92718 92718 93580 96604 93660 936604 93685 100108 101964 104384 106766 103554	1601 1767 2057 2336 4320 247 2216 2048 1633 2462 1424 1261 2243 1856 2420 2382 2788	5238 5351 5477 5622 5786 5849 6265 6408 6528 6702 6803 6892 7050 7182 7353 7518 7715	7168 7321 7483 7668 7873 8076 8279 8481 8655 8806 9023 9161 9289 9493 9493 9493 9672 9884 10089 10325 10541
1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1995 1995 1995 1995 1995 1999 2000	49 62 76 95 124 147 152 155 173 184 191 209 226 234 235 233 232 232	213061 213438 214886 216420 215819 214240 213245 213245 212601 212610 211338 212174 212352 213267 213379 214808 216056 218127 213340	15980 16012 1616 16232 16186 16086 15933 15945 15945 15945 15945 15935 15933 15926 15933 15926 15935 16048 16111 16204 16340 16451	37404 38152 38314 33633 40487 41237 42140 43000 43860 44737 45631 46543 47473 48422 43330 50377 51384 52411 53459 54528	5413 5581 5581 5672 5748 5821 5909 5985 6068 6158 6244 6339 6435 6539 6643 6749 6862 6982 6982 7098	74433 76034 77801 3858 82194 86514 86761 88377 91025 92118 95180 95604 936604 936604 936604 93785 100108 101964 104384 106766 109554 106766 109554 112100 114168	1601 1761 2057 2336 4320 247 2216 2048 1693 2462 1424 1261 2243 1856 2420 2382 2788 2546 2068	5238 5351 5477 5622 5786 5849 6109 6265 6408 6528 6702 6803 6803 6803 6803 7050 7182 7053 7182 7353 7518 7715 7889 8039	7168 7321 7483 7668 7873 8076 8279 8481 8655 8006 3023 3161 3289 9433 3672 3884 10089 10325 10541 10736

Table 4A-6

Year	Estimated #	Added from last year	Estimated AMTs in Aviation'	Estimated AMTs in Aviation ²
1980	251330	11340	113099	100532
1981	263249	11919	118462	105300
1982	278278	15029	125225	111311
1983	280121	1843	128054	112048
1984	284428	4312	127993	113771
1985	288376	3948	129769	115350
1986	293193	4817	131937	117277
1987	297279	4088	133776	118912
1988	310419	13140	139689	124168
1989	323677	11258	145655	129471
1990	334666	10989	150599	133886
1991	344535	9869	155040	137814
1992	353504	8968	159077	141402
1993	357202	3698	1607 41	142881
1994	362098	4896	162944	144839
1995	385758	3658	164590	146302
1996	368454	2698	165804	147382
1997	373106	4852	167898	149242
1998	381002	7896	171450	152401
1999	389925	8923	175488	155970
2000	399950	10025	179978	159980
2001	411208	11258	185044	164483
2002	421055	9847	189475	168422
2003	425353	4298	191409	170141

Table 4A-8 Projected Number of Active Aviation Maintenance Technicians (AMTs) 1980-2003

Table 4A-8

Year	Sup Active AMT:		AMTs	<u>Demand</u> needed in Av	iation
1.000		4000007			70 5003
1980	113099'	100532 ²	108135°	90268*	72 5 02°
1981	118462	105300	111436	92948	74433
1982	125225	111311	113916	94978	78034
1983	126054	112048	116690	97245	77801
1984	127993	113771	120022	102941	79858
1985	129769	115350	123900	405047	82494
1988	131937	117277	127731	106122	88514
1987	133776	118912	131382	109072	86761
1988	139689	124168	134953	111966	88977
1989	145655	129471	138190	114608	91025
1990	150599	133866	140698	116708	92718
1991	155040	137814	144729	119955	95180
1992	159077	141402	148887	121635	96604
1993	1807 41	142881	148256	123061	97885
1994	162944	144839	151795	126003	100108
1995	164590	146302	154537	128251	101964
1998	165804	147382	158392	131389	104384
1997	167898	149242	162146	134856	106766
1998	171450	152401	186697	138125	109554
1999	175488	155970	170801	141315	112100
2000	179978	159980	173808	143988	114168
2001	185044	164483	177802	147087	116610
2002	189475	168422	181179	150087	118954
2003	191409	170141	184291	152684	121077

Table 4A-9 Projected Demand and Supply of AMTs in Non-Miltary Aviation, 1980-2003






Figure 4.1 AMT Supply & Demand

Another factor to be considered when projecting future shortages is the large pool of **AMTs** who are certified but who are not employed in aviation. These **AMTs** could return to aviation employment at some point if circumstances warrant it. However, it is to the aviation industry's advantage not to draw upon this supply of **AMTs**. It is much more cost-effective to continue to fill positions with entry-level **AMTs**, rather than to pay higher wages to more senior people. The comparatively low wages, nighttime work schedules, and uncertain job security in the aviation industry create retention problems within the industry, especially for more experienced and senior workers.

There may be short-term shortages of entry-level **AMTs** in the aviation industry, given the cyclical nature of increase in the number of annually certified **AMTs** who remain active in aviation maintenance each year (see **Figure 4.2**). Short-term shortages in the industry may indeed be the stimuli that **AMT** schools and prospective students react to, at least until it becomes difficult for newly trained **AMTs** to find jobs. The schools then react by reducing the scope of their programs. Individuals then may also become less interested in **AMT** training due to a perceived or real lack of jobs in the industry. Given the nature of the aviation industry, it seems to be quite difficult to create any long-term balance between the training of new **AMTs**

and the availability of jobs. Assuming that the aviation industry is tied to the overall economy, in the long-term (more than a few years), the number of **AMTs** needed will continue to show cyclical changes as the economy goes through its typical upturns and downturns.




Figure 4.2 Change in Active A&P Mechanics

Another trend that may substantially reduce demand for **AMTs** in the U.S. aviation industry is the movement of aviation maintenance facilities to foreign countries. As more of these facilities become realities, the growth in the number of jobs available to **AMTs** trained in the United States will slow.

The overall conclusion of these analyses is that **AMTs** are available to meet today's demand and that future shortages seem unlikely. There may be short-term shortages of entry-level **AMTs** as the aviation industry fluctuates with the economy. However, the massive shortages suggested by the working paper seem unlikely. For a more detailed look at the demographic portion of this study, see **Appendix 4**.

4.3 BARRIERS AND MOTIVATORS TO NONTRADITIONAL CAREER INVOLVEMENT

In order to prepare effective strategies for meeting the emerging employment needs of the aviation industry, barriers which inhibit the recruitment and retention of nontraditional populations into the **AMT** work force must be identified and cataloged. Successful motivators

which encourage diversity in aviation work force populations must also be examined. Ultimately, the federal government and the aviation industry must strive to ease the barriers and increase the motivators which will stimulate the involvement of nontraditional populations in **AMT** careers.

4.3.1 Review of Previous Research

The research literature and previous studies of nontraditional employees in aviation suggest that there are many reasons that women and minorities fail to select aviation careers. From an expansive view, these delimiting factors can be grouped into several general categories: societal and cultural indoctrinations and expectations; disparity of treatment; individual development; vocational awareness; and real or perceived discrimination and bias. The summative effect of these variables is central to an individual's predisposition to select and his or her ability to survive and prosper in nontraditional careers.

The literature suggests that minorities and women with an interest in nontraditional careers place as much emphasis on career goals as do white males (Bianchi, 1990; Goldberg & Shiflett, 1981). What, then, discourages women and minorities from entering white male dominated career field preparation and pursuits? The literature suggests that there are many barriers limiting or discouraging these individuals from selecting nontraditional activities. Factors such as the individual's socioeconomic status, the amount and type of parental encouragement the individual received, the aspirations of peers, and the employment status of their close friends and family members are a few contributing variables (Carr & Mednick, 1988; Ott et al., 1979). The literature groups delimiters limiting the entry of women and minorities into traditional white male occupations into three distinct barrier types: institutional, situational, and dispositional (Denbroeder & Thomas, 1980; Thomas et al., 1979).

4.3.1.1 Institutional Barriers

Institutional barriers are those delimiters which are intrinsic to white male dominated educational or industrial organizations into which female or minority integration is desired. Examples of institutional barriers are admission policies, financial aid policies, institutional regulations and policies, and staff attitudes (Bianchi, 1990; Denbroeder & Thomas, 1980; Thomas et al., 1979). Many educational, industrial, and societal factors influence and limit career aspirations and success for minorities and women in white male dominated training or career fields.

4.3.1.1.1 Industrial Bias

Legislative mandate has substantially reduced institutional barriers for women and minorities. Federal laws such as the Equal Pay Act, the Civil Rights Act, the Equal Employment Opportunity Act, and the Equal Rights Amendment establish industrial guidelines aimed at integrating minorities and women into historically underrepresented career fields (Aburdene & Naisbitt, 1992; Biles & Pryatel, 1978). Thus, many institutional barriers associated with educational and industrial policies have been removed for females and minorities interested in nontraditional pursuits.

The imposition of Congressional mandate does not assure equal treatment in the work place. The literature suggests that women and minorities in supervisory positions are viewed by their subordinates less favorably than white males in those positions, despite the subordinates' race or gender (Faludi, 1991; Haccoun, Haccoun, & Sallay, 1978). Research also indicates that minorities and women generally perceive that they are discriminated against as a population. However, when these same individuals were asked if they themselves were discriminated against, they generally indicated that they were not (Crosby, 1984; Eiff, 1989). Many institutional barriers can and have been successfully addressed and controlled through legislation in order to equalize vocational opportunities for men and women of all races (Thomas et al., 1979). In the current study, workers of both genders and various races reported that many industrial barriers, biases, and discriminatory activities have been controlled or neutralized by legislation or by fear of legal action precipitated by judicial precedent.

4.3.1.1.2 Educator Bias

Institutional barriers associated with educational organizations have proven formidable to the process of integrating equitable numbers of minorities and women into white male dominated career fields. While the Civil Rights Act and Title IX of the Education Amendments propose to ensure the elimination of bias and race- and sex-role stereotyping in both employment and career preparation, both overt and covert bias remain entrenched in our educational institutions (AAUW, 1992; Denbroeder & Thomas, 1980). Unfavorable comments and behaviors by teachers, counselors, and peers have been shown to be discouraging influences on women and minority students with nontraditional interests (Bianchi, 1990; Eko & Brown, 1981). Legislative mandate has neutralized most overt forms of discrimination in educational institutional admissions, financial aid, and regulations policies (Orr, 1983). However, successful remediation of biases associated with staff attitudes and actions has not been realized. The influences of teacher, counselor, and textbook biases on minority and female students still pervade our educational institutions (AAUW, 1992; Cronenwett, 1983).

Teachers and counselors consciously and/or unconsciously convey bias to students by "sending verbal and non-verbal messages to students" discouraging the selection of a nontraditional career field (Cronenwett, 1983; Stitt, 1988). Since counseling experiences seem to influence career decision-making in young people, counselors must question the quality and equity of the service they provide (Sauter, Siedl, & Karbon, 1980). The literature shows that counselors hold sex-and race-stereotypical attitudes and often show disapproval toward students with an interest in nontraditional or, as they perceive it, "deviant" program or career interests (Bianchi, 1990; Ott et al., 1979). Most agree that counselor bias and awareness level are important variables in the pursuit of an equitable counseling experience (Sauter et al., 1980). Most also agree that counselors need to reduce their open and subtle biases in an effort to facilitate equity in educational programs and career pursuits (Lewis et al., 1976; Stitt & Stitt, 1990).

The literature implies that counselors are "agents of conformity, rather than vehicles of change" (Hawley, 1972; Stitt, 1988). Research indicates that counselors tend to suggest only traditional options to undecided students and discourage nontraditional interests. Teachers in areas like

technology are somewhat reluctant to include nontraditional students in their courses. While these influences may be presented most subtly, they can effectively discourage nontraditional choice among underrepresented populations (Harrison, 1980). Attitudes among educators toward the suitability of vocational courses for various individuals were demonstrated to be associated with the educator's sex and educational level, but not their race or teaching longevity (Handley & Walker, 1978). Male teachers were more influential than female teachers in female students' decisions to select nontraditional courses and careers. Female teachers tended to encourage female students to maintain a traditional educational and career interests. White educators, both male and female, are more biased regarding nontraditional work preferences of men and women than are black educators (AAUW, 1992; Handley & Walker, 1978).

Educational institutional barriers must be changed from within. The key to implementing such changes is the teacher (Farris, 1980). Research indicates that teachers exhibit differential treatment of students according to the student's race and gender (AAUW, 1992; Ott et al., 1979). It is suggested that this treatment disparity occurs because teachers ascribe different characteristics to gender and race and prefer certain types of behavior in members of certain populations (Ott et al., 1979; Stitt, 1988). While teaching faculty have not been implicated as directly influencing traditional choices in students' majors, they seem to have an indirect influence through classroom experiences (Bianchi, 1990; Carr & Mednick, 1988; O'Donnell & Andersen, 1978). Teachers and counselors disclose that they do not encourage or discourage students' consideration of nontraditional career interests. They do indicate, however, that when a student indicates a nontraditional interest they "probe" to insure that the student's interest is genuine. This "probing" could discourage many students from pursuing nontraditional interests (Lewis et al., 1976; Stitt, 1988).

4.3.1.1.3 Educational Material Bias

While teachers and counselors may covertly convey bias, there are many overt forms of bias in the educational environment. Chief among these influences are instructional language and textbook bias. Subtle forms of racist or sexist language significantly affect students' social perceptions. (Briere & Lanktree, 1983; Stitt, 1988). The use of guidance materials (Eiff, 1989; Rohfeld, 1977) and textbooks which project overt or covert sex- or race-stereotyping or utilize racist or sexist language can greatly deter students' consideration of nontraditional interests (Lewis et al., 1976; Stitt & Stitt, 1990).

Research suggests that a student's perception of career attractiveness and his or her willingness to move into specific career fields follows sex- and race-stereotypical directions as a function of the degree of exposure to racist and sexist language. These findings support recent demands for non-sexist and non- racist language in guidance material and textbooks. (Briere & Lanktree, 1983; Faludi, 1991). In addition to language bias, textbooks have also been found to project stereotypical race and gender attributes. Textbooks often present females as passive, fearful, or incompetent. Males are often portrayed as active, brave, and resourceful (Ott et al., 1979). Minorities are often projected to be criminal, lazy, or offensive. In order to remove biases generated by educational materials, it is imperative that teachers and counselors guard against the use of sex- or race-typed material (Lewis et al., 1976).

4.3.1.2 Situational Barriers

While legislation and programmatic changes have alleviated many institutional barriers, neutralizing institutional barriers will not, in and of itself, result in greater representation of women and minorities in white male dominated career fields. There remains a sizable array of personal-social barriers which create conflicts for minorities and women who would like to enter nontraditional careers (Thomas et al., 1979). Among these barriers are influences related to the individual's environmental and life contextual limitations. Situational barriers are those constraints experienced by the individual due to the circumstances in which they find themselves. Situational barriers include family responsibilities, financial needs, and societal pressures (Denbroeder & Thomas, 1980; Leach & Roberts 1988; Thomas et al., 1979). An individual's social and family context has a significant impact on his or her career aspirations.

4.3.1.2.1 Career Training Costs

Principle among situational delimiters is the cost of training necessary for career participation. Many minorities and women require more career preparation in order to enter many white male dominated fields than do white males. Weak prerequisite skills in mathematics and science often dictate additional training in these disciplines before entering career training. Many women and minorities fail to consider nontraditional career fields because of their need for career preparation and the cost of that training (Drake, 1990; Rodriguez, 1986). In aviation career fields, career preparation training costs are a barrier which must be surmounted before minorities and women can enter these nontraditional careers. Socioeconomic background may predispose low aspirations among these individuals if they perceive parental reluctance or inability to support career-preparation costs (Carr & Mednick, 1988; Danziger, 1983). Despite a desire to pursue such training, these individuals may also find it difficult to secure loans for training and often lack information on how to obtain money for career training (Bianchi, 1990; Thomas et al., 1979). In order for individuals from low-income backgrounds to have an opportunity to enter nontraditional careers, it is necessary for them to identify sources of money for training costs (Bianchi, 1990; Fralick, 1984). These individuals often find it difficult to secure financial aid due to their special needs (Thomas et al., 1979).

4.3.1.3 Dispositional Barriers

Legislative removal of institutional barriers has not changed pervading attitudinal barriers preventing students from choosing nontraditional career pursuits (Albrecht, 1976; Duo & Yuen, 1985; Leach & Roberts, 1988). Dispositional barriers are those attitudinal attributes of an individual which preclude his or her involvement in nontraditional careers. Individual dispositions may create dispositional barriers such as the fear of failure, fear of success, attitudes toward intellectual activities, role preference, level of aspiration, dependence, and feelings of inferiority (Denbroeder & Thomas, 1980; Thomas et al., 1979). For many minorities and women, race- and sex-role stereotyping, occupational race- and sex-typing, and self-concept have a significant impact on their occupational aspirations (Eiff, 1991; Ruble et al., 1984). Attitudinal barriers effectually eliminate serious consideration of nontraditional career pursuit. It has been

shown that an individual's level of education affects the impact of such barriers on career aspirations. Lower levels of education in combination with socialization presents an ominous barrier for nontraditional career aspirations. The "lack of an adequate education which would prepare one for certain occupations combines with attitudes developed during socialization that, in effect, define these occupations as inappropriate choices anyway" (Albrecht, 1976).

4.3.1.3.1 Self-Esteem

Research has indicated that there appears to be a significant relationship between an individual's self- esteem and whether or not the individual's attitudes are nontraditional or traditional (Harrison et al., 1981). The literature reports that many women and minorities have a lower self-concept than white males in the realm of occupational performance. This may lead to lower self-confidence and an expectancy of failure (Sleeter, 1991; Soldwedel, 1989; Thomas et al., 1979). Women are more self-conscious and, therefore, more vulnerable to criticism than males, especially in occupationally related terms (Faludi, 1991; Rosenberg & Simmons, 1975). Women facing the reality of pursuing male-dominated careers agree that they are discouraged by their lack of self-confidence (Eko & Brown, 1981). Women with higher self- esteem are more likely to pursue nontraditional occupations (Harrison et al., 1981).

4.3.1.3.2 Fear of Success

Females and minorities who gain success in environments where their employment is considered traditional or where there is an equality of representation elicit favorable white male reaction. When the success is associated with careers or actions considered "deviant" for minorities or females, these same males react punitively. Successful nontraditional workers may manifest a "motive to avoid success" in an effort to avoid disfavor among white male peers (Lockheed, 1975). Thus, women and minorities may become underachievers when competing with white males, especially in environments where white males dominate, in order to avoid a perceived compromise in their relationship with these men (Carr & Mednick, 1988; Dole, 1989; Thomas et al., 1979).

4.3.1.4 Socialization

The effects of social expectations are most apparent in the career and life aspirations of women. Women are socialized into diverting their attention away from themselves as workers and toward seeking identity from their spouse or potential spouse (Thomas et al., 1979). Socializing forces not only inhibit the development of women but also impede the national interest to maximize human resources (Aburdene & Naisbitt, 1992; O'Donnell & Andersen, 1978). Socialization is a process "whereby implicit standards of social conduct are conveyed to and acquired by children" (Bearison, 1979). As an example, parents, teachers, and media socialize women from infancy to seek their fulfillment in the wife/mother role and at the same time motivate men toward occupational success (Orr, 1983). Social scientists assert that this differential in socialization patterns exists throughout an individual's life, guiding males and females in different directions (Carr & Mednick, 1988; Rosenberg & Simmons, 1975). Traditional societal sex-role

socialization promotes achievement motivation in men but is antagonistic to the development of such motives in women (Carr & Mednick, 1988).

Members of minority populations are similarly affected by cultural and social expectations dictated by their backgrounds. These influences give stark evidence that paramount among socializing forces is the family. The family is the first and foremost influence in our lives (Auster & Auster, 1981; Eiff et al., 1986). Research indicates that the socialization process within the family was the greatest factor affecting the occupational choices of women and minorities (Eko & Brown, 1981). As the primary agent of socialization, the family's influence on career choice is a result of a complex interplay of active and passive, formal and informal, social, psychological, and economic factors. Career choice among women is influenced by such family socioeconomic factors as parental education levels and occupational status, income, and number, birthing order, and sex of siblings (Auster & Auster, 1981) as well as parents' attitudes toward traditional roles (Leach & Roberts, 1988; Thomas et al., 1979).

The literature indicates that despite their racial or ethnic background, parents differentially socialize sons and daughters (Bearison, 1979; Carr & Mednick, 1988). Seemingly benign behaviors by parents can translate into covert sex-role stereotyping. Factors such as the type and frequency of handling in infancy, the numbers and kinds of toys, and the encouragement of dependence or independence can have dramatic implications on children's sex-role perceptions (Schlossberg & Goodman, 1972). The classic "Baby X" research demonstrated the pervasive and inadvertent nature of parental sex-role socialization. By using the same baby and representing it as male or female, researchers were able to demonstrate that adults interact different with the same infant in accordance with the child's perceived sex (Seavey, Katz, & Zalk, 1975). Thus, the literature suggests that women from all backgrounds are adversely affected by familial socializations.

Many family attributes and constraints also affect the career aspirations of minorities and women. The educational levels of parents, especially that of the mother in the case of women aspirants, and the work history of parents have been strongly implicated as factors in an individual's nontraditional career pursuit (Crawford, 1978; Danziger, 1983; Drake, 1990; O'Donnell & Andersen, 1978; Sauter et al., 1980). Both boys and girls appear to be influenced by the occupation of the opposite sex parent (Kane & Frazee, 1989; Nelson, 1978). The financial resources of the family are also linked to parental expectations and individuals' aspirations. Families with limited financial resources may be more sensitive to the cost and duration of career preparation and the uncertainty of occupational returns (Bianchi, 1990; Danziger, 1983).

Other prominent socializing forces are the influences of race- and sex-typing in the media and advertising. Television abounds with sex- and race-typed information concerning role appropriateness in its program and advertising content. The media, including magazines, songs, newspapers, and radio, reinforce traditional sex and race roles (Schwartz & Markham, 1985). Children learn about jobs and work settings from television, but such programming strongly promotes the "appropriate" race and sex of the worker (O'Bryant & Corder-Bolz, 1978; Stitt & Stitt, 1990).

The race- and sex-typing of toys has also contributed to role socialization. Such socializations

are strongest for females. Toys "for girls" are strongly oriented toward domestic pursuits and do not encourage construction and manipulation like "boys' toys" do (Schwartz & Markham, 1985). Toy advertisements project the toy's appropriate sex, thus promoting sex-role socialization. Research has demonstrated that toy advertisers portray their toys with "appropriate" sex children in the pictures (Schwartz & Markham, 1985). In toy use experiments, however, researchers have found that there is no significant relationship between a child's sex and the use of boys' or girls' toys (Karpoe & Olney, 1983). Children, instead, universally used the toys by toy-defined criteria, rather than by perceived sex-typing.

Another example of sex-typed expectations are those predicting that women are not mechanically inclined and lack the ability, strength, dexterity, and aptitude to perform many maintenance-related tasks. Research studies of mechanical skills demonstrate that this perception is contrary to demonstrated abilities. When tested for technical aptitudes and abilities, women were found to excel in six aptitudes: finger dexterity, graphorrhea, ideaphoria, observation, silograms, and abstract visualization. Men excelled over women in only two areas, grip and structural visualization. (Orr, 1983). Thus, commonly held beliefs that women are not adept or capable of performing mechanical tasks as well as men have been demonstrated to be erroneous.

4.3.1.4.1 Role Stereotyping

Role stereotyping is one of the most frequently cited sources of bias in the literature (Faludi, 1991; Ruble et al., 1984). Role stereotypes are oversimplified judgments about people's capabilities and interests based on their race, ethnic background, or sex (Farris, 1980, p. 19). Role stereotyping is a deeply rooted and pervasive aspect of our culture which affects career, educational, and occupational choices (Aburdene & Naisbitt, 1992; Faludi, 1991; Alden & Seiferth, 1980). Sex- and race-role identification is a central aspect of the social learning process and has profound effects on a child's expectations, self-image, and behavior (Schwartz & Markham, 1985).

Traditionally, masculinity and femininity have been viewed as dichotomous (Yanico, Hardin, & McLaughlin, 1978). It has been a cultural precept that if an individual endorses a position which projects masculinity, there is simultaneous non-endorsement of femininity (Faludi, 1991; Urbonas-Bendikas, 1981). The analysis of sex-roles brings with it a perception of threat since it asks us to question our own personal sense of identity. This is because our identities have been based upon socialization as males or females through constant and frequent overt and covert reinforcements of sex-stereotyped characteristics (Farris, 1980). Sex-role socializations are problematic in that they block human understanding, communication, and potential (Alden & Seiferth, 1980).

The acquisition of sex- and race-role identities are usually attributed to one of three factors: innate biological differences, cognitive-developmental parameters, or social influences (Bardwell, Cochran, & Walker, 1986). The third factor is derived from social learning theory and, thus, is central to the current study. The process of stereotyping involves classifying or categorizing groups or individuals according to dispositional traits, attitudes, or intentions (Carr & Mednick, 1988; Ruble et al., 1984). In the current context, a stereotype centers around normative role expectations. Relative to gender, for men, these normative expectations are that they will be economically independent, that they will work all their adult lives, and that they will be the principle breadwinner and achiever. Women, on the other hand, are expected to be successful in marriage, to assign their priorities to child rearing and homemaking, and are less exposed to social pressure to achieve. Career pursuits and economic independence are conceived of as secondary considerations for women (Danziger, 1983). Socialization of women turns them toward being pleasing to others; socialization of men turns them to accomplishment and achievement (Stitt & Stitt, 1990; Rosenberg & Simmons, 1975).

Society identifies certain traits as representative of male and female attributes. The male is considered to be independent, active, objective, confident, ambitious, assertive, logical, and aggressive (Ruble et al., 1984; Shinar, 1975). Female attributes include gentleness, emotionality, interpersonal sensitivity, tactfulness, neatness, and quiet (Ruble et al., 1984; Shinar, 1975). When compared to men, women are considered less competent, less independent, less objective, less logical, and less organized (Broverman, Vogel, Broverman, Clarkson, & Rosenkrantz, 1972; Rosenberg & Simmons, 1975).

Individuals acquire role stereotyping from a variety of social forces: parents, schools, peers, and the media (Schwartz & Markham, 1985). Since stereotyping begins at infancy, it is set by the age of three and defined by the age of six. Parents are the first and primary source of role-bias (Duo & Yuen, 1985). The role stereotypes imposed by parents during early childhood become a formidable barrier during later years (Thomas et al., 1979). Parents subconsciously pass sexand race-role traditions on to their children through both overt and covert actions and language. Parents teach children to play with race- and sex- appropriate toys, assign them sex-appropriate household tasks, and treat them differently (Ott et al., 1979). Many times, differential treatment is conscious and deliberate (Seavey et al., 1975). During adolescence, parental expectations that daughters will marry and have children is an important barrier to career pursuit (Carr & Mednick, 1988; Thomas et al., 1979).

Many other social forces contribute to role expectation reinforcement. Schools nurture stereotypical behavior through their expectations of different behaviors for boys and girls, and for members of different races. Girls are expected to be obedient, docile, and dependent; boys, to be aggressive, active, achieving, and independent (Carr & Mednick, 1988; Faludi, 1991). Another influence on role identification is the bias imparted by television (O'Bryant & Corder-Bolz, 1978). In general, women are portrayed in less liberal, more sex-role differentiated roles in television commercials than is the case in real life. Television commercials generally depict women in maternal, housekeeping, and aesthetic roles (Mamay & Simpson, 1981).

4.3.1.4.2 Occupational Stereotyping

Occupations and professions are highly segregated by race and gender (Bielby, 1978). Occupational race- and sex-stereotypes are developed in much the same way as individual stereotypes (Ruble et al., 1984) and are extensions of the generalized segregation which characterizes all aspects of Western society (Lipman-Blumen, 1976). These stereotypes are but one reflection of a pervasive society-wide system of sex and race differentiation which manifests itself in differing roles, temperaments, and opportunities (Faludi, 1991; Mason, 1976; Schlossberg & Goodman, 1972). As with other Western cultures, occupational segregation has been a constant feature of the work place in the United States throughout its entire history (Deaux, 1984; Duo & Yuen, 1985).

Two methods of occupational sex- and race-typing are apparent in the literature: 1) the use of the race or gender ratio of workers in an occupation and, 2) by a classification of the nature of the work (Standley & Soule, 1974). Research suggests that the most commonly held perceptions of occupational stereotyping relate to the majority sex or race working in a career being perceived as the occupation's appropriate sex/race (Krefting, Berger, & Wallace, 1978; Ruble et al., 1984; Thomas et al., 1979). Often, minorities and women are discouraged from seeking employment in white male dominated careers because of such occupational stereotyping (Drake, 1990; Kane & Frazee, 1989; Thomas, 1981).

Historically, there has been a tendency to channel women and minorities into a few socially acceptable, low-status, traditional occupations (Leach & Roberts, 1988). Segregation by raceand sex-typed occupation constitutes a major waste of natural talent (Aburdene & Naisbitt, 1992). Despite purported efforts to infuse greater numbers of women into nontraditional occupations, research indicates that occupational segregation by sex is nearly as prevalent today as it was almost one-hundred years ago (Alden & Seiferth, 1979). An individual's perception of occupational sex- and race-appropriateness has been found in early childhood (Rosenthal & Chapman, 1982). Studies suggest that students in elementary grades limit their career interests to race- and sex-typed career fields (Alden & Seiferth, 1980; Papalia & Tennent, 1975; Tremaine, Schau, & Busch, 1982). Career aspiration gains in liberality through pre- adolescent (Tremaine et al., 1982). Females express more varied, nontraditional, and sophisticated vocational preferences during pre-adolescence than they do when entering college (Eiff, 1989). By the time women enter college, they exhibit clearly defined perceptions of sex-typed occupations (Shinar, 1975). These perceptions of race- and sex-appropriate career fields prevent many minorities and women from considering white male dominated occupations.

4.3.1.5 Informational Barriers

Informational barriers have proven to be a major force working to limit the involvement of women and minorities in white male dominated aviation career fields. Research has repeatedly demonstrated that a generalized lack of awareness and the unavailability of career information and career guidance with regards to atypical careers are significant factors in the discouraging the nontraditional participant from entering white male dominated career fields.

4.3.1.5.1 Lack of Awareness

Many minorities and women fail to perceive the myriad of nontraditional career opportunities as viable career options simply because they are unaware of them. A campaign of general publicity and efforts to inform high school counselors has been listed as the most important strategy to improve the representation of nontraditional workers in white male dominated occupations (Deaux, 1984; Leach & Roberts, 1988; Occupational Competencies, 1991).

Race and socioeconomic status are important factors in career awareness. Occupational

knowledge is associated with an individual's socioeconomic status, family size, and race. Race, in particular, has been demonstrated consistently to have a dramatic impact on an individual's occupational knowledge (Howell, 1978). Blacks are less familiar with job titles than other populations and have a more restrictive view of occupational possibilities. They also have a lower inclination to explore career possibilities (Alden & Seiferth, 1980).

Women are generally less aware than men of both the availability of nontraditional careers and of information about employment openings (Drake, 1990; Leach & Roberts, 1988; Stitt, 1988). In aviation career fields, specifically, the general lack of awareness among women and minorities concerning the diversity of aviation career opportunities was cited as the single most important reason for the low levels of representation by these populations in aviation career fields (Eiff, 1989; Occupational Competencies, 1991). It has been suggested that making these individuals aware of atypical career opportunities and encouraging them to explore those opportunities will have a dramatic impact on the integration of women and minorities into white male dominated careers (Drake, 1990; Harrison, 1980; Leach & Roberts 1988).

4.3.1.5.2 Lack of Career Information

Many women and minorities to select traditional careers because they do not have access to information concerning atypical occupational opportunities (Kane & Frazee, 1989; Stitt & Stitt, 1990). Individuals and counselors lack important information about nontraditional careers which would enable minorities and women to make intelligent choices with regards to occupational selection and preparation (Eko & Brown, 1981; Stitt, 1988). Information concerning career preparation, potential salaries, job opportunities, working conditions, and promotional opportunities is critically lacking (Lewis et al., 1976).

4.3.1.5.3 Lack of Career Guidance

The literature indicates that there is a dramatic need for greater career counseling for women and minorities (Alden & Seiferth, 1980; Leach & Roberts 1988). When workers were asked if career counseling was influential in their nontraditional career decision, many indicated that it was of little or no help (Eiff et al., 1986; Rohfeld, 1977). It has been suggested that this may indicate that counselors either do not have adequate information about individuals in nontraditional occupations or that their own biases regarding race- and sex-roles directly limit the information they offer women and minorities. In either case, it is important that counselors increase their knowledge about career opportunities for women and minorities, as well as their awareness of and sensitivity to bias (Drake, 1990; Occupational Competencies, 1991).

4.3.2 Nontraditional Career Motivators

The literature also gives insight as to what factors influence or motivate minorities and women to consider nontraditional careers. Motivation is a function of two elements: expectancy and value. Expectancy is "the individual's subjective sense of probability that a certain event will occur" (Laws, 1976). Value can be viewed, from the cognitive perspective, as the "positive or negative incentive value a particular event has for the individual" or, from a behavioral perspective, "in

terms of an organism's tendency to approach or avoid a given state of affairs" (Lewis et al., 1976). Together, expectancy and values are the framework of an individual's aspirations and career motivations. Aspiration, from a psychological or social learning theory perspective, is "an integral part of a dynamic cycle involving goal-setting, effortful striving, events that provide feedback about success or failure, and the adjustment of aspirations" (Lewis et al., 1976). Some of the more important motivating influences encouraging women and minorities to choose nontraditional careers include the promise of economic gain, the presence of role models, interactions with career professionals, visits to job sites, experiential career experiences, and appropriate career information.

4.3.2 Nontraditional Career Motivators

In career selection and pursuit, several factors influence the decision process. Salary, social prestige, nature of the work, individual characteristics of the job seeker, and educational and skill levels are concomitants of occupational preferences (Aburdene & Nausbitt, 1992; Dole, 1989; Ruble et al., 1984). Earning potential is a major influence in career decision making (Cronenwett, 1983). Women and minorities in traditional careers have consistently made less money than men in traditional white male career fields. This persistent 60% ratio in female to male earnings exerts pressure on many women to pursue higher-paying career opportunities (Deaux, 1984). Often, nontraditional career consideration is directly related to an individual's perception of better earning potential (Walshok, 1976). A motivation to maximize earning potential causes many minorities and women to avoid or leave traditional careers in favor of nontraditional career opportunities (Scott, 1980).

4.3.2.2 Role Models

The influence of "significant others" has been attributed a paramount importance in career decision making (Eiff et al., 1986; Eko & Brown, 1981; Handley & Walker, 1978). Significant others include parents, teachers, and influential role models (Handley & Walker, 1978). The shortage of female and minority role models in nontraditional career fields, it has been suggested, results in nontraditional workers being afraid to enter white male dominated fields (Orr, 1983; Thomas et al., 1979).

Research indicates that material which portrays minorities and women in white male dominated jobs reduces female and minority reluctance to enter those fields (O'Bryant & Corder-Bolz, 1978; Orr, 1983; Stitt & Stitt, 1990). Identifying role models actively employed in underrepresented fields can help overcome their habitual feelings of self-doubt and self-defeat (Fletcher, 1980). Women and minorities are less likely to aspire to an occupation when the representation of same race and same gender workers in that field is low. Evidence of few role models in a career field gives the impression that the career is "off- limits" (Deaux, 1984). Career information and activities involving role models "who are actually doing it" can be an effective tool in neutralizing barriers to alternate careers (Alden & Seiferth, 1980; Burge, 1983; Dolan, 1980; Eko & Brown, 1981; Lewis et al., 1976; Ott et al., 1979; Stitt & Anderson, 1980).

Career information and posters should display nontraditional role models (Carney & Morgan,

1981), eliminate race- and sex-restrictive labels, and drop sex-biased semantic markers for traditional, stereotyped occupations (Rosenthal & Chapman, 1982). Many researchers have suggested that, as the number of minorities and women in a career field grows, the numbers of nontraditional workers who aspire to that career will increase (Jackson, 1978; Ruble et al., 1984). One researcher has even speculated that the entry of more women and minorities into white male dominated career fields will have a "snowballing effect," resulting in greater numbers of these populations aspiring to that field (Thomas et al., 1979). The more frequently females and minorities can be portrayed as incumbents in jobs previously held primarily by white males, the more likely the sex- and race-type assessment of the occupation is to change (Krefting et al., 1978; Soldwedel, 1989).

4.3.2.3 Meeting Career Professionals

Many studies have indicated the importance of personal contact with role models (Eko & Brown, 1981). Programs which allow for a free and unstructured information exchange between women and minorities in nontraditional careers and individuals aspiring to those careers will provide for successful neutralization of barriers to career involvement (Brunner, 1981). Men realize early in life that they will spend the majority of their adult lives in paid employment. Men, therefore, consciously or unconsciously build informal mentoring relationships which help them to develop requisite skills for success (Lynch, 1980). Women, on the other hand, limit their involvement in such networks.

Meeting and discussing career concerns with professionals from aviation career fields would allow minorities and women interested in nontraditional aviation careers with a quasi-mentoring environment. Such a mentoring environment should provide knowledge about the specific conditions encountered in the field, provide the opportunity to meet people who might be able to provide career and occupational preparation information, and to provide support in matters relative to career decision making (Lynch, 1980). These mentoring activities give interested individuals the opportunity to develop an individual, personal perception of what it is like to be in that particular career (Eiff, 1989; Eiff et al., 1986). Participants find it very helpful to discuss career opportunities with someone who can "tell it like it is." Some participants, after a candid and close examination of the career, may decide the occupation is not for them (Fowler, 1981). An optimal mentoring program maintains the age difference between the mentor and the participants at a half-generation, roughly 8 to 15 years (Lynch, 1980).

4.3.2.4 Job Site Visitation

Another technique suggested by previous research as motivating nontraditional career selection is for individuals to visit job sites not traditionally occupied by minorities or women. Visitation of career facilities which allow students to meet and observe workers was rated "very helpful" by high school students (Eiff et al., 1986; Leach & Roberts, 1988; Rohfeld, 1977). Research indicates that minorities and women with traditional interests participate in job site visits more than those with nontraditional career interests (Orr, 1983). Such visits promote a clearer understanding of what the career entails and a more realistic picture of the working environment (Harrison, 1980). During such visits, nontraditional employees should be evident in order to promote role models which are associated to the specific occupation (Lewis et al., 1976). Examples of involvement of women and minorities in nontraditional careers will project the career field's movement toward a more balanced race and sex ratio within the field. This perception will encourage greater numbers of nontraditional persons to consider the exhibited career field (Heilman, 1979).

4.3.2.5 Experiential "Hands-on" Experiences

Career exploration utilizing experiential work simulation has proven to be very effective. Studies have demonstrated the effectiveness of having individuals learn about career opportunities through experiential activities related to actual career tasks or in actual career environments. Students seldom have the opportunity to engage in realistic, hands-on experiences. Performing realistic work tasks using real tools provides an environment in which work-related skills and interests may be tried and explored (Fifield & Petersen, 1978). Viewed as a learning experience, hands-on training activities optimize knowledge acquisition: "According to the American Audio-Visual Society, people remember only 11% of what they hear, 30% of what they see, 50% of what they see and hear, and 70% of what they do" (Bradley & Friedenberg, 1986). Hands-on experiences emphasize the application of skills, rather than a vicarious skill experience. The experiential aspects of the experience are uniquely effective at capturing the interest of participants and motivating them to learn (Fifield & Petersen, 1978). Cognitive learning, participants' attitudes about the job, participants' interest, and participants' valuation of work all increase significantly (Fifield & Petersen, 1978). This success appears to be linked to the fact that students tend to perceive themselves as actually involved in authentic work problems. This perception results in a higher degree of motivation and facilitates a realistic exploration of the participant's interests, aptitudes, and special abilities (Eiff et al., 1986; Fifield & Petersen, 1978).

The use of experiential "hands-on" activities generates intense occupational interest. Participants in hands- on activities report that they felt particularly positive about the activity. Educators report that such experiential activities result in a high degree of student motivation. This motivation causes the student to seek additional information about the career. Educators have found that hands-on experiences are extremely interesting and effective ways for students to learn about occupations and to increase their interest in the world of work in general and the career explored in particular (Fifield & Petersen, 1978).

4.3.2.6 Career Education and Information

The literature is emphatic about the need to re-examine career guidance and education if equitable numbers of women and minorities are to be integrated into white male dominated career fields. The quality and availability of career information is critical to neutralizing barriers against involvement of women and minorities in nontraditional occupations. One of the most important influences on students is information about careers; career literature is a major influence in perceived career attainability and in occupational selection (Sauter et al., 1980; Stitt, 1988). Unfortunately, much of the career information currently available contains racially and sexually biased information (Yanico, 1978) and categorizes occupations as race- and sex-role

appropriate (Ott et al., 1979). Great care must be taken to select or generate career guidance information which is not sex-stereotyped (Lewis et al., 1976).

Studies indicate a need for an intensive effort to provide career information addressing career issues and to make that information available to parents, students, teachers, and counselors (Alden & Seiferth, 1980; Occupational Competencies, 1991). To be effective, such information should include trends in the world of work, realistic information on working conditions, potential for employment, and earnings potential (Cronenwett, 1983). Material must be developed to increase the visibility of white male dominated occupations and awareness among minorities and women of nontraditional opportunities (Orr, 1983). This material should provide a more egalitarian perspective on the role of women and minorities and should provide a non-stereotyped representation of career opportunities (Sauter et al., 1980).

4.4 SPECIFIC AVIATION CAREER BARRIERS

While the research literature identifies many generalizable barriers for women and minorities seeking to pursue nontraditional careers, central to the concerns of this study are those specific to aviation career pursuits. Also, the last decade has seen aggressive efforts by the aerospace industry to encourage the participation of greater numbers of nontraditional workers in various aviation careers. Recent research studies indicate that these efforts have begun to result in increased numbers of women and minorities selecting and pursuing nontraditional aviation professions. Therefore, an important facet of the study was to review efforts currently used by aviation industries, schools, and organizations in order to determine what programs and methodologies are best at causing women and minorities to consider aviation career pursuits.

4.4.1 Career Selection Barriers

The research literature indicates that the generalized lack of awareness among women and minorities concerning nontraditional career opportunities is a major reason that few of these individuals select those careers. Earlier research demonstrated that most young people and high school career counselors are unaware of the diversity of aviation career opportunities available to potential employees. The same study indicated that these individuals do not understand the requisite knowledge and skills necessary for entry into such careers or know how or where to obtain career training (Eiff et al., 1986).

The generalized lack of familiarity of aviation career opportunities remains the single most prominent barrier to diversifying the aviation work force. Numerous research efforts have demonstrated that individuals from all age groups have almost no understanding of the workings of aviation commerce and the variety of careers it represents (Eiff et al., 1986). This has been proven to be especially true among young people. When questioned about aviation careers, few young people exhibited a knowledge of career opportunities other than those of pilot and air traffic controller (Occupational Competencies, 1991). This leaves little doubt as to why these particular careers have realized the greatest gains in nontraditional workers over recent years.

From discussions held with various administrators within the aviation industry, it appears that

there have been significant gains in the representation of minority populations, other than women, in aviation maintenance careers. This improved minority hiring appears especially true within major industrial settings. An evaluation of this trend suggests that the dramatic increase in numbers of minority workers in aviation maintenance professions is most attributable to aggressive education and recruitment efforts by the military, major airlines, government agencies, and other aviation and educational organizations.

4.4.1.1 The Military Influence

One of the most significant factors influencing the current trend toward more equal representation of nontraditional aerospace maintenance professionals has been the relatively successful diversification of the military. The dramatic success by all branches of the military in recruiting, training, and placing large numbers of women and minorities in aerospace career fields has had a dramatic residual effect on civilian industries. When aviation maintenance technicians currently working in the industry were asked where they received their training, military training and experience constituted the greatest source of career preparation for Blacks, Hispanics, and women (see **Tables 4.1** and **4.2** and **Figures 4.3** and **4.4**).

Table 4.1 Aircraft Mechanics and Technicians Career Preparation by Gender						
Population	Military	FAA 147	Work Exp	Other	N	
Females	6	5	5	4	20	
(Aggregate)	30%	25%	25%	20%		
Males	73	92	23	10	198	
(Aggregate)	37%	46%	12%	5%		

Table 4.1 Aircraft Mechanics and Technicians Career Preparation by Gender

Population	Military	FAA 147	Work Exp	Other	N		
Asian	2 17%	8 67%	1 8%	1 8%	12		
Black	12 46%	9 35%	5 19%	0	26		
Hispanic	6 67%	1 11%	1 11%	1 11%	9		
Caucasian	57 35%	76 47%	19 12%	11 6%	163		

Table 4.2 Aircraft Mechanics and Technicians Career Preparation by Race

 Table 4.2 Aircraft Mechanics and Technicians Career Preparation by Race






Figure 4.3 Career Preparation by Gender




Figure 4.4 Career Preparation by Race

The military has a long history of successful outreach programs. Active recruitment in high schools, technical schools, and colleges has been a mainstay for diversity in today's military. Youth activities such as the Civil Air Patrol, Young Astronauts Program, Star Base, and Boy and Girl Scout groups have been a keystone for diversity recruitment efforts. The military has also played an important role in supporting aerospace education efforts at numerous grade levels throughout the country. College tuition programs have also proven instrumental in drawing minority populations into military aerospace fields.

In an effort to provide for an all-volunteer military, all branches of the armed services have engaged in aggressive recruitment and advertising programs. To a large extent, armed services' advertising projects an unbiased and gender- and race-fair image of aerospace professionals. Their extensive use of race and gender role models in advertising fosters larger participation by underrepresented populations.

The movement toward greater world peace and the demise of the Soviet Union has precipitated a feeling among many that the military in many areas has become obsolete. Increasing concerns over the national deficit will most assuredly result in dramatic reductions in the defense budget. These reductions in military spending promise to limit, if not curtail, many of the beneficial spin-offs reaped by civilian aerospace industries. Reduced budgets will most likely result in diminished support of educational and youth activities. The predicted reduction in technical staffing in the military will result in fewer trained minority aviation professionals for articulation into civilian careers. Most importantly, the military's aggressive gender- and race-fair advertising of aerospace careers will most likely be reduced dramatically.

In light of the fact that working aviation maintenance technicians indicate that the largest percentage of women and minority workers received their career interest and training through the military, the reduction of military spending and the downsizing of our military forces will most assuredly affect the representation of nontraditional workers in aviation technical careers. According to working AMTs questioned in this study, 27% of the female, 46% of the Black, and 75% of the Hispanic maintenance professionals now employed in civil aviation industries were trained in the military. In each case, this number represents the largest contributor to the representation of each population. As the military loses its much needed influence, it is incumbent upon the civil aviation industry and schools to renew their efforts to recruit and retain women and minorities in aviation professions.

4.4.1.2 Other Government Agency Efforts

Several other governmental agencies have promoted aerospace career and education outreach programs as a part of their activities. Prominent among these agencies are the **FAA** and the National Aeronautics and Space Administration (NASA). Both agencies have devoted significant resources to developing educational material and programs, as well as sponsoring educational grants and projects. Many of these efforts have proven quite successful.

The FAA has developed a wide variety of aviation career education materials. The most

significant are documents which discuss various aviation career opportunities, the education and training necessary to qualify for each career, and the need for such professionals in today's aerospace industry. The care and effort expended to make these documents race- and gender-fair has resulted in career brochures which, for the most part, are not only fair but project an atmosphere which encourages women and minorities.

The **FAA** has also developed an extensive array of education materials, videos, and programs which promote aviation and aviation careers. Much of this material is designed to be integrated into educational environments as supplemental materials for normal educational activities from elementary to high school and college. In an effort to distribute these materials, each **FAA** region has an aviation education specialist who serves as a contact point for individuals seeking assistance with aviation education materials. In addition, the **FAA** has established a network of aviation education resource centers. Teachers and other individuals interested in obtaining educational materials or assistance in materials or program preparation can utilize the centers' vast array of materials. The **FAA** also promotes programs such as aviation art contests, Aviation and Space Education Conferences, and state, regional, and national awards for aviation educators.

While the **FAA** has expended considerable effort and resources in preparing and distributing aviation educational materials and in developing educational programs and awards, these efforts have not attained their maximum effectiveness for several reasons. First, regional aviation education specialists are normally collateral duty assignments. These individuals perform educational activities in addition to other duties. Often, their other responsibilities take precedence over educational matters, resulting in reduced effectiveness. Most prominent among the reasons that the **FAA** programs have not realized their potential is a lack of continuity and follow-through. Frequent changes in administration result in shifting focuses and changes in programmatic emphasis, as well as wide fluctuations in funding for such programs.

The **FAA** Administrator's Award for Aviation Education Excellence is a prime example of an exemplary concept developed by the **FAA** which has fallen by the wayside. For two years, the **FAA** awarded state, regional, and national "Excellence in Aviation Education" awards to individuals who had made significant contributions to aviation education. This award caused a great deal of excitement among educators and aerospace education proponents, resulting in many individuals' renewed efforts to develop and promote aviation education prOjects. Unfortunately, just as the award was realizing significant results, the awards were discontinued.

NASA has committed significant funds, personnel, and facility space to developing, producing, storing, and disseminating public educational materials. Unfortunately, **NASA's** narrow focus on math and science subject material has limited the materials' effectiveness at generating greater awareness for aerospace career opportunities among nontraditional populations. This intense focus is also reflected in their educational grant programs. National Space Grant Consortium programs are generally aimed at high school and college math and science students who have already demonstrated an interest in and an aptitude for these subjects.

4.4.1.3 Aviation Industry Out-Reach

Due to the declining aviation industry economy, industry-sponsored programs have been scarce over the past troubled decade. In times past, major aviation and aerospace companies expended considerable effort and resources in promoting aviation education and career awareness. Beech, Cessna, and Piper aircraft companies each had very active aviation education programs several decades ago, producing many types of career and general education materials promoting aviation concepts. As aviation suffered from its rapid decline in the late 1970's, one of the first areas to receive significant cuts were the aviation education programs. As a result, much of this material is unavailable at the present time.

Currently, Beech Aircraft is the only manufacturer distributing aviation educational material. The Aircraft Electronics Association recently formed an Education Foundation to help promote aviation education. The General Aviation Manufacturers Association prepares and distributes material in behalf of aircraft manufacturers. One of the most significant efforts to be fronted by the aviation industry in recent years is the renewed efforts by the Experimental Aircraft Association and the Aircraft Owners and Pilots Association. The Young Eagles program, for example, is a breath of fresh air in an otherwise mostly stagnant aviation education environment.

4.4.1.4 Aerospace Education Out-Reach

As has been noted, governmental agencies and aviation industry corporations and organizations have and continue to produce quality aerospace educational materials for infusion in regular class subjects. Recent research, however, demonstrated that most educators are not aware of this material and are not using it in their educational activities (Eiff et al., 1986). Despite efforts by these agencies and the establishment of networks of resource centers, the material is just not getting to most educators.

In an effort to help alleviate this problem, aerospace educators have initiated a series of out-reach programs to make educators aware of the abundant material available to them for aviation and space education and to provide aviation and space examples for regular class. Numerous packaged aviation and space programs, such as "Come Fly With Me," "Back to Basics Through Aviation," and "Fantastic Flight," have been developed in a "teacher-ready" format for use in public school classrooms. Teacher education classes have been offered throughout the nation in order to provide encouragement and guidance to teachers wishing to utilize aviation materials in their classrooms. Most of these programs have been highly successful.

4.4.1.5 Early Aerospace Education

Research literature suggests that most individuals make generalized career decisions by the time they leave elementary school. Therefore, one of the best long-term strategies for encouraging young people to consider aerospace careers is to use aviation and space examples in learning activities starting in kindergarden and continuing through all elementary grades. Iris Harris promoted this concept in the "Fantastic Flight" program developed in Alabama and subsequently promoted by the **FAA**.

A similar concept started in Illinois, known as the "Harvard Park School" project, has demonstrated that it can not only enhance the learning of regular subject material but also

stimulate and motivate both teachers and students. The program includes a teacher education class that provides teachers with "instruction-ready" material and explores innovative instructional methodologies. A central element of the teacher education program is an in-depth exploration and demonstration of how aviation materials meet state mandated goals for learning and produce increased learning and student motivation.

The adoption of the concept in a school-wide program offered an invaluable opportunity to measure the concept's effectiveness. A post-unit evaluation of the program showed significant increases in student motivation and learning. An unforeseen benefit was the reported motivation of teachers who used the material. Additional benefits of the program included increased parental participation in learning activities and measurable increases in community, industrial, and school administrative support and involvement. In its fourth year, school officials report that the program is still producing measurable gains in motivation and learning. More importantly with regards to this study, students have demonstrated a pronounced increase in their understanding of the aviation industry and aviation careers.

4.4.1.6 Lack of Visible Role Models

The literature strongly identifies the need for like-race and like-gender role models in encouraging nontraditional populations to select underrepresented career opportunities. Aviation advertisement and literature significantly lacks these types of role models.

Researchers reviewed aviation advertising in trade journals, popular publications, on travel posters, in career placement advertisements, and on television. The vast majority of the material projected strongly traditional role models. Notable exceptions included military advertisements and **FAA** ublic service announcements. Unfortunately, the beneficial impact of these exceptions was dramatically reduced by the fact that military advertisement is becoming less prevalent and that **FAA** public service announcements are often played during broadcast periods when few impressionable young people are watching.

The importance of a significant other or role model is evidenced by the fact that almost 90% of the women maintenance professionals interviewed for this study had a family member or close friend active in aviation. Most minorities also identified same-race individuals in aviation as influential in their selection of an aviation career. While numerous informal race/gender role model strategies have been used to encourage nontraditional workers to enter underrepresented careers, little has been done to formalize role modeling or networking activities with one notable exception.

In 1990, Dr. Peggy Baty held the first of what has become an annual conference for women in aviation careers. The National Women in Aviation Conference has been held each year since 1990 and has enjoyed a dramatic increase in participation every year. The conference is a highly effective means of promoting female aviation role models and providing a network for women pursuing aviation careers. As such, it represents a vehicle which could prove very beneficial at encouraging women to enter nontraditional aviation careers.

4.4.1.7 Changing Aviation Environment

Dramatic changes in the aviation environment over the past several decades have contributed significantly to limiting the visibility of aerospace careers and access to information concerning career preparation. Much of the difficulty currently experienced in encouraging young people to consider aviation careers is directly attributable to barriers resulting from changes in the aviation environment. The reduction in the per capita pilot population, declining numbers of airports, reduced access to airport facilities and workers, increased cost of career preparation, and increased exposure and sensitivity to liability issues are among the most notable barriers delimiting the recruitment of new aviation workers from diverse populations.

Discussions with numerous aerospace workers who have been working in aviation careers for more than 10 years revealed that many became interested in aviation careers through early exposure to aircraft or aviation enthusiasts at local airports. Many said that as youth they frequently visited local airports and freely wandered about the facilities. This open accessibility allowed them to meet and interact with many aviation professionals and hobbyists with varied backgrounds and interests. Such encounters provided these individuals with much of the information necessary to stimulate their aerospace career interests and provide the necessary background information to chart the path of aviation career preparation.

For many aviation professionals, their spark of aviation interest was kindled by observing activities at local airports. Stories of walking ramp areas or airport hangars and talking to pilots or mechanics were common among these professionals. Many related how they were allowed to help "rib stitch" wings, wash and wax airplanes, or participate in other aviation activities. Today, young people have little opportunity to participate in such learning activities since airport security provisions have virtually "locked-out" all unauthorized individuals from airport facilities. Gone are the opportunities for young people with an aviation interest to visit airport facilities and cultivate their own aviation contacts. This "lock-out" has progressed to such a level that at most airports individuals with a sincere desire to observe airport operations are kept at such a distance that meaningful observation is impossible. Airport observation decks and areas have, for the most part, disappeared. Most individuals who attempt to gain access to airports for individual or group observation of aviation operation and career activities reported receiving "hostile" receptions and "extreme negativism" from airport managers and facilities operators.

The initiation to aviation for many aviation enthusiasts and professionals often involved a chance encounter with an individual or a relationship with a friend who is a pilot. Such relationships often result in "first flight" opportunities and significant exposure to aviation operations, careers, and airport environments. Recent Experimental Aircraft Association (EAA) statistics suggest that the opportunity for such encounters may be declining. The shrinking fleet of general aviation aircraft coupled with the reduced population density of pilots will inexorably mean fewer opportunities for individuals to be introduced to aviation in this traditional fashion. According to a recent EAA publication, in 1953, there was one pilot for every 262 people in the United States. Today, there are now fewer than one pilot for every 371 individuals. When this trend is viewed within the context of the drastically reduced access to airport facilities precipitated by the airport security "lock-out," the few individuals fortunate enough to have such encounters or acquaintances will most likely not be from the diverse populations targeted by this study. Probability would imply that aviation mentors would most likely be white males and

access would be limited to traditional populations. The result is a perpetuation of the same populations in aviation professions.

Compounding the effects of reduced access to existing airports and the dwindling numbers of pilots is the dramatic reduction in the number of local airports and small aviation business operations. Severe shifts in aviation commerce over the past few decades have resulted in the disappearance of many smaller airports and operations. For example, the Chicago area boasted 52 airports immediately following the Second World War. By the mid-eighties, only 26 of those airports remained in operation. The economics of aviation commerce at many smaller airports make it impossible to support maintenance and flight operations. In Illinois alone, more than 40 of the 135 airports throughout the state have no operator on the field. Illinois is not alone in this dramatic reduction of airport operations. A review of aviation business statistics indicates that the number of airports and aviation businesses throughout the country are significantly lower than those of two decades ago. As the cost of maintaining and operating aircraft increases exponentially and the number of general aviation aircraft and pilots dwindles, small aviation operations are finding it increasingly more difficult to remain in business.

Another factor limiting access to airport facilities, aviation professionals, and opportunities for flight experiences is the increased concern about liability. Discussions with individuals and organizations which attempt to provide aviation education and career experiences for young people, teachers, and potential aviation professionals indicate a pronounced reluctance on the part of aviation industries, organizations, professionals, and hobbyists to provide such experiences. When approached to provide tours or opportunities to meet and observe aviation professionals in their work environment, many aviation businesses cite liability concerns as precluding their participation. Many youth, teacher education, and aviation aircraft as a learning experience. Providing an opportunity to participate in a flight experience was once relatively easy to arrange. Most groups now report, however, that national organizational restrictions or concerns by potential pilots over liability issues make such opportunities nearly impossible to arrange.

Another factor which limits the consideration of aviation careers by prospective professionals is the rapidly rising costs of career preparation. Most notable among aviation career costs are those for flight career preparation. It is not uncommon for individuals to spend upwards of \$20,000 to obtain the necessary flight ratings to obtain the minimum qualifications necessary to begin a professional flight career. Even individuals aspiring to aviation maintenance professions find career training and tool costs a formidable barrier to career consideration. Since many minority populations come from economically disadvantaged backgrounds, these career preparation costs may severely limit the involvement of these target populations. In fact, tool and career training costs were identified by both males and females of all populations as a barrier to aviation career selection in this study.

4.4.2 Technical School Bias

Central to the research study was an evaluation of the preparedness of aviation maintenance and technical programs to foster the recruitment, retention, and placement of women and minorities

in aviation maintenance professions. Also of concern was the ability of technical programs to promote a learning environment where bias and discrimination against members of these populations was minimized.

4.4.2.1 Recruitment and Retention

Several previous research studies have indicated an imperative for informational and recruitment strategies in order to encourage more women and minorities to pursue aviation careers (Eiff et al., 1986; Rodriguez, 1986; Eiff, 1991). FAA certified mechanics schools were questioned in an effort to determine their level of involvement in recruitment and retention efforts. As show in Figure 4.5, only about one- third (34.6%) of the schools questioned had recruitment programs of any type. Of the schools with recruitment programs, the vast majority (65.4%) of the programs consisted of a broad-based strategy aimed at encouraging both women and minorities to pursue aviation maintenance careers. Approximately a quarter (26.9%) of the schools with recruitment programs were exclusively aimed at minority populations other than women.




Figure 4.5 Schools with Recruitment Programs (by type of program)

A principle concern of the research team was that many **FAA** certified Mechanic Schools may present a hostile learning environment for female and/or minority students. Attitudinal concerns include perceptions of school administrators and faculty concerning the potential success of minority and female students. Environmental concerns centered around possible race- and gender-bias of textbooks, instructional bias, institutional barriers, discriminatory materials and language, and the generalized lack of support to remediate skill, tool familiarity, and knowledge requisite expectations.

School officials and faculty were questioned to determine their perception of the likelihood for successful completion of aviation technical training programs by women and minority students. Seventy-six (76) **FAA** Part 147 certified Mechanic Schools were questioned to determine the representation of women and minorities in their student population (**Figure 4.6**). Results indicated that minority students represented 24.9% of the aggregate student body, while women constituted only 3.4% of the total number of students enrolled inaviation maintenance career preparation.




Figure 4.6 Make-up of Student Body (in FAA-approved mechanic schools)

When asked to predict the average success rate for their women and minority students, school officials and faculty in these programs reported widely different completion rates. As an aggregate, the schools felt that women and minority students were about equally likely to succeed in maintenance training programs. On the average, they felt that 77.3% of the minority students would complete their training. Women were thought to be successful 78.6% of the time.

These same schools were asked to report the number of students who graduated from their schools in 1992 and to project the number of 1993 graduates. Of the 5,783 students graduated from these schools in 1992, 570 (9.9%) were minority students and 200 (3.4%) were female students. The predicted number of students to graduate in 1993 was 5,394. Of these, 667 (12.4%) were minority students and 454 (8.4%) were women. On close examination, these figures constitute a paradox. While school officials and faculty predict that women and minority students possess an equal probability of success from their programs, in actuality, this equality is

not evident in completion rates.

If the reported population representations are compared with the 1992 graduation statistics, we note some interesting relationships. In the case of minority students, only 40% of the students graduated. Women, on the other hand, graduated in the same proportion as their representation in the population. Predictions for the 1993 graduation of these populations suggest that school officials predict that women and minorities will have twice the representation in the graduating class as they did during the previous year.

While these statistics could be attributable to specific class representation anomalies, they could also indicate subtle bias on the part of school officials and faculty at aviation technical schools. The 1992 graduation statistics and predicted success for women in 1993 suggests that perhaps women are more successful than these school representatives perceive. This could indicate a subliminal belief by school officials and faculty that women will not be successful in aviation maintenance careers and training. A similar evaluation of the statistics for minority populations suggests that perhaps these same officials are overly optimistic about their success rate.

It is interesting to note that some of the schools studied predicted completion rates as low as 20% for female students. The lowest predicted completion rate for other minority students was only 33%. In 20.7% of the reporting schools, the same school reported that the success rate for females was much lower than for minorities. In several cases, the difference between completion rates for the two populations was predicted to be as great as 50% and 70%. On the average, these schools indicated that women were 28% less likely to complete the program than their minority male peers. These predictions do not seem to be supported by the graduation statistics. This difference may indicate bias against female students participating in these particular training programs because school officials and faculty believe that women are not successful in aviation maintenance training.

With the perception that women and minorities are less successful than white male students in aviation maintenance training programs, one would think that the schools would establish strong programs designed to promote retention of these populations. To identify the level of support offered by certified mechanic schools for female and minority students, reporting schools were asked if they had special retention programs for students. Only one-third of the schools had any retention program at all. Of those schools with programs, 72% were generic programs designed for all populations including, both female and minority students (see **Figure 4.7**). Of the reported retention programs 22% were structured to address the specific needs of minority populations. Only 16% of the schools with programs (5% of the reporting school aggregate) had special retention programs designed especially for female students' needs. Thus, the researchers conclude that little is being done to meet the specific retention needs of women and minority students in aviation maintenance training.




Figure 4.7 Type of Student Retention Programs

4.4.2.2 Learning Environment

School site visitations by researchers identified what appeared to be a genuine interest by school officials and most faculty in providing a bias- and discrimination-free environment for female and minority learners. However, while many of the most blatant and overt forms of bias and discrimination were not evident in the vast majority of schools visited, the researchers identified many subliminal and covert barriers to learning.

A review of the most popular aviation maintenance textbooks demonstrated that little has been done to project a race- or gender-fair image of aviation maintenance professionals. Pictures almost always depict white male maintenance professionals. Even line drawings and "stick people" project a male persona. Much of the textbook material reflects material used in older military manuals. Little has been done by current authors and publishers to remove the strong male engenderment of this material.

The proliferation of male attributes throughout aviation literature, communications, and terminology has a dramatic impact on women aspiring to aviation careers. These terms are so entrenched in the aviation environment that it becomes difficult, if not impossible, to communicate without being bombarded by gender specific terms, including the use of gender-specific terminology by governmental agencies. Most significant among these influences is the gender specific terminology used in the Federal Aviation Regulations (FARs). Terms such as "repairman" project to women aspiring to these positions that they are outsiders, anomalies, or

aberrations. The **FAA** is slowly rectifying these deficiencies which will have a lasting effect on improving the equity in the **AMT** industry. We applaud these efforts.

Historically, aviation environments have been inundated with pictures, posters, calendars, and cartoons with ethnic, racial, and sexual overtones. This discriminatory and harassing material was offensive and detrimental to members of these populations who worked in such environments. The diversification of the aviation work force coupled with the enactment of legislation and fear of litigation has precipitated the general elimination of much of this material. Researchers engaged in school site visitations were especially vigilant in seeking materials which might be offensive to minority and female students. While material which might be perceived as demeaning or offensive to minority populations was not evident in any school visited, many had sexually suggestive or degrading materials. Most of these materials were tool or parts suppliers' advertising posters or calendars. While these materials were not nearly as suggestive or offensive as material common throughout the environment a decade ago, the message was still very clear.

Some specific examples include the following. A postcard with a woman sun bathing topless was taped to the wall above the desk of the faculty member responsible for the development and retention programs for female students in an aviation maintenance technology program. Another school's flight maintenance department had two posters mounted in the work area which depicted women clad in small bikini swimwear holding the advertiser's tools. At another school, a toolbox sported the large poster for an aircraft parts distributor which showed a woman "mechanic" in front of what appears to be her toolbox holding a wrench. This could have been a positive image of a woman aviation professional except that the woman was wearing a small bikini nightgown. Such portrayal of women undermines the perception of women as maintenance professionals and reinforces their perception as sexual objects. Objectionable material leaves many women wondering if they will be respected and accepted should they select aviation maintenance careers. Each of these examples depicts a demeaning attitude toward females in aviation maintenance and is likely to have a negative effect on self perception and esteem of female students.

Researchers were also cognizant of institutional barriers impeding the success of minorities and women in maintenance career preparation. The facilities of most visited schools were not adequate for female students. Inequality of facilities, especially the lack of adequate restroom facilities, was evident at all of the schools. Many schools were trying to cope with their changing student populations, but their attempts have, in most cases, fallen short.

For example, one of the schools visited has been training aircraft mechanics for over 25 years and is a well-respected technical program associated with a major university. An evaluation of the building's restroom facilities for students found that the main "men's" restroom had 2 showers, 35 lockers for students to store a change of clothes or tools in, 15 urinals and stalls, and 5 sinks with heavy-duty, mechanic's hand cleaner dispensers. The women's restroom had one stall, one sink, and no lockers, shower, or hand cleaner dispensers. These differences send the message that women are not expected to be at this school as aircraft maintenance personnel who use tools or get dirty hands.

4.4.2.3 Classroom Interactions

During site visitation, researchers observed classroom and laboratory instructional sessions whenever possible. The researchers sought to evaluate the content and presentation methodology for biases, discrimination, or disparity in learning activities for affected populations. While the researchers found little in the form of open discrimination or bias, a strong subliminal bias and disparity of educational treatment was noted for both minority and women students.

Aviation educators may not realize that despite their best intentions, not all students are receiving equal instruction in their classrooms. There is considerable research supporting the contention that teachers may unconsciously display behavior limiting the nontraditional students. This may be even more likely to occur where the instructor has generally worked with traditional (white male) students. When this trained cultural influence colors teacher attitudes toward students, then teacher expectation begins to mold student behavior to fit the expectation (Sadker & Sadker, 1982).

Gender bias manifests itself in unintentional differential treatment of students based on teacher expectation. It is important to note that differences in teacher interactions toward students based on their gender was found by the Klein (1985) study to occur in both male and female teachers, regardless of their race, at all levels of education from kindergarden through college instruction. Site visits indicated a strong, verbalized support from teachers to the researchers for the minority and female student, but closer observation proved that the these students received little teacher attention. They were often found working alone, not interacting with the teacher or other students. According to a recent report from the American Association of University Women (AAUW, 1992), researchers report that females receive significantly less attention from classroom teachers than do males, and African American females have fewer interactions with teachers than do white females. Teachers also were reported to call on male students in class eight times as often as on female students. And, according to Sadker (1986), when the males talk, teachers listen. Clearly, at visited sites, the males were doing the talking both with the teacher and with each other.

The kinds of tasks and groupings teachers assigned are often based on stereotyped notions about appropriate female and male behavior. Therefore, males are asked to perform more strenuous or mechanical tasks while females are asked to do simpler tasks involving cleaning up or note taking. A study of science classes found that when teachers needed assistance in carrying out a demonstration, 79% of the demonstrations were carried out by male students (Tobin & Garnett, 1987). Similarly, at visited sites, the researchers noted that the male students appeared to be completing teacher-requested tasks during open lab times. The female students, on the other hand, appeared to be relegated to observation, note taking, or clean-up chores and not included in the maintenance-related laboratory tasks under consideration.

A possible cause for disparity of educational treatment among white, minority, and female students may be a generalized lack of awareness on the part of the instructional staff that such differences are occurring. This could be due, in part, to the fact that few of the instructors in aviation maintenance training programs have formal training in the educational process.

Unfamiliarity with the precepts of educational psychology and instructional methodologies may leave well-intentioned instructors with the feeling that they are treating all students equally while, in fact, they are discriminating against some populations.

Few of the schools examined require their instructors to be well-versed in the foundations of the learning process. In fact, 36% of the schools reported that they had no requirement for faculty to have any formal education or degree at all (**Figure 4.8**). A few schools (6%) required a local or state vocational teaching certificate but no college education. About a quarter of the schools (26%) required prospective instructors to have an Associate Degree in any discipline. An additional 25% of the schools indicated that they require a Bachelors Degree. Only 7% of the schools require a Masters Degree. In each case, the degree could be in any discipline. None of the schools reported that they required training beyond a Masters Degree or that the degrees earned must be in an educational discipline.




Figure 4.8 Formal Education Requirements for Instructional Staff at A&P Schools

The research team was also interested in the level of representation of minorities and women on school faculty. Research in related nontraditional career fields suggests that gender and race "role models" are very important for recruiting and retaining nontraditional students. The schools in this study were asked how many of their A&P certified faculty were women and minorities. The schools employed a total of 759 A&P certified instructors. As shown in **Figure 4.9**, 66 were minorities (8.6%) and 14 were females (1.8%). Close examination of the data revealed that female faculty had been on the job for an average of only 3.8 years. Obviously, recruitment of women for faculty positions is a relatively new concept. In fact, of the 14 female faculty reported to be on the instructional staff of these schools, 12 had been on the job for 5 years or less.




Figure 4.9 Composition of A&P Faculty (at FAA-approved mechanic schools)

The research literature strongly suggests that role models among the faculty of nontraditional programs greatly enhances both the recruitment and the retention of underrepresented students in such programs (Eliason, 1981). For this reason, schools should recruit as many minorities and women into faculty positions as possible. As a facet of the research project, 214 active aviation mechanics working in aviation maintenance fields were questioned to explore the availability of women with the educational and work experience requirements necessary to qualify as instructional faculty in maintenance training programs. Of the female mechanics who responded to the study, 68.8% responded that their highest level of educational preparation was a high school certificate. An additional 25% of the female respondents indicated that they had attained a college Associate Degree. Only 6.3% of the working female mechanics and supervisors indicated that they had achieved a Bachelors Degree in a college program. None of the respondents indicated education beyond a Bachelors Degree.

The limited educational backgrounds of working minority and female mechanics has the potential to severely limit their qualification to serve as faculty in many schools. When schools were asked if they were willing to "waive or defer" some educational requirements for otherwise qualified female or minority faculty candidates, 22.7% of the schools reported that they would consider such a waiver or deferment.

Although the literature indicated that faculty and minority role models increased nontraditional students' recruitment and retention, the question remained as to whether or not this would be true of aviation maintenance nontraditional students. The representation of minorities in aviation

maintenance training programs seemed little affected by the presence of minority faculty. The average number of minority students in aviation maintenance training for all of the schools sampled was 39.4 students per school. For schools with minority instructors, the average number of students was 39.8 per school. This lack of correlation among student representation and the presence of an instructor role model did not hold true for females, however. For the schools sampled in this study, the presence of a female instructor seemed to have a dramatic effect on the participation rates of female students. Viewing the aggregate school sample, the average number of female students participating in aviation maintenance career preparation was 5.4 females per school. When compared to the average number of female students in schools with female faculty, the contrast was dramatic. Schools with female faculty averaged 13 female students per school, more than twice the average for schools with no female faculty. Though not conclusive, these figures strongly suggest that the presence of female faculty increases participation by women interested in pursuing an aviation maintenance career.

Work place role models are also very beneficial in encouraging nontraditional students to pursue under- represented careers. Many schools have promoted or established close working relationships with industry which may include work experience or cooperative education opportunities for students. The schools were asked if their students had an opportunity to participate in work experience or cooperative education programs as a part of their educational experience. About one third (34%) of the schools reported that students in their programs have opportunities to participate in work experience or cooperative education programs with aviation industries. Of those schools reporting such opportunities, only 19% reported making any attempt to place the students in a work environment with appropriate race and gender role models. As a result, few nontraditional students have the opportunity to experience same-race or same- gender mentors as they prepare for their chosen career.

Finally, national research on educational environments has reported that incidents of males sexually harassing females in schools are increasing at a high rate. One study by Kane and Frazee (1989) found that 65 percent of female high school students in nontraditional courses reported harassment by male classmates and by some teachers. Researchers found no evidence of sexual harassment during site visits. However, candid discussions with female graduates of aviation maintenance programs disclosed several instances of peer and instructor harassment. It is important to remember that despite its frequency, sexual harassment is rarely reported, tallied, investigated, or systematically documented (AAUW Report, 1992).

4.4.3 Work Place Barriers

Key to retaining women and minorities in the aviation maintenance work place is determining what barriers might deter these populations from completing training or remaining in an aviation career. A survey instrument was developed and distributed by a U.S. air carrier and the International Association of Machinists; the research team provided assistance in analyzing the results of the survey. The focus of the instrument was to determine the perceptions of **AMTs** concerning various possible barriers to successful employment as aircraft technicians.

The barriers were categorized as economic, physical, social, emotional, life experience/education, and work-related. Respondents were asked to describe the degree to

which the items listed in each category were perceived to be a barrier for women and minorities seeking training or employment as **AMTs**. Barriers were assigned a value of 5 for "a high degree;" 4, "some degree;" 3, "undecided;" 2, "a small degree;" and 1, "not to any degree." In all, 65 barriers were listed for evaluation with a space for optional comments. The barriers were selected based on their identification by other researchers conducting studies with nontraditional workers (*No way out*, 1989; Cho, 1983; Stitt & Stitt, 1990; Deaux et al., 1984).

A total of 242 aircraft maintenance employees responded to the survey. Analyses of the data were done by race and by sex. Some of the respondents did not complete all parts of the survey; therefore, there were missing data in the analyses.

Of the total sample, listed in alphabetical order there were 13 (5.4%) Asian, 27 (11.2%) Black, 165 (68.2%) Caucasian, 10 (4.1%) Hispanic, 11 (4.5%) Other. Sixteen (6.6%) did not identify their race. Of the total sample, 20 (8.3%) respondents identified themselves as Female, 216 (89.3%) as Male, and 6 (2.5%) did not identify their gender. The majority of the respondents were male Caucasians. Females constituted less than 10 percent of the total sample. Although the majority of respondents were Caucasian males, their responses were important because they were asked for **their perceptions of possible barriers to women and minorities pursuing AMT training or employment**. This permitted comparison of what Caucasian males perceive to be barriers with what women and minorities perceive as barriers.

The factors used as dependent variables in the analyses were Economic Barriers, Physical Barriers, Social Barriers, Emotional Barriers, Life Experience/Education Barriers, and Work-Related Barriers. Race and sex were the only independent variables analyzed.

Table 4.3 and **Figure 4.10** show the average responses by race for each of the six categories of barriers. The higher the score, the more often employees of that race identified the items in that category as significant barriers to training or employment as aircraft maintenance employees.

iaute 4 Average Resource for Each Barner Casegory by Nate							
Category	Asian	Black	Caucasian	Hispanic	Other		
Economic	2.60	2.51	2 51	3.05	2.27		
Physical	2.06	1,82	218	2.42	2.07		
Sacial	1.87	2.52	2.09	2.37	2 06		
Emotianal	1.89	2.38	2 19	2.45	2.28		
Life Exp./ Education	1.65	2.45	2.40	2.77	2.11		
Work- Related	2.3%	2.89	2.80	3.24	2.44		

Table 4.3 Average Response for Each Barrier Category by Race

Table 4.3	Average F	Resnonse	for E	ach Barr	ier Catego	rv hv Race
1 abic 4. 5 /	average r	Acsponse	IUI La	acii Dall	ici Categoi	y by Mace




Figure 4.10 Response for Barrier Categories by Respondent's Race

It is important to note that respondents were asked to identify items that are possible barriers to minorities. Therefore, the Caucasian responses were reports of their perception of barriers for minorities, not for themselves. The Hispanic race scores were the highest in each category of barrier items. These respondents indicated that they perceive barriers in every category except Social more frequently than Asian, Black, or Caucasian races. The categories with the highest scores by the Black respondents were Economic, Social, and Work-Related Barriers. The Black race response to Social Barriers was the only score higher than the Hispanic race response. The category with the highest score by the Asian respondents was Economic Barriers. Black, Caucasian and Hispanic respondents saw Life Experience/Education Barriers more frequently than Asian respondents.

Similarly, **Table 4.4** and **Figure 4.11** give the response among male and female aircraft maintenance employees on the six categories of barriers. The scores displayed in the table indicates by category the frequency that items in that category were perceived as significant barriers.

Table III Indage Iceppende for Each category by Canad					
Category	Females	Males			
Economic	2.40	2.50			
Physical	1.90	2.15			
Social	2.40	2.07			
Emotional	2.20	2.18			
Life Experience/ Education	2.50	2.35			
Work- Related	2.28	2.70			

Table 4.4 Average Response for Each Category by Gender

Table 4.4 Average Response for Each Category by Gender




Figure 4.11 Response for Barrier Categories by Respondent's Gender

Work-Related Barriers were identified with the highest frequency by males as possible barriers to females. This category also had the greatest difference in frequency between male and female respondents. In other words, females disagree with males more frequently concerning this barrier. Economic Barriers were frequently identified by both males and females. Equally significant by females were Social Barriers and Life Experience/Education Barriers. Physical Barriers were identified by females least frequently.

Analysis of Variance (ANOVA) were carried out to determine if there were differences by race and gender on the various factors (Economic Barriers, Physical Barriers, Social Barriers, Emotional Barriers, Life Experience/Education Barriers and Work Related Barriers). The results of the analysis showed significant differences by both race and gender at the .05 level of significance. However, there was only one category of barriers identified as significant for race and one category for gender. The Life Experience/ Education category was identified as significantly different (.02) by race. In other words, there were significantly different responses among races in their perceptions of Life Experience/Education Barriers for females pursuing an **AMT** career. This category of barriers included the following items among others:

Know nontraditional employees

Concern about level of verbal and writing skills Concern about level of math and technical skills Familiarity with tools Solid level of self-confidence Time and stress management skills.

Work-Related Barriers was the only category identified as significantly different (.02) by gender. Female respondents differed in their perceptions of work-related barriers from male respondents. This indicates that males perceive more barriers than females did for females pursuing **AMT** careers. This category of barriers included the following items among others:

Concern about getting a job Concern about keeping a job Concern about moving up on the job Travel requirements Concern about working outside in inclement weather Dislike for late shift work schedule.

The level of significance was set at an Alpha of .10 for the remainder of the analysis. An Alpha of .10 (rather than .05) is commonly preferred when there is no control group in the study. It should be noted that at a significance level of .05 there were only minimal differences by gender and race.

The results of the analyses showed that there were differences among the races on Social Barriers, Life Experience/Education Barriers and Work Related Barriers. **Table 4.5** shows the average response among the different races to the individual items in the Social Barriers category.

	The two maintain new response of social bankers by race					
	Саисазіап	Black	Ні аряпіс	Азіал	Other	
Communicating with peers of the opposite sex or other race or culture.	2.1	2.3	2.5	1.5	2.5	
Cooperating with peers of the same sex, race or culture.	1.9	2.0	2.1	1.7	1.8	
Being the only person of your race or sex in a work team.	2.0	2.6	2.3	1.5	1.8	
Hazing or being teased by peers.	1.9	2.1	1.6	1.5	2.4	
Availability to socialize with peers and feeling accepted socially by peers.	2.0	2.4	2.5	2.0	1.7	
Being accepted by and feeling a part of the work team.	2.3	3.0	2.9	2.2	1.7	
Sex or race discrimination in training or on the job.	2.1	3.3	2.7	2.7	2.5	

Table 4.5 Individual Item Response of Social Barriers by Race

 Table 4.5 Individual Item Response of Social Barriers by Race

The barrier items listed in **Table 4.5** were significant in the **ANOVA** analysis. The specific Social Barrier items that received the most frequent identification as possible barriers to training or employment were:

Being the only person of your race or sex in a work team

Being accepted by and feeling a part of the work team

Sex or race discrimination in training or on the job.

The Black and Hispanic races reported the highest number of responses in these items. The Asian race responded with a high frequency (2.7) on only the item involving discrimination.

Table 4.6 shows the average response to individual items in the Life Experience/Education Barriers category.

Table 4.0 Individual item Response of Life Experience/Laucation Damers by Nace						
	Caucasian	Black	Ні аряпіс	Asian	Other	
Know people who are in nontraditional jobs.	1.9	2.3	3.3	1.7	1.8	
Concern about level of verbal and writing skills.	2.4	2.4	2.4	1.9	2.0	
Concern about level of math and technical skills.	2.6	2.5	2.8	1.8	2.3	
Familiarity with tools.	2.5	2.4	2.9	1.5	2.2	
Solid level of self-confidence.	2.6	2.3	3.1	2.0	2.0	
Played with kids of opposite sex as a child.	1.7	2.1	2.0	1.2	1.4	
Familiarity with the aircraft maintenance occupation.	2.6	2.6	3.3	1.5	2.0	
Time and stress management skills.	2.5	2.7	3.4	1.8	2.8	
Physical health.	2.8	2.3	3.2	1.7	2.7	
Personal contacts (important contacts in the field).	2.4	2.8	2.7	1.7	2.5	
Knowledge of job openings and fringe benefits.	2.9	2.9	3.0	2.0	2.4	
Family or friends employed in aviation industry.	2.1	2.2	2.2	1.4	1.6	
Jobs in aircraft maintenance require a good understanding of math and science.	2.9	2.7	2.6	1.8	2.5	
Had a same-sex or same-race role model.	1.8	2.4	2.1	1.4	1.6	

Table 4.6 Individual Item Response of Life Experience/Education Barriers by Race

Table 4.6 Individual Item Response of Life Experience/Education Barriers by Race

There was agreement among the Caucasian, Black, and Hispanic respondents that knowledge of job openings and fringe benefits was perceived as a possible barrier to minorities. The frequency of response was consistent (2.9, 2.9, 3.0). Asian respondents did not identify that item with as much frequency (2.0). Both Black and Hispanic respondents identified personal contacts as a possible barrier with scores of 2.8 and 2.7. However, there were no other items where there was agreement among the respondents by race as to the level of significance of a barrier item. The most obvious information to draw from this table is the high number of items that were identified as possible barriers by Hispanic respondents. These items were:

Know people who are in nontraditional jobs (**3.3**) Concern about level of math and technical skills (**2.8**) Familiarity with tools (**2.9**) Solid level of self-confidence (**3.1**) Familiarity with the aircraft maintenance occupation (3.3)

Time and stress management skills (3.4)

Physical health (3.2)

Personal contacts (important contacts in the field) (2.7)

Knowledge of job openings and fringe benefits (3.0).

Table 4.7 shows the average response to individual items in the category Work Related Barriers.

Table 4.7 Individual item Kesponse of Work-Kelated Damers by Race						
Category Item	Сацсавіал	Black	Ні аряпіс	Азіял	Other	
Concern about getting a job.	3.4	2.7	3.8	2.5	2.6	
Concern about keeping a job.	3.5	2.5	3.9	2.1	3.4	
Concern about moving up on the job.	2.9	3.3	3.4	2.6	2.5	
Travel requirements.	2.4	2.3	3.0	2.3	2.1	
Concern about effort required to succeed in a nontraditional career.	2.3	2.3	3.1	2.3	2.4	
Concern that most new labor force entrants will be nontraditional.	2.3	2.1	3.1	1.7	2.3	
Concern about working outside or in a hangar or in inclement weather.	2.4	2.7	2.9	1.9	2.0	
Dislike for late shift work.	3.3	3.0	2.7	3.0	3.3	

 Table 4.7 Individual Item Response of Work-Related Barriers by Race

 Table 4.7 Individual Item Response of Work-Related Barriers by Race

The Asian respondents identified the items less frequently than any other race including Caucasian. There was general agreement among the races as to a dislike for late shift work schedules and its potential as a possible barrier. Again, the noticeable information is the high level of frequency by the Hispanic respondents to many of the items. Those items were:

Concern about getting a job (3.8)

Concern about keeping a job (3.9)

Concern about moving up on the job (3.4)

Travel Requirements (3.0)

Concern about more effort required to succeed in a nontraditional career (3.1)

Concern that most new labor force entrants will be nontraditional (3.1)

The results of the **ANOVA** indicated that there were significant differences among the sexes on Work Related Barriers only. **Table 4.8** gives the average responses by sex to the individual items in the category Work Related Barriers.

· · · · · · · · · · · · · · · · · · ·				
	Female	Male		
Concern about getting a job.	2.6	3.3		
Concern about keeping a job.	2.6	3.3		
Concern about moving up on the job.	2.6	2.9		
Travel requirements.	2.6	2.9		
Concern about more effort required to succeed in a nontraditional career.	2.5	2.3		
Concern that most new labor force entrants will be nontraditional.	1.7	2.3		
Concern about working outside or in a hangar or in inclement weather.	2.1	2.5		
Dislike of Late shift work schedule.	2.7	3.3		

Table 4.8 Individual Item response of Work Related Barriers by Sex

Table 4.8 Individual Item Response of Work Related Barriers by Sex

Males and females in this study did not agree on the significance of Work-Related Barriers for females and minorities. In fact, males identified every Work-Related Barrier item as more likely to be a barrier than did females with the exception of one item: Concern about more effort required to succeed in a nontraditional career.

It is important to note that males were not responding to items they found to be barriers for themselves. Rather, they were identifying items they thought to be barriers for females. In other words, males find these items to be barriers for females, but females say they are not barriers. The only item agreed upon as a barrier was concern about more effort required to succeed in a nontraditional career.

There were some items that crossed several barrier categories which women consistently identified as possible barriers that were not identified by men. These items are also consistently identified by females in other nontraditional careers as barriers. Those items are listed below:

Expense of child care (2.85) Communicating with peers of the opposite sex (2.55) Being the only one like me on the work team (2.80) Sex and/or race discrimination (2.90) Need to prove self (3.0) Biased language, jokes, pictures (2.35) Concern about being accepted by management (2.50) Stress/time management (3.05) Personal contacts in the field (3.15) Knowledge of job openings and fringe benefits (3.30). With the exception of the figures reported in these tables, aviation maintenance personnel do not differ significantly in how they perceive barriers to the training and employment of women and minorities as aviation maintenance technicians. However, the barrier categories and items that were reported in the tables provide information that can be helpful in removing these barriers.

The aviation maintenance industry in its determination to more evenly balance the work force by race and gender has endeavored to seek out possible barriers to training and employment for women and minorities. This study has shown that while women and minorities perceive some barriers, there exists no long list of barriers. Certainly, barriers alone are not enough to be the total cause of the disparity in the numbers of women and minorities in the **AMT** work place.

Hispanic and Black races perceived the greatest number of barriers to employment and training. Hispanics perceived barriers in all categories, and Blacks perceived Work-Related Barriers most significant for their race. There is also general agreement by Caucasians that these barriers may exist for these specified populations. Asians perceive few barriers as compared to the other races; however, Economic Barriers were most often identified as possible barriers for this population.

Females identified Life Experience/Education Barriers most often as the most problematic category of barriers. Men identified Work-Related Barriers most often as barriers for females in aviation. It is important to note that contrary to stereotypical perceptions, women do not perceive Physical Barriers as frequently as any of the other barrier categories.

The results of the **ANOVA** indicated there were significant differences among the races on Social Barriers, Life Experience/Education Barriers, and Work-Related Barriers. Blacks and Hispanics identified the most Social Barriers. Hispanics identified the most items in the Work-Related category. The results of the **ANOVA** indicated significant differences by sex on Work-Related Barriers only. In general, males perceive nearly all Work-Related Barrier items as possible barriers for females.

Of course, the aviation industry cannot be held responsible for all the barriers perceived to be significant for women and minorities. Our society as a whole must bear some of the burden for the Social Barriers perceived by women and minorities. Our families and educational systems must assume responsibility for the entrenchment of many of the Life Experience/Education Barriers.

The aviation industry is to be applauded for the steps it has already taken to encourage social and educational change to eliminate many of these barriers. It is also to be encouraged and supported in its continuing efforts to look into the possibility of reducing the remaining Work-Related Barriers.

Some specific recommendations for reducing barriers for women and minorities include:

- 1. Conduct workshops or training seminars for all employees in team building, communication skills, time and stress management, and sexual harassment issues particularly language, jokes, pictures, and discrimination.
- 2. Provide a more accessible or directed method for informing employees about in-house job openings and fringe benefits.
- 3. Conduct workshops or training seminars in job-seeking and job-keeping skill

development.

- 4. Alert employees that there may be differences in perceptions about barriers and encourage open discussion of solutions to possible barriers.
- 5. Provide all supervisory personnel with the findings of this study and provide the avenue for them to participate fully in workshops and training seminars on the above topics.

The aviation industry is recognized for its determination to eliminate any remaining barriers to increase the representation of women and minorities in aviation careers.

4.5 CHANGES IN REPRESENTATION

While parity of representation has not been established in most career fields, significant gains in the representation of women and minorities in many underrepresented aviation careers have been realized (Eiff et al., 1986). Most underrepresented minority populations have made dramatic gains in numbers from those of a decade ago. While no historical data exist on the levels of representation of minority populations, it is generally agreed that few members of these populations were included in the aviation maintenance work force as recently as two decades ago. By contrast, the **FAA** has compiled data on the representation of women in the maintenance field for several decades.

Although no official data exist, either historic or current, on the representation of minorities in the aviation work place, it is generally agreed that their numbers were very low two decades ago, but the level of representation for all minority populations has grown appreciably during the intervening years. While it is difficult to determine the exact representation of these populations in the current work place, the current study gives evidence that significant changes have occurred and that representation levels are dramatically improved. As nearly as can be determined, the current work force of aviation maintenance professionals in airline careers is comprised of approximately 11% Hispanic, 12% Asian, and 20% Black workers.

The representation of women, on the other hand, remains quite low. Current estimates place their representation at approximately 2% of airline maintenance professionals. As mentioned before, historic data are available for women mechanics. Although current research indicates that women have made dramatic strides toward equal representation in aviation career fields such as air traffic control and as flight crew professionals, the number of women in aviation maintenance technical fields has demonstrated little propensity for change and remains very low.

A decade of proactive effort by the aviation industry, governmental agencies, and special interest groups has resulted in increasing representation of women in many male-monopolized aviation careers. Aviation maintenance, however, remains the slowest career field in aviation to realize any trend toward greater representation. The most current available **FAA** statistics suggest that the representation of women among the ranks of certified mechanics remains very low. Current estimates place the number of active female aircraft mechanics at 3,901. While this is a dramatic increase over the number of active female mechanics of a decade ago, this number represents only just over 1% of the number of active mechanics (airlines and general aviation, combined) in

the work force.

While the actual number of women in aviation maintenance careers remains quite low, there is reason for optimism about the future of women in this male-dominated field. A complex model for predicting the number of maintenance professionals needed in the years ahead was formulated for the demographic aspects of this study. As a result of this model, the anticipated levels for women could be predicted for the next several years. The model's prediction for the representation of women in aviation maintenance careers in **Figure 4.12** is represented by the line extending to the year 2003. Statistical data from **FAA** records for the three most current years strongly suggest a marked deviation from the predicted levels of representation.




Figure 4.12 Percent Representation of Active Female Aircraft Mechanics

When viewed from a "rate-of-change" in representation prospective (**Figure 4.13**), the change in the level of representation of women in maintenance careers seems on the verge of dramatic growth. As suggested by the demographic model and as realized in actual data, the change in the representation of women in maintenance careers was relatively constant for the years between 1960 and 1975. From 1975 to 1988, an increase in the rate of change in this representation was noted. Instead of the predicted steady growth, this period demonstrated a yearly increase in the rate of change in representation of women mechanics in the work force. In the period from 1988 to that of the most current available data, there has been a very sharp increase in the rate at which women are selecting aviation careers. Thus, the data for the representation of women in aviation maintenance career fields.




Figure 4.13 Change in Percent Representation of Active Female Aircraft Mechanics

4.6 SUMMARY

The aviation maintenance professional will continue to be a valuable asset to air safety well into the 21st century. Modern aircraft promise to bring greater reliability and maintainability to the aviation industry; yet, the complexity of these craft will bring new challenges to **AMTs**. The aviation industry must take a proactive approach if it expects to employ a competent work force which will meet equal opportunity standards while simultaneously maintaining the productivity of aviation maintenance technicians. Through the efforts of many individuals, learning institutions, and corporations, diversity in the **AMT** work force has begun to emerge. Current legislation helps to promote these efforts; however, much is yet to be done if true equity for both gender and race is to be accomplished. Improving diversity in the **AMT** work force and the relations between genders and the various races currently employed as **AMTs** will build a strong foundation for improved maintenance and future air safety.

The data collected in this study suggests that over the past several decades minorities have made dramatic progress in aspiring to **AMT** careers. Females, however, are still extremely under represented in the aviation maintenance industry. According to one major US air carrier, females currently make up approximately two percent of their **AMT** work force and minorities constitute approximately 26 percent. The lack of female role models, inadequate physical facilities at **AMT** schools, subliminal bias by teachers counselors and supervisors, and a general

lack of career awareness comprise major barriers to females entering an AMT career.

This study points out that today's youth are for the most part unaware of the exciting well paid careers which exist in the aviation maintenance industry. With the liability and security problems of today's aviation environment it is very unlikely that young people will have a chance to explore a career in civil aviation. The changing military environment will assuredly supply less publicity and training aimed toward aviation. These factors leave a void which must be filled and enhanced if we hope to have a plentiful, diverse supply of competent **AMTs** in the future. Industry, **AMT** schools, and governmental agencies must join together to promote aviation in a gender and race fair manner.

Currently many programs exist which are helping to improve the diversity of the aviation maintenance industry. These programs must be amplified and used in conjunction with genderand race-fair role models to help reach under represented populations. **Table 4.9** shows several strategies which can be used to help eliminate the barriers which limit the employment of nontraditional populations in **AMT** careers. The data collected in this study suggests that women must be a primary focus group if significant change is to occur. There are two simple strategies which continue to emerge as primary methods to achieve equity: (1) promotion of aviation maintenance professional. These strategies focused at the youth of America and enhanced for minorities and females will ensure a plentiful supply and diverse work force needed to meet the future challenges of the aviation maintenance industry.

IDENT IF IED BARRIERS		STRATEOY TO ELIMINATE BARRIERS
Recruitment (career selection)	 Lack of information concerning AMT careers Lack of adequate role models 	 Increase gender/race fair outreach programs Better promotion of AMT careers by major air carriers Increase awareness of AMT careers to elementary and high school students
Educational	•Recruitment •Retention •Learning environment	 Increase the number of female and minority AMT instructors Promote gender/race fair educational practices for faculty and staff Improve AMT school facilities to be more gender fair Improve texts and other educational materials to be more gender/race fair Increase and improve female and minority recruitment
Work place	•Economic •Emotional •Environmental	 Improve grant/loan programs to help disadvantaged individuals with cost of education and tool purchases Increase and improve worker and administration awareness programs to promote gender/race fair interactions Improve facilities to be more gender fair

Table 4.9 Strategies to Help Eliminate Barriers
--

 Table 4.9 Strategies to Help Eliminate Barriers

4.7 REFERENCES

Aburdene, P., & Naisbitt, J. (1992). Megatrends for women. New York: Random House.

Albrecht, S. L. (1976). Social class and sex-stereotyping of occupations. *Journal of Vocational Behavior*, 9, 321-328.

Alden, E. F., & Seiferth, B. B. (1979, July). *Factors influencing choice of technical careers by women and minorities*. Paper presented at the Annual Meeting of the American Educational Research Association Special Interest Group for Community/Junior College Research, North Central States, Ann Arbor, MI.

Alden, E. F., & Seiferth, B. B. (1980). Sex and race as career choice determinants in the technologies. *Journal of Studies in Technical Careers*, 2, 575-588.

American Association of University Women (1992). *The AAUW Report: How schools shortchange girls*. Washington, DC: **AAUW** Educational Foundation.

Auster, C. J., & Auster, D. (1981). Factors influencing women's choice of nontraditional careers: The role of family, peers and counselors. *The Vocational Guidance Quarterly*, *29*, 253-263.

Bardwell, J. R., Cochran, S. W., & Walker, S. (1986). Relationship of parental education, race, and gender to sex role stereotyping in five-year-old kindergartners. *Sex Roles, 15*, 275-281.

Bearison, D. J. (1979). Sex-linked patterns of socialization. Sex Roles, 5, 11-18.

Bianchi, A. (1990). *Smart choices: A woman's guide to returning to school*. Princeton, NJ: Peterson's Guides.

Bielby, D. D. V. (1978). Career sex-atypicality and career involvement of college educated women: Baseline evidence from the 1960's. *Sociology of Education*, *51*, 7-28.

Biles, G. E. & Pryatel, H. A. (1978). Myths, management and women. *Personnel Journal*, *57*, 572-577.

Box & Jenkins (1976). Time Series Analysis: Forecasting and Control. Holden-Day (1976).

Briere, J. & Lanktree, C. (1983). Sex-role related effects of sex bias in language. *Sex Roles*, *9*, 625-632.

Broverman, I. K., Vogel, S. R., Broverman, D. M., Clarkson, F. E., & Rosenkrantz, P. S. (1972). Sex-role stereotypes: A current appraisal. *Journal of Social Issues*, 28(2), 59-78.

Brunner, N. R. (1981). Blue-collar women. Personnel Journal, 60, 279-282.

Burge, P. L. (1983). Employers' perceptions of nontraditional vocational graduates. *Journal of Studies in Technical Careers*, *4*, 299-306.

Carney, M., & Morgan, C. S. (1981). Female college persisters: nontraditional versus traditional career fields. *Journal of College Student Personnel*, 22, 418-423.

Carr, P. G. & Mednick, M. T. (1988). Sex role socialization and the development of achievement

motivation in black preschool children. Sex Roles, 18, 169-180.

Cho, W. K. (1983). *Problems in securing employment in the rural south and socioeconomic characteristics*. RIE (April 1984) *19* (4) ED237260.

Crawford, J. D. (1978). Career development and career choice in pioneer and traditional women. *Journal of Vocational Behavior*, *12*, 129-139.

Cronenwett, S. (1983). Attracting women to nontraditional careers. VocEd, 5, 47-48.

Crosby, F. (1984). The denial of personal discrimination. *American Behavioral Scientist, 3*, 371-386.

Danziger, N. (1983). Sex-related differences in the aspirations of high school students. *Sex Roles*, *9*, 683-695.

Deaux, K. (1984). Blue-collar barriers. American Behavioral Scientist, 3, 287-300.

Deaux, K., Ruble, T. L., Cricker, J., & Wilson, M. (1984). After affirmative action: barriers to occupational advancement for women and minorities. *American Behavior Scientists*, 27 291-353.

Denbroeder, K. L. & Thomas, H. B. (1980). *Barriers to entry into nontraditional occupations for women: A study to determine the ability to discriminate among groups*. Paper presented at the American Educational Research Association Annual Meeting. Boston, Massachusetts. (ERIC Document Reproduction Service Number ED 186 637)

Dole, E. (1989). Preparing the work force of the future. *Vocational Education Journal*, 64(7), 18-20.

Dolan, M. (1980). Thoughts of a female mechanic: We need all the support we can get. *VocEd*, *55*(4), 28- 30.

Drake, M. M. (1990). *Recruiting women into the electronics technology program at McHenry County College*. Unpublished master's thesis, School of Arts and Sciences, National-Louis University.

Duo, J., & Yuen, C. (1985). A challenge: Encouraging students to enter nontraditional vocational programs. *Journal of Studies in Technical Careers*, *7*, 25-33.

Eiff, G. M. (1989). *The impact of an experiential aviation career orientation workshop on the career interests and aspirations of high school students*. Unpublished doctoral dissertation, Southern Illinois University, Carbondale.

Eiff, G. M., Rodriguez, C. L., Eiff, M. A., & Milton, W. C. (1986). *Eliminating sexual bias in aviation occupations*. (final report) DAVTE, Illinois State Board of Education. Carbondale: Southern Illinois University, School of Technical Careers.

Eiff, M. A. (1991). A descriptive study of the differences in career choice dynamics among male and female aviation flight students. Unpublished master's thesis, Southern Illinois University, Carbondale.

Eliason, C. (1981). Sex equity in the eighties: A study of post-secondary vocational institutional practices. Washington, D.C.: Center for Women's Opportunities. (ERIC Document Reproduction

Service Number ED 198 856)

Eko, M. J., & Brown, W. C. (1981). Factors influencing women's occupational choices. *Journal of Studies in Technical Careers*, *3*, 241-249.

Faludi, S. (1991). Backlash: The undeclared war against American women. New York: Crown.

Farris, C. J. (1980). Teachers: The key to unlocking sex equity. VocEd, 55(4), 18-20.

Federal Aviation Administration. (1988). *FAA* statistical handbook of aviation calendar year 1988. Washington, DC: U.S. Government Printing Office.

Federal Aviation Administration. (1977). *Federal Aviation Regulation Part 1*. (Published in 42 Federal Register No. 15034). Washington, DC: U.S. Government Printing Office.

Federal Aviation Administration. (1982). *Federal Aviation Regulation Part 43.3*. (Published in 47 Federal Register No. 41076). Washington, DC: U.S. Government Printing Office.

Federal Aviation Administration. (1963). *Federal Aviation Regulation Part 61.3*. (Published in 28 Federal Register No. 3715). Washington, DC: U.S. Government Printing Office.

Federal Aviation Administration. (1965). *Federal Aviation Regulation Part 63.3*. (Published in 30 Federal Register No. 14558). Washington, DC: U.S. Government Printing Office.

Federal Aviation Administration. (1980). *Federal Aviation Regulation Part 65.31*. (Published in 45 Federal Register No. 22745). Washington, DC: U.S. Government Printing Office.

Federal Aviation Administration. (1962). *Federal Aviation Regulation Part 65.51*. (Published in 27 Federal Register No. 4175). Washington, DC: U.S. Government Printing Office.

Federal Aviation Administration. (1982). *Federal Aviation Regulation Part 65.111*. (Published in 47 Federal Register No. 13312). Washington, DC: U.S. Government Printing Office.

Federal Aviation Administration. (1981). *Federal Aviation Regulation Part 145.1*. (Published in 46 Federal Register No. 10903). Washington, DC: U.S. Government Printing Office.

Federal Aviation Administration. (1993, August). Pilots and aviation maintenance technicians for the twenty-first century: An assessment of availability and quality.

Fifield, M. & Petersen, L. (1978). Job simulation: A method of vocational exploration. *The Vocational Guidance Quarterly*, 26, 326-333.

Fletcher, G. (1980). To be an administrator, and a woman. VocEd, 55(4), 31-33.

Fowler, E. M. (1981, December 16). Careers: Helping students to decide. The New York Times.

Fralick, M.A. (1984). *Meeting the needs of the new pioneers: Women in nontraditional occupations*. (ERIC Document Reproduction Service No. EJ 295 610).

Goldberg, A. S. & Shiflett, S. (1981). Goals of male and female college students: Do traditional sex differences still exist? *Sex Roles*, *7*, 1213-1222.

Haccoun, D. M., Haccoun, R. R., & Sallay, G. (1978). Sex differences in the appropriateness of supervisory styles: A non-management view. *Journal of Applied Psychology*, *63*, (1), 124-127.

Handley, H. M. & Walker, R. D. (1978). Interaction of sex role bias in attitudes of vocational

educators and students associated with students' entry in non-stereotyped programs of vocational education. State College, Mississippi: Mississippi State University, Bureau of Educational Research. (ERIC Document Reproduction Service Number ED 176 107)

Harrison, B. G., Guy, R. F., & Lupfer, S. L. (1981). Locus of control and self-esteem as correlates of role orientation in traditional and nontraditional women. *Sex Roles*, *7*, 1175-1187.

Harrison, L. R. (1980). The equity study: Results and recommendations. VocEd, 55(4), 39-42.

Hawley, P. (1972). Perceptions of male models of femininity related to career choice. *Journal of Counseling Psychology*, *19*, 308-313.

Heilman, M. E. (1979). High school students' occupational interest as a function of projected sex ratios in male-dominated occupations. *Journal of Applied Psychology*, *64*, 275-279.

Howell, F. M. (1978). Occupational knowledge: Its impact on career plans and early status attainment. *Sociology of Work and Occupations*, *5*(3), 315-339.

Jackson, C.L. (1978). *Women advancing in business: The role of management seminars*. Des Moines, Iowa, Commission on the Status of Women.

Kane, R., & Frazee, P. (1989). *Women in nontraditional vocational education in secondary schools*(Arlington, VA: RJ Associates, 1978), as reported in L. Vettr, "The vocational option for women," in S. Harlan and R. Steinberg, eds., *Job training for women: The promise and limits of public policies*(Philadelphia, PA: Temple University Press, 1989), p. 105.

Karpoe, K. P. & Olney, R. L. (1983). The effect of boys' or girls' toys on sex-typed play in preadolescents. *Sex Roles*, *9*, 507-518.

Klein, S. S. (Ed.) (1985). *Handbook for achieving sex equity through education*. Baltimore: Johns Hopkins University Press.

Krefting, L. A., Berger, P. K., & Wallace, M. J., Jr. (1978). The contribution of sex distribution, job content, and occupational classification to job sextyping: Two studies. *Journal of Vocational Behavior*, *13*, 181-191.

Laws, J. L. (1976). The social institutions of occupational segregation: Work aspiration of women: False leads and new starts. *Signs*, 1(3, Pt. 2), 33-49.

Leach, J. D., & Roberts, S. L. (1988). A soft technology: recruiting and retaining women and minorities in high tech programs. *Community, Technical, and Junior College Journal, 59*(2), 34-37.

Lewis, M.V. and others. (1976). *Nontraditional vocational education programs for women*. (ERIC Document Reproduction Service No. ED 136 025).

Lipman-Blumen, J. (1976). The social institutions of occupational segregation: Toward a homosocial theory of sex roles: An explanation of the sex segregation of social institutions. *Signs*, 1(3, Pt. 2), 15-31.

Lockheed, M. E. (1975). Female motive to avoid success: A psychological barrier or a response to deviancy? *Sex Roles*, *1*, 41-50.

Lynch, S. M. (1980, Fall). The mentor link: Bridging education and employment. Journal of

College Placement, 44-47.

Mamay, P. D. & Simpson, R. L. (1981). Three female roles in television commercials. *Sex Roles*, 7, 1223-1232.

Mason, K. O. (1976). The social institutions of occupational segregation: Comment III. *Signs, 1*(3, Pt. 2), 81-83.

Nelson, J. A. N. (1978). Age and sex differences in the development of children's occupational reasoning. *Journal of Vocational Behavior*, *13*, 287-297.

No way out: working poor women in the United States. (1988). Washington, DC: National Commission on Working Women. RIE (March 1989) 24 (3) ED299396.

O'Bryant, S. L. & Corder-Bolz, C. R. (1978). The effects of television on children's stereotyping of women's work roles. *Journal of Vocational Behavior*, *12*, 233-244.

Occupational competencies: a study of the vocational-technical education needs of the manufacturing and aviation maintenance industries. (July, 1991). Washington, DC: The National Council on Vocational Education.

O'Donnell, J. A. & Andersen, D. G. (1978). Factors influencing choice of major and career of capable women. *The Vocational Guidance Quarterly*, 26, 214-221.

Orr, J. P. (1983). *Factors influencing participation of females in the industrial technology program at Southern Illinois University-Carbondale*. Unpublished doctoral dissertation, Southern Illinois University, Carbondale, IL.

Ott, M. D., Carmichael, M. M., Gallup, J. M., Lewis, G. L., Russ, A. J., & Veres, H. C. (1979). *The identification of factors associated with sex-role stereotyping in occupational education*. Albany, New York: New York State Education Department, Division of Occupational Education Supervision. (ERIC Document Reproduction Service Number ED 186 671)

Papalia, D. E. & Tennent, S. S. (1975). Vocational aspirations in preschoolers: A manifestation of early sex role stereotyping. *Sex Roles*, *1*, 197-199.

Rodriguez, C. L. (1986). A descriptive study of females preparing for a nontraditional career in *aviation*. Unpublished master's thesis, Southern Illinois University, Carbondale, IL.

Rohfeld, R. W. (1977). High school women's assessment of career planning resources. *The Vocational Guidance Quarterly*, 26, 79-84.

Rosenthal, D. A. & Chapman, D. C. (1982). The lady spaceman: Children's perceptions of sex-stereotyped occupations. *Sex Roles*, *8*, 959-965.

Rosenberg, F. R. & Simmons, R. G. (1975). Sex differences in the self-concept in adolescence. *Sex Roles, 1*, 147-159.

Ruble, T. L., Cohen, R., & Ruble, D. N. (1984). Sex stereotypes. American Behavioral Scientists, 27, 339-356.

Sadker, M. P., & Sadker, D. M. (1982). *A sex equity handbook for schools*. New York: Longman.

Sauter, D., Siedl, A., & Karbon, J. (1980). The effects of high school counseling experience and attitudes toward women's roles on traditional or nontraditional career choice. *The Vocational Guidance Quarterly*, 28, 241-249.

Schlossberg, N. K. & Goodman, J. (1972). A woman's place: Children's sex stereotyping of occupations. *Vocational Guidance Quarterly*, 20, 266-270.

Schwartz, L. A. & Markham, W. T. (1985). Sex stereotyping in children's toy advertisements. *Sex Roles*, *12*, 157-170.

Scott, R. A. (1980). *The evolution of roles and aspirations: Burgeoning choices for females*. Panel presentation at the Annual Forum of Indiana Health Careers, Inc. Indianapolis, Indiana. (ERIC Document Reproduction Service Number ED 200 110)

Seavey, C. A., Katz, P. A., & Zalk, S. R. (1975). Baby X: The effect of gender labels on adult responses to infants. *Sex Roles, 1*, 103-109.

Shinar, E. H. (1975). Sexual stereotypes of occupations. *Journal of Vocational Behavior*, 7, 99-111.

Sleeter, C. E. (Ed.) (1991). *Empowerment through multicultural education*. Albany: State University of New York Press.

Soldwedel, B. J. (1989). A strategy to promote interest in nontraditional careers. *Vocational Education Journal*, *64*(3), 42-44.

Standley, K. & Soule, B. (1974). Women in male-dominated professions: Contrasts in their personal and vocational histories. *Journal of Vocational Behavior*, *4*, 245-258.

Stitt, B. A. (1988). *Building gender fairness in schools*. Carbondale: Southern Illinois University Press.

Stitt, B.A. & Anderson, M.A. (1980). *Fair recruitment: The model and strategies*. A study prepared for the Illinois State Board of Education, 1980.

Stitt, B. A. & Stitt, T. (1990). *Unlocking perceived barriers to nontraditional employment*. Final Report. Springfield, IL: Department of Commerce and Community Affairs.

Thomas, H. B. (1981). Barriers to entry into nontraditional careers and training programs perceived by women. *Journal of Industrial Teacher Education*, 18(2), 32-42.

Thomas, H. B., Christie, J. H., Jr., Colvin, B. K., & Denbroeder, K. L. (1979). *Overcoming personal- social barriers to entry into nontraditional occupational preparation programs*. Tallahassee, Florida: Florida State University. (ERIC Document Reproduction Service Number ED 181 214)

Tobin, K., & Garnett, P. (1987). Gender related differences in science activities. *Science Education*, 71, 91-103.

Tremaine, L. S., Schau, C. G., & Busch, J. W. (1982). Children's occupational sex-typing. *Sex Roles*, *8*, 691-710.

United States Department of Labor, Bureau of Labor Statistics. (1979, January) Employment and

earnings. Washington, D.C.: U.S. Government Printing Office, 26, (1), 172-174.

United States Department of Labor, Employment and Training Administration. (1977). *Women and work*. R & D. Monograph 46. Washington, D.C.: U.S. Government Printing Office.

Urbonas-Bendikas, I. (1981, April 29). *Gender specific sex role development*. Paper presented at the Rocky Mountain Psychological Association 1981 Convention. Denver, CO.

Walshok, M.L. (1976). *The significance of opportunity to the movement of women into nontraditional blue collar jobs.* (ERIC Document Reproduction Service No. ED 193 440).

Yanico, B. J. (1978). Sex bias in career information: Effects of language on attitudes. *Journal of Vocational Behavior*, *13*, 26-34.

Yanico, B. J., Hardin, S. I., & McLaughlin, K. B. (1978). Androgyny and traditional versus nontraditional major choice among college freshmen. *Journal of Vocational Behavior*, *12*, 261-269.

4.8 ADDITIONAL REFERENCES

Almquist, E. M. (1977). Women in the labor force. Signs, 2(4), 843-855.

Bem, S. L. (1974). The measurement of psychological androgyny. *Journal of Consulting and Clinical Psychology*, 42, (2), 155-162.

Bem, S. L. (1975). Sex role adaptability: One consequence of psychological androgyny. *Journal of Personality and Social Psychology*, *31*, 634-643.

Bem, S. L. & Lenney, E. (1976). Sex typing and the avoidance of cross-sex behavior. *Journal of Personality and Social Psychology, 33*, 48-54.

Bernard, J. (1976). The historical roots of occupational segregation: Historical and structural barriers to occupational desegregation. *Signs*, *1*(3, Pt. 2), 87-94.

Blimline, C. A. (1976). The effect of a vocational unit on the exploration of nontraditional career options. *Journal of Vocational Behavior*, *9*, 209-217.

Bloch, M. N. (1987). The development of sex differences in young children's activities at home: The effect of the social context. *Sex Roles, 16*, 279-301.

Boulding, K. (1976). The social institutions of occupational segregation: Comment I. *Signs*, *1*(3, Pt. 2), 75-77.

Boundy, K. B. (1977). Notes and commentary: Eliminating sex bias and discrimination in vocational education. *Inequality in Education*, 22, 120-125.

Bradley, C. H., & Friedenberg, J. E. (1986, July). *The Workshop Workbook*. Illinois State Board of Education: Department of Adult, Vocational and Technical Education.

Bridges, J. S. (1987). College females' perceptions of adult roles and occupational fields for women. *Sex Roles, 16*, 591-604.

Bruning, N. S. & Snyder, R. A. (1985). Sex and position differences among predictors of perceived work- related competence. *Sex Roles, 13*, 485-498.

Burroughs, L. V., Turner, B. F., & Turner, C. B. (1984). Careers, contingencies, and locus of control among white college women. *Sex Roles, 11*, 289-302.

Cann, A. & Palmer, S. (1986). Children's assumptions about the generalizability of sex-typed abilities. *Sex Roles*, *15*, 551-558.

Card, J. J. & Farrell, W. S., Jr. (1983). nontraditional careers for women: A prototypical example. *Sex Roles*, *9*, 1005-1022.

Carney, M., & Morgan, C. S. (1981). Female college persisters: nontraditional versus traditional career

Crocker, J., & Wilson, M. (1984). Summary and conclusions. *American Behavioral Scientist, 3*, 403-407.

Dominick, J. R. (1979). The portrayal of women in prime time, 1953-1977. Sex Roles, 5, 405-411.

Doughtie, E. B., Chang, W. C., Alston, H. L., Wakefield, J. A., Jr., & Yom, B. L. (1976). Black-white differences on the vocational preference inventory. *Journal of Vocational Behavior*, *8*, 41-44.

Dunkle, M. C. (1980). Coalition works for sex equity in education: A unification of forces. *VocEd*, *55*(4), 43-45.

Dwight, A. H. (1978). Once a blue-collar worker, always a blue-collar worker? *The Vocational Guidance Quarterly*, 26, 318-325.

Eiff, G. M. (1989). *The impact of an experiential aviation career orientation workshop on the career interests and aspirations of high school students*. Unpublished doctoral dissertation, Southern Illinois University, Carbondale.

Eiff, G. & Rodriguez, C. (1987). *Eliminating sexual bias in aviation occupations: Part II*. (final report) DAVTE, Illinois State Board of Education. Carbondale: Southern Illinois University, School of Technical Careers.

Fannin, P. M. (1979). The relation between ego-identity status and sex-role attitude, work-role salience, atypicality of major, and self-esteem in college women. *Journal of Vocational Behavior, 14*, 12-22.

Feirer, J. L. (1974). Why not women in industrial education? Industrial Education, 63, 19.

Firth, M. (1982). Sex discrimination in job opportunities for women. Sex Roles, 8, 891-901.

Fowler, E. M. (1981, December 16). Careers: Helping students to decide. The New York Times.

Gable, R. K, Thompson, D. L., & Glanstein, P. J. (1976). Perceptions of personal control and conformity of vocational choice as correlates of vocational development. *Journal of Vocational Behavior*, *8*, 259-267.

Gates, M. J. (1976). The social institutions of occupational segregation: Occupational

segregation and the law. Signs, 1(3, Pt. 2), 61-74.

Ginzberg, E. (1968). Paycheck and apron--Revolution in womanpower. *Industrial Relations*, 7, 193-203.

Givens, H. L. & Garbin, A. P. (1977). Social-personal characteristics and occupational choice processes of female flight attendants. *The Vocational Guidance Quarterly*, *26*, 116-124.

Gordon, M. S. (1968). Introduction: Women in the labor force. Industrial Relations, 7, 187-192.

Griffiths, M. W. (1976). Can we still afford occupational segregation? Some remarks. *Signs*, *1*(3, Pt. 2), 7-14.

Handley, H. M. & Hickson, J. F. (1978). Background and career orientations of women with mathematical aptitude. *Journal of Vocational Behavior*, 13, 255-262.

Harris, C. T. & Earle, J. R. (1986). Gender and work values: Survey findings from a working-class sample. *Sex Roles*, *15*, 487-494.

Herr, E. L. & Enderlein, T. E. (1976). Vocational maturity: The effects of school, grade, curriculum and sex. *Journal of Vocational Behavior*, *8*, 227-238.

Hochreich, D. J. (1975). Sex-role stereotypes for internal-external control and interpersonal trust. *Journal of Consulting and Clinical Psychology*, 43, 273.

Hodgson, J. W. & Fischer, J. L. (1981). Pathways of identity development in college women. *Sex Roles*, *7*, 681-690.

Hogg, K. S. (1974, September). Women in industrial engineering. *Industrial Engineering*, 6, 21-23.

Jagacinski, C. M. (1987). Androgyny in a male-dominated field: The relationship of sex-typed traits to performance and satisfaction in engineering. *Sex Roles, 17*, 529-547.

Jolley, M. A. (1975). Federal Legislation: Impact on women's careers. In A. M. Gorman & L. Vetter (Eds.). *Career development of women*. Paper presented at the Tenth Anniversary of the Founding of the Center for Vocational Education, pp. 1-13. (ERIC Document Reproduction Service Number ED 178 754)

Kahn, S. E. (1982). Sex-role attitudes: Who should raise consciousness? Sex Roles, 8, 977-985.

Kane, R., & Frazee, P. (1989). *Women in nontraditional vocational education in secondary schools*(Arlington, VA: RJ Associates, 1978), as reported in L. Vettr, "The vocational option for women," in S. Harlan and R. Steinberg, eds., *Job training for women: The promise and limits of public policies*(Philadelphia, PA: Temple University Press, 1989), p. 105.

Kane, R. D., Frazee, P. E., & Dee, E. (1976). A study of the factors influencing the participation of women in nontraditional occupations in post-secondary area vocational training schools. Arlington, VA: R. J. Associates, Inc. (ERIC Document Reproduction Service Number ED 136 025)

Knell, S. & Winer, G. A. (1979). Effects of reading content on occupational sex role stereotypes. *Journal of Vocational Behavior*, *14*, 78-87.

Krefting, L. A., Berger, P. K., & Wallace, M. J., Jr. (1978). The contribution of sex distribution, job content, and occupational classification to job sextyping: Two studies. *Journal of Vocational Behavior*, *13*, 181-191.

Larwood, L., Rand, P., & Hovanessian, A. D. (1979). Sex differences in response to simulated employee discipline cases. *Personnel Psychology*, *32*, 539-550.

Leach, J. D., & Roberts, S. L. (1988). A soft technology: recruiting and retaining women and minorities in high tech programs. *Community, Technical, and Junior College Journal, 59*(2), 34-37.

Leavitt, H. J. (1976). The social institutions of occupational segregation: Comment II. *Signs*, *1*(3, Pt. 2), 78-80.

Lewin, M. & Tragos, L. M. (1987). Has the feminist movement influenced adolescent sex role attitudes? A reassessment after a quarter century. *Sex Roles, 16*, 125-135.

Lifschitz, S. (1983). Male and female careers: Sex-role and occupational stereotypes among high school students. *Sex Roles*, *9*, 725-735.

Marini, M. M. & Greenberger, E. (1978). Sex differences in occupational aspirations and expectations. *Sociology of Work and Occupations*, 5(2), 147-178.

Mason, K. O., Czajka, J. L., & Arber, S. (1976). Change in U.S. women's sex-role attitudes, 1964-1974. *American Sociological Review*, *41*, 573-596.

Matthews, D. F. & Walsh, W. B. (1978). Concurrent validity of Holland's theory for non-college-degreed working women. *Journal of Vocational Behavior*, *12*, 371-379.

McLure, G. T. & Piel, E. (1978). College-bound girls and science careers: Perceptions of barriers and facilitating factors. *Journal of Vocational Behavior*, *12*, 172-183.

McNally, G. B. (1968). Patterns of female labor force activity. Industrial Relations, 7, 204-218.

McVicar, P. & Herman, A. (1983). Assertiveness, self-actualization, and locus of control in women. *Sex Roles*, *9*, 555-562.

Mortimer, J., Hall, R., & Hill, R. (1978). Husbands' occupational attributes as constraints on wives' employment. *Sociology of Work and Occupations*, *5*, 285-313.

Moore, L. M. & Rickel, A. U. (1980). Characteristics of women in traditional and nontraditional managerial roles. *Personnel Psychology*, *33*, 317-333.

O'Bryant, S. L., Durrett, M. E., & Pennebaker, J. W. (1978). Students' ratings of occupational dimensions of traditionally male and traditionally female occupations. *Journal of Vocational Behavior*, *12*, 297-304.

O'Keefe, E. S. C. & Hyde, J. S. (1983). The development of occupational sex-role stereotypes: The effects of gender stability and age. *Sex Roles*, *9*, 481-492.

Oppenheimer, V. K. (1968). The sex-labeling of jobs. Industrial Relations, 7(3), 219-234.

Orcutt, M. A. & Walsh, W. B. (1979). Traditionality and congruence of career aspirations for college women. *Journal of Vocational Behavior*, 14, 1-11.

Pautler, A. J., Jr. (1980). Major issues facing vocational-technical education in the 1980's. *Journal of Studies in Technical Careers, 4,* 753-757.

Peng, S. S., & Jaffe, J. (1979). Women who enter male-dominated fields of study in higher education. *American Educational Research Journal*, *3*, 285-293.

Perrone, P. A. (1964). Factors influencing high school seniors' occupational preference. *Personnel and Guidance Journal*, *42*, 976-980.

Peterson, M. & Vetter, L. (1980). What to do about those biased materials. VocEd, 55(4), 34-38.

Petro, C. S. & Putnam, B. A. (1979). Sex-role stereotypes: Issues of attitudinal changes. *Sex Roles*, *5*, 29- 39.

Powell, G. N. & Butterfield, D. A. (1984). If "good managers" are masculine, what are "bad managers"? *Sex Roles, 10*, 477-484.

Prediger, D. J. (1980). Toward sex-fair assessment of vocational interests. *VocEd*, 55(4), 21-23, 42.

Prediger, D. J. & Cole, N. S. (1975). Sex-role socialization and employment realities: Implications for vocational interest measures. *Journal of Vocational Behavior*, 7, 239-251.

Psathas, G. (1968). Toward a theory of occupational choice for women. *Sociology and Social Research*, *52*, (2), 253-268.

Puzzles and paradoxes: males dominate in educational success. (1976). *The Educational Digest,* 31, 11-14.

Rand, L. (1968). Masculinity or femininity? Differentiating career-oriented and homemaking-oriented college freshman women. *Journal of Counseling Psychology*, *15*, 444-450

Rao, V. V. P. & Rao, V. N. (1985). Sex-role attitudes: A comparison of sex-race groups. *Sex Roles, 12*, 939-953.

Raskin, P. A. & Israel, A. C. (1981). Sex-role imitation in children: Effects of sex of child, sex of model, and sex-role appropriateness of modeled behavior. *Sex Roles*, *7*, 1067-1077.

Reagan, B. B. & Blaxall, M. (1976). Occupational segregation in international women's year. *Signs*, *1*(3, Pt. 2), 1-5.

Reis, H. T. & Wright, S. (1982). Knowledge of sex-role stereotypes in children aged 3 to 5. *Sex Roles*, 8, 1049-1056.

Ridgeway, C. (1978). Parental identification and patterns of career orientation in college women. *Journal of Vocational Behavior*, *12*, 1-11.

Ruble, T. L. (1983). Sex stereotypes: Issues of change in the 1970s. Sex Roles, 9, 397-402.

Rudnick, D. T. & Wallach, E. J. (1979). Encouraging women into technical careers: One successful approach. *Engineering Education*, *69*, 802-804.

Sadker, M. P., & Sadker, D. M. (1986). Sexism in the classroom: from grade school to graduate school. *Phi Delta Kappan*, 67(7), 512-515.

Schein, V. E. (1975). Relationships between sex role stereotypes and requisite management characteristics among female managers. *Journal of Applied Psychology*, *60*, 340-344.

Seeley, P. (1980). *Freestyle: Reducing barriers to personal success by overcoming sex-role stereotypes.* Paper presented at the Annual Summer Conference of the American Association of School Administrators. Chicago, Illinois. (ERIC Document Reproduction Service Number ED 191 169)

Serbin, L., O'Leary, K., Kent, R., & Tonick, I. (1973). A comparison of teacher response to the preacademic and problem behavior of boys and girls. *Child Development*, *44*, 796-804.

Smith, J. and Russell, G. (1984). Why do males and females differ? Children's beliefs about sex differences. *Sex Roles*, *11*, 1111-1120.

Snell, M. (1977, May). Trying out male roles for size. American Vocational Journal, 59-60.

Stoneman, Z., Brody, G. H., & MacKinnon, C. E. (1986). Same-sex and cross-sex siblings: Activity choices, roles, behavior, and gender stereotypes. *Sex Roles*, *15*, 495-511.

Sullivan, G. L. & O'Connor, P. J. (1988). Women's role portrayals in magazine advertising: 1958-1983. *Sex Roles, 18*, 181-188.

Tangri, S. S. (1972). Determinants of occupational role innovation among college women. *Journal of Social Issues*, 28, 177-199.

Tangri, S. S. (1976). The social institutions of occupational segregation: Comment IV. *Signs*, *1*(3, Pt. 2), 84-86.

Thomas, H. B. (1981). Barriers to entry into nontraditional careers and training programs perceived by women. *Journal of Industrial Teacher Education*, *18*(2), 32-42.

Tinsley, D. J. & Faunce, P. S. (1978). Vocational interests of career and homemaker oriented women. *Journal of Vocational Behavior*, *13*, 327-337.

Tipton, R. M. (1976). Attitudes towards women's roles in society and vocational interests. *Journal of Vocational Behavior*, *8*, 155-165.

Tobin, K., & Garnett, P. (1987). Gender related differences in science activities. *Science Education*, *71*, 91-103.

United States Department of Labor, Bureau of Labor Statistics. (1979, January) *Employment and earnings*. Washington, D.C.: U.S. Government Printing Office, 26, (1), 172-174.

United States Department of Labor, Employment and Training Administration. (1977). *Women and work*. R & D. Monograph 46. Washington, D.C.: U.S. Government Printing Office.

Vogel, S. R., Rosenkrantz, P. S., Broverman, I. K., Broverman, D. M., & Clarkson, F. E. (1975). Sex-role self-concepts and life style plans of young women. *Journal of Consulting and Clinical Psychology*, *43*, 427.

Weil, M. W. (1961). An analysis of the factors influencing married women's actual or planned work participation. *American Sociological Review*, *26*, 91-96.

Weller, L., Shlomi, A., & Zimont, G. (1976). Birth order, sex, and occupational interest. Journal

of Vocational Behavior, 8, 45-50.

Westervelt, E. M. (1975). *Barriers to women's participation to post-secondary education: A review of research and commentary as of 1973-1974*. Washington, D. C.: National Center for Education Statistics (DHEW). (ERIC Document Reproduction Service Number ED 111 256)

Woods, M. M. (1975). What does it take for a woman to make it in management? *Personnel Journal*, *54*, 38-41, 66.

Wrenn, C. G. (1962). The culturally encapsulated counselor. *Harvard Educational Review*, 32, 444-449.

Young, R. A. (1984). Vocational choice and values in adolescent women. *Sex Roles, 10*, 485-493.

Zuckerman, D. M. (1979). The impact of education and selected traits on sex-role related goals and attitudes. *Journal of Vocational Behavior*, *14*, 248-254.

Zuckerman, D. M. (1981). Family background, sex-role attitudes, and life goals of technical college and university students. *Sex Roles*, *7*, 1109-1126.

Zuckerman, D. M. & Sayre, D. H. (1982). Cultural sex-role expectations and children's sex-role concepts. *Sex Roles*, *8*, 853-862.

CHAPTER FOUR APPENDIX Projections of Future Need of Aviation Maintenance Technicians (AMTs) in Civilian Aviation

Introduction

This section of the report re-examines the results of the 1991 **FAA** Blue Ribbon Panel (BRP) report on Aviation Maintenance Technician (AMT) Shortages prepared as a working paper (WP). The 1991 paper produced projections of pilot and **AMT** work force needs in Civilian Aviation for the 1991-2003 time period were produced. This section of the report addresses only the projections of **AMT** future work force needs. A re-examination of civilian commercial pilot work force projections is beyond the scope of this project.

The re-examination of future **AMT** work force needs was called for in response to questions from aviation officials, union leaders, and others about the large shortages in **AMTs** projected in the 1991 working paper. The 1991working paper states "numerous sources predict that there will be a need for 100,000- 120,000 **AMTs** by the year 2000. This number is based on the current number of technicians combined with new positions related to new aircraft and increased attention to continuing airworthiness of older aircraft." The 1991 report projects the shortage of **AMTs** to be between 65,000 and 85,000 new **AMTs** by the year 2000. Many felt that the shortfalls were too large; others, that the projected shortfalls were too conservative.

The shortages projected were accompanied by supporting information and arguments that

seemed to provide a rationale for the expected large shortfalls. In the report, the projected decline of the population in the 16-24 and 25-34 age groups by the year 2000, a declining pool of potential **AMTs** coming from the military, a low retention rate of **AMTs** in the aviation industry (only 45% of **AMT** school graduates remaining in aviation after 2 years), and other reasons are offered to explain why the supply of **AMTs** is not expected to keep up with demand. All of these reasons and rationales focus on the supply of **AMT** work force into the aviation industry. However, the **BRP** report does not offer specific yearly projections of **AMT** work force supply to accompany their detailed yearly projections of **AMT** work force demand. As a result, the precise yearly projected shortages remain unclear.

This study examines the working paper's projection of **AMT** work force need. The projections are recalculated using much of the original study's methodology but with some variation where the assumptions of the original projections have been questioned. This study also offers yearly projections of work force supply using data that was not used in the **BRP** study. This study projects supply by using **FAA** data on estimated active **AMTs** reported in the *FAA Statistical Yearbooks*. The yearly projections of **AMT** work force supply and demand can be compared to produce projected yearly shortages or surpluses.

Projection of AMT Demand

The projection of **AMT** demand by civilian aviation in this study follows the general assumptions and definitions used in the **BRP** study, with several exceptions. These exceptions are pointed out in the following discourse on how the working paper's projection methodology compares with this study's methodology. Using the definition of **AMTs** from page 6 of the working paper, an **AMT** in this study is defined as "any person who works to maintain an aircraft, aerospace vehicle, or component thereof in an airworthy condition." Thus, an **AMT** performs daily maintenance work to keep the civilian airfleet flying efficiently and safely. **AMTs** perform tasks from line maintenance to airframe modification.

WP Projections of **AMT** Demand

In the WP report, the projection of AMT demand revolves on several fundamental assumptions and pieces of information. Future AMT demand was argued to be closely tied to changes in the civilian airfleet, i.e. as the number of aircraft of various types increases or decreases, demand for AMTs would be affected. Projections of the number of aircraft in three areas of civilian aviation (large jet-commercial, commuter and general aviation) were taken from the FAA Aviation Forecasts report (Feb. 1992) which covered the years 1992-2003. The methodology for these projections is reported in the 1992 FAA report. The WP study combined estimates of the number of aircraft with assumptions concerning how many AMTs are necessary to service each class of aircraft project of how many AMTs are needed to service the airfleet in any one year. The large jet-commercial class of aircraft (which is composed of commercial 2, 3, and 4 engine narrow body and wide body turbojets) was assumed to require an average of 14 AMTs per aircraft for maintenance. The commuter class (which includes 2 and 4 engine turboprop; 2, 3, and 4 engine piston; and rotary wing turbine aircraft) was assumed to require an average of 4.2 **AMTs** per aircraft for maintenance. General aviation aircraft (which includes 1 engine, 2 engine, and other piston; 2 engine and other turboprops; piston and turbine rotary wing; 2 engine and other turbojet; and all other aircraft) was assumed to require an average of .15 AMTs per

aircraft for maintenance. Multiplying the number of aircraft projected by the number of **AMTs** needed for maintenance per aircraft produces yearly projections of the number of **AMTs** needed to maintain the entire fleet.

A fourth category of **AMTs** was also included in the **WP** study's projection of **AMT** need. In the **WP** projection table, the category "Other" was included. The "Other" category included **AMTs** employed outside of aviation maintenance, but within aviation. The other category included **AMTs** employed in manufacturing, at repair stations, and as federal technicians. In 1988, the base year, it was deduced that about 43,000 **AMTs** were employed in the "Other" category. The **WP** report assumes a 2% yearly growth in "Other" **AMT** employment.

Of course, the **AMT** workforce is subject to attrition due to a variety of causes, including retirement, death, transfers, and leaving aviation employment. In the **WP** report, a 7 percent attrition rate was assumed for large jet, 20 percent for commuter, and 10 percent for general aviation **AMTs**. As jobs become available in large jet and commuter aviation, a number of transfers between the classes of aviation were anticipated. It was assumed that 60% of commuter attrition and 20% of general aviation and "Other" attrition were transfers to large jet aviation. It also assumed that 10% of general aviation and "Other" attrition were transfers to commuter aviation.

A rough estimate of the number of net vacant positions in each class of civilian aviation is calculated by subtracting the number of transfers into the type of aviation from the vacancies created due to attrition. For example, in the **WP** report, there were 2538 large jets in 1980 which yielded 35,532 jobs (2538 X 14). Attrition, which was 7% for the year, yielded 2487 vacant positions (35532 X .07). There were 1912 transfers into large jet maintenance from other aviation employment. Thus, after taking transfers into account, there were 575 (2487 - 1912) net vacant positions in large jet maintenance in 1980.

The **WP** report's procedure yielded projections of total **AMT** jobs in aviation maintenance for each year, as well as estimates of the total of net vacant positions in each year. The reader is directed to the **WP** report for a detailed summary of the findings.

Projection of AMT Demand in This Study

As stated earlier, the projection of **AMT** demand in this study follows the **WP** study's methodology, with some exceptions. One change is that this study does not use **FAA** projections of the number of aircraft reported in the February 1992 *FAA* Aviation Forecasts document. This study employs a different projection methodology than that used in the *FAA* Aviation Forecast. This was done to provide an independent confirmation of the projections of aircraft numbers. This is important since projected **AMT** demand relies directly on the aircraft projections.

The projection of the number of each type and class of aircraft uses **FAA** data on yearly estimates of each type of aircraft. In the *FAA Statistical Yearbooks*, estimates of the number of 2, 3, and 4 engine turbojets; 1, 2, 3, and 4 engine piston; 2 and 4 engine turboprops, and piston and turbine rotary wing aircraft are available for each year back to 1958. Using the 1958-1989 time series of data for each aircraft type, projections were made through the year 2003 using the Box-Jenkins time series analysis technique. This procedure examined a variety of long-term time series models to identify which particular time series model best fits the 1958-1989 data. It

then used the model that best fits the data to produce the projections through 2003. Of course, a different time series model may fit each time series of data. For example, as will be seen in the analyses, some aircraft types show systematic increases and some show decreases across time. For other aircraft types, the change is cyclical, e.g., increase, decrease, then increase.

The results of the time series analyses of **FAA** aircraft estimates are reported in **Tables 4A-1**, **4A-2**, and **4A-3**. **Table 4A-1** gives estimates and projections for large jets. Estimates and projections for commuter aircraft are given in **Table 4A-2**. **Table 4A-3** gives estimates and projections of general aviation aircraft. These tables all give estimates for 1980 to 2003. The numbers of aircraft for the years 1980-1989 are estimates derived from the best fitting Box-Jenkins time series model while the numbers of aircraft for the years 1990-2003 are projections based on the best-fitting models. Again, it is important to emphasize that these numbers were generated by time series models which analyzed FAA data on aircraft numbers of each aircraft type from 1958-1989 to establish long-term trends in the increase or decrease of each aircraft type. These estimates and projections of aircraft numbers serve as the basis for projecting **AMT** demand.

	4-engine	3-engine	2-engine	Total Large Jet
80	437	1358	751	2538
81	397	1386	847	2630
82	364	1414	939	2000
83	346	1414	1061	2841
84	338	1451	1204	2993
85	337	1491	1362	3180
86	360	1485	1538	3383
87	376	1485	1715	3575
88	389	1484	1864	3743
89			2005	
09 90	412	1500		3917
	427	1495	2110	4032
91	437	1505	2295	4237
92	452	1510	2342	4304
93	462	1515	2359	4336
94	467	1521	2511	4499
95	471	1529	2597	4597
96	472	1537	2772	4781
97	475	1552	2933	4960
98	481	1562	3149	5192
99	484	1574	3311	5366
00	48.	1582	3429	5494
01	489	1597	3579	5665
02	492	1609	3716	5817
03	496	1622	3812	5930

Table 4A-1

	Piston		Turbo	-Prop	Rotary Wing	Total	
	4-eng	3-eng	2-eng	4-eng	2-eng	Turbine	Commerical
1980	58	0	419	93	521	3	1094
1981	62	Ō	513	99	641	4	1319
1982	60	Ō	491	104	71.	5	1373
1983	53	0	497	107	788	7	1423
1984	44	2	436	106	880	7	1475
1985	42	4	410	103	966	6	1531
1986	39	4	374	102	1068	8	1595
1987	36	3	359	99	1174	9	1680
1988	38	3	341	97	1271	7	1757
1989	35	3	328	98	1315	8	1787
1990	36	5	303	96	1367	8	1815
1991	36	4	298	94	1439	7	1878
1992	34	4	289	96	1493	7	1923
1993	30	5	281	97	1544	8	1965
1994	29	5	273	98	1619	8	2032
1995	27	4	267	99	1689	9	2095
1996	23	4	261	101	1741	9	2139
1997	21	3	259	102	1773	9	2167
1998	20	3	254	103	1797	11	2188
1999	17	3	251	105	1827	11	2214
2000	17	3	247	107	1867	12	2253
2001	15	2	243	109	1897	12	2278
2002	13	2	231	108	0929	11	2294
2003	11	2	227	107	1964	11	2322

Table 4A-2

		Piston		Turbo	-Prop	I	Rotary Wing	9	Turb	oJet	Total
Year	1 engine	2 engine	Other	2 engine	Other	Piston	Turbine	Other	2 engine	Other	General Aviation
1980	166310	24481	183	4016	111	2881	3182	4805	2618	331	208918
1981	167029	34873	167	4464	129	2825	3484	5184	2855	365	211375
1982	167735	24954	174	4894	145	2788	3268	5485	3179	439	213061
1983	166925	24813	161	5749	154	2804	3834	5749	3452	457	213498
1984	167701	24486	168	5400	164	2739	3894	6141	3697	496	214886
1985	169073	24171	163	5404	177	2817	3848	6451	3816	500	216420
1986	168776	23729	154	5354	189	2826	3813	6638	3890	450	215819
1987	167991	23101	121	5232	194	2758	3771	6763	3894	415	214240
1988	168514	22778	114	5183	200	2683	3853	6900	3881	373	214479
1989	167959	22201	105	5062	200	2675	3868	6894	3914	367	213245
1990	168142	21340	101	5049	198	2657	3899	6928	3926	361	212601
1991	168146	21229	100	5051	199	2671	3902	6992	3961	359	212610
1992	167563	21119	101	5047	193	2673	3911	7003	3970	358	211938
1993	167762	21097	99	5092	191	2677	3921	7009	3972	354	212174
1994	167928	21073	97	5089	189	2682	3943	7031	3968	352	212352
1995	168820	21069	98	5083	187	2677	3957	7052	3974	350	213267
1996	169527	21053	95	5081	183	2673	2964	7077	3978	348	213979
1997	170328	21047	97	5073	184	2669	3982	7091	3991	346	214808
1998	171572	21039	98	5069	181	2652	4001	7099	4001	344	216056
1999	172503	21021	99	5081	173	2637	4027	8123	4122	341	218127
2000	173609	21038	101	5079	177	2621	4052	8177	4157	329	219340
2001	174834	21042	100	5083	179	2611	4073	8197	4269	320	220708
2002	176221	21057	94	5129	193	2579	4138	8371	4412	311	222505
2003	177816	21059	79	5147	195	2538	4297	8419	4502	304	224366

Projections and estimates are based on FAA estimates reported in the FAA Statistical Yearbooks

Table 4A-3

Two things are worth noting about the estimates and projections in **Tables 4A-1**, **4A-2**, and **4A-3**. First, when one considers the projections for each of the three classes of aircraft, the projections of this study do not substantially differ from the *FAA Forecasts*. This can be seen by comparing the numbers in **Tables 4A-1**, **4A-2**, and **4A-3** with Tables 15, 20, and 21 in Chapter X of the *FAA Aviation Forecasts* (1992-2003) document. Second, there are substantial differences in the two sets of forecasts for some particular types of aircraft. For example, the projections of this study forecast more 3 engine turbojets and fewer 2 engine turbojets than does the FAA study. These particular differences in estimates and projections may be important in other contexts. However, since only the projections and estimates for three broad classes of aircraft are used to project **AMT** demand, the differences in the projections for particular types of aircraft are relatively unimportant in the overall context of this study.

A second major departure from the **WP** study's methodology is that assumptions concerning the number of **AMTs** necessary to maintain each class of aircraft are re-assessed in light of comments and criticism from a variety of sources in civilian aviation. Most thought that the assumptions of 14 **AMTs** per large jet, 4.2 **AMTs** per commuter aircraft, and .15 **AMTs** per general aviation aircraft were unrealistically high. The sources' estimates ranged from a high-end which reflected the **WP** assumptions to a low-end which was about half the level the **WP** assumed.

In response to these questions, varying assumptions concerning the number of **AMTs** needed per class of aircraft were employed to estimate and project **AMT** demand in civilian aviation. One set of projections was made using the assumptions of the **WP** report, i.e. 14 **AMTs** per large jet, 4.2 per commuter, and .15 per general aviation aircraft. Two additional sets of projections were generated. The first assumed 10.5 per large jet, 3.15 per commuter and .1125 per general aviation aircraft. The second assumed 7 per large jet, 2.1 per commuter, and .075 per general aviation aircraft. These three sets of projections and estimates are presented in **Tables 4A-4**, **4A-5**, and **4A-6**. Each table presents projections based on a different set of assumptions concerning the number of **AMTs** needed per aircraft for maintenance.

The projections in **Tables 4A-4, 4A-5**, and **4A-6** employ the **WP** study's assumptions concerning attrition and transfer rates, as well as the size and growth of the "Other" category. The "Other" category -- **AMTs** employed outside of aviation maintenance -- includes **AMTs** employed in manufacturing, at repair stations, and as federal technicians. The **WP's** assumptions in these areas are recognized to be somewhat arbitrary; but, in the absence of better or contradictory information, there are no compelling reasons to change them. The specific assumptions are the following. The attrition rate for all causes among large jet workers is 7%, 20% for commuter **AMTs**, and 10% for general aviation/"Other" workers. The transfer rates are that 60% of commuter attrition plus 20% general aviation/"Other" attrition are assumed to be caused by **AMTs** transferring to large jet maintenance. Transfers into commuter maintenance account for 10% of general aviation/"Other" attrition. Finally, it was estimated that 43,000 **AMTs** were employed in the "Other" category in 1988 (base year) and that this number grew by 2% each year. The 2% growth assumption is pegged to an assumed 2% annual economic growth.

Results of Demand Analysis

Tables 4A-4, **4A-5**, and **4A-6** give the results of the analyses of **AMT** demand in civilian aviation through the year 2003. To aid the reader in understanding the information and calculations presented in the tables, it is useful to work through an example. In Table 4A-4, consider the row of information and calculations for 1993. In column 1 is reported the projected number of large jets for 1993 (4336). Assuming 14.2 technicians are needed to service each large jet -- yields column 2 -- the number of technicians needed to service large jets (4336 X 14 = 60704). In the third column is the estimated attrition for large jet technicians ($60704 \times .07 =$ 4249.28), i.e. the number of jobs that will become available due to attrition. In the fourth column is the estimated number of **AMTs** transferring to large jet maintenance from other aviation maintenance jobs. It is calculated as 60% of commuter attrition plus 20% of general/"other" aviation (.60 X 1651 plus .20 X 7930 = 2577). The Net Vacant column is the difference between available jobs and transfers (4249 - 2577 = 1672). The same general procedure is followed for commuter and general aviation/"Other" calculations. Since it is assumed that general aviation/"other" jobs represent entry level positions (BRP assumption), no estimate of transfer into general aviation/"other" is made. Rather, the attrition number represents available jobs in general aviation/"other" which are ultimately filled by newly certified AMTs.

The final four columns of **Table 4A-4** present some summary measures. Again, for 1993, the Total Technicians column represents the number of jobs available in the three classes of civilian aviation [60704 (large jet) + 8253 (commuter) + 31826 (general aviation) + 47473 (other) = 148256]. The next column is the number of jobs added during the year (148256 - 146667 = 1589). The Net Vacant column is a summation of the net vacant jobs in the three aviation classes (1672 + 858 + 7930 = 10460). The final column sums attrition across the aviation classes.

Table 4A-4 gives projections using assumptions identical to the **WP** report. The results are quite similar to those reported to the DOT's Blue Ribbon Panel. The differences are due to the different projections of the number of aircraft used in each study. The two columns of interest in **Table 4A-4** are the Total Technician and the Added from Last Year columns. The Total Technician column is a projection of **AMT** demand in aviation. The Added column is a projection of job increase in aviation. The Vacant Position column is not of particular interest since this report uses a direct measure of **AMT** supply. In a later section, projections of **AMT** demand (from **Tables 4A-4**, **4A-5**, and **4A-6**) are compared to projections of **AMT** supply. It is on the basis of a table similar to **Table 4A-4** that the **WP** report projected a future shortage in **AMTs**.

Tables 4A-5 and **4A-6** give projections computed similarly to those in **Table 4A-4**. However, **Tables 4A-5** and **4A-6** are based on somewhat different assumptions than **Table 4A-4**. In **Table 4A-5**, the average number of **AMTs** needed to service each class of aircraft were assumed to be 10.5 per large jets, 3.15 per commuter, and .1125 per general aviation/"Other" aircraft. In **Table 4A-6**, the assumed **AMTs** per aircraft were 7 per large jets, 2.1 per commuter, and .075 per general aviation/"Other". As can be seen by comparing the Total Technician and Added Jobs columns across the three tables, it is obvious that the differing assumptions produce significantly reduced projections of **AMT** demand.

Projection of **AMT** Supply

The **FAA** publishes estimates of the number of active **AMTs** in its *Statistical Yearbooks*. Estimates of active **AMTs** are available from 1958. Separate estimates are available for females. The **FAA** estimates include all those who are employed in the various components of aviation, plus those who hold certification but who are no longer active in aviation. It is assumed that the **FAA** estimates adjust yearly for newly certified **AMTs**, as well as for retirements and deaths. This time series of data can be subjected to the same time series analysis used earlier to project active **AMTs** to the year 2003.

Table 4A-7 gives the results of such a time series analysis. Column 1 reports the FAA *Statistical Yearbook* estimates of AMTs for the 1958-1988 period. Column 2 estimates and projects figures for active AMTs generated by a Box-Jenkins time series model for the 1958-2003 period. In column 3 are the yearly increases in AMTs. Column 3 clearly shows that the supply of AMTs tends to follow a 10 year cyclical pattern. Roughly every ten years there is a significant increase in AMT production. More will be said about this pattern in the discussion of Table 4A-8. Column 4 contains FAA estimates of active female AMTs. In column 5 are estimated and projected numbers of female AMTs which were generated by a time series model. The female AMT model is clearly not as cyclical in nature as the total AMT model.

	Estimated	Projected	Added From	Estimated	Projected	Added From
	Active AMTs ¹	Active AMTs ²	Last Year	Active Female	Active Female	Last Year
				AMTs ¹	AMT s ²	
1958	107072	107932	-	118	115	-
1959	113520	112323	4391	119	116	1
1960	115688	115425	3102	110	120	4
1961	118689	119000	3575	117	125	5
1962	122160	122323	3323	137	134	9
1963	124945	126255	3932	141	148	14
1964	130131	130677	4422	166	164	16
1965	135351	135559	4882	182	176	18
1966	140799	142213	6654	197	194	18
1967	146572	150330	8117	196	204	10
1968	158211	160189	9680	229	238	34
1969	170716	170688	10499	269	263	25
1970	184647	181713	11025	302	294	31
1971	193295	188739	7026	322	305	9
1972	201700	194368	5629	349	314	9
1973	193337	198526	4158	284	326	12
1974	198863	202327	3801	318	346	20
1975	205436	206141	3814	360	377	31
1976	212303	213222	7081	422	440	63
1977	220768	220972	7750	505	516	76
1978	228743	229916	8944	600	622	106
1979	237611	239996	10080	635	748	126
1980	250157	251330	11340	890	907	159
1981	262705	263249	11919	1051	1085	178
1982	277436	278278	15029	1298	1276	191
1983	288335	280121	1843	1493	1455	179
1984	298028	284428	4307	1649	1636	181
1985	274100	288376	3948	1775	1824	188
1986	284241	293193	4817	1964	2038	214
1987 1988	297178 312419	297279 310419	4086 13140	2237 2565	2218 2545	180 327
1989	512415	323677		2000	2545	224
1990	-	334666	13258 10989	-	2163	224 158
			9869	-	3139	212
1991 1992	-	344535 353504	3003 8968	-	3427	288
1993	-	353504	0300 3698	-	3728	200
1994	-	362098	4896	-	3922	194
1334	-	365756	4030 3658	-	4107	134
1996	-	368454	2698		4203	96
1997		373106	4652	-	4463	266
1998	-	381002	4652 7896	-	4403	200
1999		389925	8923		4612	203
2000	-	399950	10025	-	4103	89
2000		411208	11258		5427	555
2002		421055	3847		5773	346
2002		425353	4298		5983	210
	- 1	462000	4600	-	2000	210

Table 4A-7

Since the concern in this study is only with **AMT** demand in civilian aviation, the projected numbers of **AMTs** in **Table 4A-7** will have to be adjusted to account for the fact that the majority of certified **AMTs** are not employed in civilian aviation. The **WP** report provides some information on which to base an assumption concerning the percentage of active **AMTs** employed in aviation. On page 7 of the **WP** report, it is stated that less than 4,500 of 10,000 graduating **AMTs** can be found in U.S. aviation 2 years later. In an August 11, 1992, memo to the Blue Ribbon Panel from Phaneuf Associates Incorporated, it was estimated that 43 percent of entry level **AMTs** went directly to jobs in non-aviation industries. Thus, any assumption concerning the percent of **AMTs** employed in aviation is somewhat subjective. As a result, two different assumptions are used in this report to estimate **AMTs** active in aviation. These assumptions are only loosely empirically based. Better information on retention in aviation jobs would adjust these assumptions. If anything, the percentage retention in aviation industry point to as a significant

problem, i.e. **AMTs** leave aviation maintenance jobs seeking more conventional hours, better working conditions, and better pay. Also, given the increasing volatility of the commercial aviation industry, job security of aviation employees has suffered.

Table 4A-8 gives the projected number of active aviation maintenance technicians (**AMTs**) for the 1980- 2003 period. In column 1 are the estimated and projected numbers of active **AMTs** generated by a Box- Jenkins time series model. In column 2 are the numbers of **AMTs** being added each year. As was commented on earlier, there is clearly a cyclical pattern in the production and certification of new **AMTs**. Roughly every ten years, there is a two or three year period marked by significantly higher **AMT** production. It also should be pointed out that this cyclical pattern occurs in the **FAA** data on active **AMTs**(see **Table 4A-7**). Why this cyclical pattern occurs is open to conjecture. There are any number of possible explanations. The pattern could represent variations in the production of **AMTs** by the schools. It could represent varying availability of potential **AMTs** coming from the military. It could also represent some cyclical pattern of retirements within the industry. What is most likely is that aviation maintenance schools tend to react to the volatility of the aviation industry, i.e. as aircraft orders increase with short-term expansion in aviation, schools react to perceived increased demand, and so on.

Columns 3 and 4 in **Table 4A-8** report the estimated active **AMTs** in aviation assuming that 45% of active **AMTs** are employed in aviation (Column 3) and that 40% of active **AMTs** are employed in aviation (Column 4). The estimates and projections in Columns 3 and 4 will be used as rough indicators of **AMT** supply in the next analysis which attempts to answer the question, "Will there be **AMT** shortages in the future?"

Projected Demand and Supply of AMTs

To determine if there will be a future shortage of AMTs, the projections of AMT demand from Tables 4A- 4, 4A-5, and 4A-6 are combined with projections of AMT supply from Table 4A-8 and Table 4A-9. Projections of AMT shortages can be calculated by comparing the supply and demand projections. Only the situation where 40% of active AMTs are employed in aviation (Column 2) and where it is assumed that 14, 4.2 and .15 AMTs are needed to maintain each aircraft of each class of aircraft (Column 3) are there predicted to be substantial AMT shortages. However, for circumstances where greater than 40% of active AMTs remain employed in aviation and where fewer AMTs are needed to maintain each class of aircraft, shortages are not projected. In general, the supply of AMTs will meet the aviation industry's demand for them.

Another factor that has to be considered in projecting future shortages is the large pool of **AMTs** who are certified but who are not employed in aviation and who concievably could return to aviation employment at some point. The aviation industry could draw upon this relatively large pool of available **AMTs** if circumstances warrant it. However, it is to the aviation industry's advantage not to draw upon this supply of **AMTs**. It is much more cost-effective to continue to fill positions with entry-level **AMTs** rather, than to pay higher wages to more senior people. The comparatively low wages, nighttime work schedules, and the uncertain job security in the aviation industry create retention problems within the industry, especially for more experienced and senior workers.

There may be short-term shortages of entry level **AMTs** in the aviation industry, given the cyclical nature of increase in the number of **AMTs** certified each year (see **Table 4A-7** and **Table 4A-8**). Short-term shortages in the industry may indeed be the short-term stimuli that **AMT** schools react to, at least until it becomes difficult for newly trained **AMTs** to find jobs. The schools would then react by reducing the scope of their programs. Individuals then may also become less interested in **AMT** training due to a perceived or real lack of jobs in the industry. Given the nature of the aviation industry, it seems to be quite difficult to create any long-term balance between the training of new AMTs and the availability of jobs. Assuming that the aviation industry is tied to the overall economy, in the long-term (more than a few years), the number of AMTs needed will continue to show cyclical changes as the economy goes through its typical upturns and downturns.

Another trend that may substantially reduce demand for AMTs in the U.S. aviation industry is the movement of aviation maintenance facilities to foreign countries. As more of these facilities become realities, the growth in the number of jobs available to AMTs trained in the United States will slow.

The overall conclusion of these analyses is that AMTs are available to meet today's demand and that future shortages seem unlikely. There may be short-term shortages of entry-level AMTs as the aviation industry fluctuates with the economy. However, the massive shortages the **WP** suggested seem unlikely.

Description of Time Series Models

The Box-Jenkins procedure (described in Box and Jenkins, *Time Series Analysis: Forecasting and Control*, Holden-Day, 1976) is used to fit and project time series data by means of a general class of statistical models. An observation at a given point in time is modelled as a function of its past values and/or current and past values of random shock, both at seasonal and nonseasonal time logs. The Box-Jenkins technique will model a single variable with observations equally spaced in time with no missing values. Many times it is necessary before modelling the time series to transform the data (usually by taking the log or power transformation of the series) or by differencing the series on a seasonal or nonseasonal basis.

The modelling of time series data is usually done in three steps. First, a tentative model is identified for the time series. Second, the parameters of the model are estimated and diagnostics statistics and plots are examined to determine the adequacy of the model. Third, if the model is determined to be adequate, projections based on the model can be made. If one model is determined to be inadequate, then other models are examined till one is found with an acceptable fit. Once the best-fitting model is formed, forecasts can be made. Fitting and forecasting a given time series of data usually requires multiple computer runs.

Thus, the specific best-fitting model for each series of data projected in this study differs from each other model in terms of its parameters. The clearest example of these differences can be seen by comparing the projection of **AMT** supply (clearly cyclical) with the projection e.g., of the number of large jet aircraft. The best-fitting model for each time series of data was used to make the projection for that time series, but the best-fitting model was different for each time series.

Finally, the Box-Jenkins model allows for the calculation of three separate forecasts for each time series. The two additional sets of projections are based on the upper and lower confidence interval limits about the estimated model parameters. These additional projections were generated, but are not reported in this report. The use of the alternate projections would not alter the major conclusions of this analysis.

CHAPTER FIVE A PILOT STUDY TO MEASURE CORRELATES OF INDIVIDUAL DIFFERENCES IN NONDESTRUCTIVE INSPECTION PERFORMANCE

5.0 INTRODUCTION

An interim report examined previous research programs and studies in the area of nondestructive inspection (NDI) conducted by the Air Force, by the nuclear power industry, and by various academic and industry investigators (FAA/AAM & GSC, in press). A repeated finding and concern in these studies was the existence of substantial differences among inspectors' NDI proficiency. Those few studies that have attempted to examine correlates of NDI proficiency have been generally unsuccessful in establishing significant relationships with performance.

As noted in the interim report, however, there are a number of variables, measures of which appear potentially relevant to **NDI** selection and/or proficiency. This conclusion is based on the findings of studies of individual differences in the areas of inspection and vigilance, on the opinions of experts in the **NDI** field, and on the results of interviews with **NDI** inspectors and training supervisors. These variables can be roughly separated into the following categories:

- Boredom Susceptibility
- Concentration/Attentiveness/Distractibility
- Extraversion/Impulsivity
- Motivation/Perseverance
- Decision Making/Judgement
- Mechanical/Electronics Aptitude
- Need for Autonomy.

Each of these categories and the measures used for them is discussed in greater detail under **Section 5.1**, Methodology.

The pilot study reported here represents the initial phase of an effort to investigate relationships of these variables to **NDI** performance. A second aspect of this effort is to investigate possible task-induced fatigue resulting from sustained performance and to examine possible interactions between performance changes and the above subject variables. The task employed in this study was a computer-simulated **NDI** eddy- current task developed by Dr. Colin G. Drury and his colleagues at the State University of New York (SUNY) at Buffalo. The task has been described in studies by Drury, Prabhu, Gramopadhye, and Latorella (1991) and Latorella, Gramopadhye, Prabhu, Drury, Smith, and Shanahan, (1992). In essence, the task utilized a SUN SPARC workstation and incorporated a standard keyboard and optical three-button mouse as input devices. As Latorella et al. (1992) have emphasized, the aim in developing this task was neither to develop a simulator for training on actual **NDI** tasks nor to develop a task to measure absolute values of the probability of detecting particular types and sizes of faults. Rather, their aim was

to devise a task that closely approximated the characteristics and requirements of eddy-current inspection tasks to enable laboratory investigation of factors that may influence **NDI** performance.

Of the two previous studies that have used this task, neither has extensively evaluated possible predictor measures or possible fatigue effects resulting from sustained performance over successive task sessions. As noted above, the primary intent of this research program, of which the pilot study reported here is only the initial phase, is to investigate both the relationship of individual difference variables to **NDI** performance and the possible effects of sustained task performance on **NDI** efficiency.

The following sections more fully describe the criterion task, the tests and measures used, the procedures employed, and the results obtained. Preliminary observations and directions to be taken in the primary study are also discussed.

5.1 METHODOLOGY

5.1.1 Subjects

A total of 6 subjects, 3 males and 3 females, participated in the pilot study. All were right-handed, had normal near visual acuity (as determined from an Orthorater screening test), reported normal hearing, and were between 18 to 29 years of age. None had prior training or experience in aircraft maintenance or inspection. All had completed at least 12 years of school. Subjects were obtained through an existing Federal Aviation Administration (FAA) subject contract and were paid \$10.00 an hour for their participation. Summary characteristics of the subjects are given in Table 5.1.

Table 5 1 Characteristics of Subjects

	19910	5.1 Characteristics of 50	16 jects	
Subject Number	Age	Gender	Occupation	Education Level
1	21	male	roofer	12 years
2	21	female	medical aid	14 years
3	18	male	student	13 years
4	22	male	janitor	13 years
5	22	female	student	15 years
6	29	female	store manager	13 years

Table 5.1	Characteristics of	Subjects

5.1.2 Apparatus

As indicated earlier, the basic apparatus consisted of a SUN SPARC Model 4/50GX-16-P43 workstation, a 19 inch color monitor, and a 3-button optical mouse. Since the nature of the task

and its physical characteristics have been described in detail previously (Drury et al., 1991; Latorella et al., 1992), only characteristics relevant to the present study are reviewed here.

The display itself consisted of four basic task elements (windows). These are shown in **Figure 5.1** and are described below.




Figure 5.1 NDI Inspsection Task Simulation (Drury et al., 1992)

5.1.2.1 Inspection Window

The lower left portion of the screen displayed the inspection window and contained the actual rivets to be inspected. Although it was possible to present more than one six-rivet row of rivets to the subject, only a single row was used in this study. An optical mouse was used to move a cursor around the circumference of each simulated rivet. The subject was free to examine the rivet until a decision was reached as to whether or not a crack was present. If it was decided that a rivet was defective, the right mouse button was pressed which caused a red cross to appear over the "defective" rivet and the words "rivet marked bad" appeared on the screen. If the rivet was judged to be nondefective, pressing the middle button caused the appearance of the words "rivet marked good." If a subject realized that an incorrect response had been made, it could be corrected by pressing the appropriate button.

When all six rivets had been inspected, the left mouse button was clicked on the directional block labeled "right." This caused a black marker ring to circle the last rivet inspected, and the next six rivets appeared in the inspection window.

5.1.2.2 Macro-View and Directionals

A macro-view in the upper left of the screen displayed a side view of the aircraft fuselage and the row of rivets being inspected. Since only a small portion of this row was being inspected at any given time during the task, the subject could move the cursor over the words "Where am I?" in this area and a momentary circle would appear over that portion of the rivet row currently being examined.

5.1.2.3 Eddy-Current Meter

The upper right segment of the display contained a simulated analog meter that served as the eddy-current output indicator. Deflections beyond a set point on the meter produced an audible alarm as well as a red flash on an indicator light. Meter deflections could be caused by:

- touching a rivet edge with the cursor or moving the cursor onto the rivet
- the cursor passing over a crack (All cracks were invisible and of varying length.)
- the cursor passing over or near simulated corrosion, scratches, or paint chips (These were simulated by 2 mm jagged lines at random locations adjacent to a rivet. Not all rivets contained such "noise," and no rivet contained more than one such noise spot.)

5.1.2.4 Lower Right Window

The subject could use the lower right area of the display to exercise a number of options (e.g., "zoom" to take a closer look at a rivet being inspected, stop task in order to take a break, display elapsed time). Only one feature was used in the present study; this feature caused a number to appear on each rivet and was only used by the experimenter during training feedback sessions to enable subjects to locate and re- check rivets incorrectly classified.

5.1.3 Predictors and/or Task Correlates

As noted earlier, the interim report (FAA/AAM & GSC, in press) identified a number of variables, measures of which appear potentially relevant to **NDI** selection and/or proficiency. These variables can be roughly separated into the following categories:

- Boredom Susceptibility
- Concentration/Attentiveness/Distractibility
- Extraversion/Impulsivity
- Motivation/Perseverance
- Decision Making/Judgement
- Mechanical/Electronics Aptitude

• Need for Autonomy.

The following sections describe the tests and scales that were employed as measures of the above to identify possible correlates of performance on the **NDI** task.

5.1.3.1 Subjective Rating Scale (SRS)

The Subjective Rating Scale (SRS) is a simple self-rating scale that the author has used in several previous studies (e.g., Thackray, Bailey, & Touchstone, 1977; Thackray & Touchstone, 1991) to assess the current disposition of the subject, with measures generally taken before and after periods of task performance. The basic instrument consists of five 9-point scales measuring the dimensions of attentiveness, tiredness, strain, boredom, and annoyance. Two additional scales measuring perceived effort and perceived difficulty were used in the more recent study by Thackray and Touchstone (1991) and were included here as well. The **SRS** was studied most extensively in the early study by Thackray, Bailey, and Touchstone (1977). In that study, subjects falling at the extremes of rated boredom following performance of a simulated radar monitoring task were compared with respect to several performance and subjective variables. In general, those subjects who rated the task as quite boring showed the greatest decline in rated attentiveness and the largest performance decrement.

5.1.3.2 Bennett Mechanical Comprehension Test

One of the recommendations of a Southwest Research Institute study of ways to improve NDI technician proficiency was to select individuals who scored high on mechanical/electronics aptitude (Schroeder, Dunavant, and Godwin, 1988). This recommendation was also echoed in interviews with NDI instructors who expressed the belief that individuals who were above average in mechanical aptitude made better inspectors (Galaxy Scientific Corporation, in press). For these reasons, the Bennett Mechanical Comprehension Test was included in the test battery. This test appears to be one of the better measures of mechanical aptitude, and its norms include those for aviation mechanical jobs and electrical inspector trainee jobs. Unfortunately, the norms for aviation mechanical jobs, although updated in 1980, still do not include separate normative data for women.

5.1.3.3 Typical Experiences Inventory (TEI)

The ability to resist distraction, if it can be measured, would appear to have at least face validity in selecting inspectors (Wiener, 1975). A scale developed for use in several previous studies (Pearson and Thackray, 1970; Thackray, Jones, and Touchstone, 1973) and titled "Typical Experiences Inventory" consists of a series of statements designed to measure ability to work under conditions of (a) time stress, (b) threat of failure, (c) distraction, (d) social stress, and (e) physical stress. In the study by Thackray et al. (1973), subjects were selected who scored high, as well as low, on the distractibility subscale of this inventory. The high scorers showed significantly greater lapses of attention during performance of a repetitive task than did those scoring low. Because of these findings, it was decided to examine the relationship of scores on this subscale to possible performance decrement on the **NDI** task.

5.1.3.4 Arithmetic, Digit Span, and Digit Symbol Tests of the Wechsler Adult Intelligence Scale (WAIS)

Scores on these three subtests of the WAIS have been shown in numerous factor analytic studies to measure a factor that has been variously named "Freedom from Distractibility," "Attention-Concentration," or "Concentration-Speed" (e.g., Goodenough and Karp, 1961; Karp, 1963). Some or all of these WAIS tests have been found to relate significantly to inspection performance (Gallwey, 1982; Wang and Drury, 1989). Consequently, these tests were included as another measure of attention/concentration or, conversely, distractibility.

5.1.3.5 Eysenck Personality Inventory (EPI)

The Eysenck Personality Inventory is a short inventory that measures extraversion and neuroticism. The extraversion dimension has been studied extensively in the context of vigilance research because of the hypothesis, originally formulated by Eysenck (1967), that extraverts should have more frequent lapses of attention and hence more omission errors than would introverts. Reviews of the use of this personality dimension in vigilance research (Berch and Kantor, 1984; Wiener, 1975) have lent some support to the belief that extraverts generally do not perform as well on vigilance tasks as do introverts. Much less research has been conducted on personality variables in the area of inspection, and no studies of extraversion and inspection performance had been conducted at the time of Wiener's 1975 review. Since then, the author is aware of only one inspection study that has incorporated a measure of extraversion. Using a visual search task, Gallwey (1982) found that introverts, as measured by the **EPI** scale, had fewer search errors.

A factor analysis of the **EPI** scale has shown that it is comprised of two factors: sociability and impulsivity (Eysenck & Eysenck, 1963). Several studies have shown that the impulsivity dimension of extraversion is most clearly related to performance changes (Revelle, Humphreys, Simon, & Gilliland, 1980; Thackray, Jones, & Touchstone, 1974). In the latter study, extraverts showed a greater increase in lapses of attention during performance of a monotonous, repetitive task than did introverts. Further, it was determined that it was impulsivity, rather than the sociability dimension of extraversion, that was responsible for the obtained decrement.

Although a recent meta-analysis of vigilance studies over a 30-year period has concluded that evidence for the superiority of introverts is considerably less than previously believed (Koelega, 1992), Koelega feels that there is enough consistency in the findings to warrant continued research. Because of this, it was decided to include extraversion as measured by the **EPI** and the subscales measuring impulsivity and sociability in the present study.

5.1.3.6 Boredom Proneness Scale (Life Experiences Scale)

NDI inspection is typically a repetitive task and is frequently considered boring and monotonous (Schroeder, Dunavant, & Godwin, 1988). While the evidence relating experienced boredom to

poor performance is tenuous at best, at least one study demonstrated a significant relationship of reported boredom and monotony to vigilance performance. As noted earlier, subjects falling at the extremes of rated boredom following performance of the simulated radar monitoring task showed the greatest decline in rated attentiveness and the largest performance decrement (Thackray et al., 1977).

Boredom in the above study was measured following task performance and thus can be considered a "state" assessment of boredom. The only scale specifically developed to assess the general construct of boredom proneness (i.e. a "trait" measure of boredom susceptibility) was developed by Farmer and Sundberg (1986). To the author's knowledge, this scale has not been used in studies of inspection performance. For this reason, it was included in the present study.

In order to somewhat disguise the intent of the scale, it was relabeled "Life Experiences Scale." Besides yielding a measure of boredom proneness, a recent factor analysis of the scale revealed that it was comprised of two factors, "apathy" and "inattentiveness" (Ahmed, 1990). Scores on these two subscales were also obtained. Ahmed's analysis revealed that the last item of the Farmer and Sundberg scale (item # 28) contributed to unreliability of the total test score, so this item was removed from the scale administered in this study.

5.1.3.7 Matching Familiar Figures Test (MFFT)

The **MFFT** is a test developed by Kagan and his associates (Kagan, Rosman, Day, Albert and Phillips, 1964) and consists of a series of 12 "stimulus" pictures each associated with 8 "response" pictures. Except for one picture in each set of the 8 response pictures, all differ from the stimulus in some minute detail. Subjects point to the picture they believe to be the correct one in each set and continue to point until the correct one is identified. Both the time to first response and the number of errors are scored. According to the above authors, the test measures a cognitive style known as reflection-impulsivity. Those who make quick inaccurate decisions on the test are said to have an impulsive cognitive style; those who make slow accurate decisions are said to have a reflective cognitive style.

This test has been considered to measure the tendency of subjects performing inspections tasks to opt for speed or accuracy in their speed/accuracy tradeoff (Drury, Gramopadhye, Latorella, Patel, Prabhu, and Reynolds, 1992). Presumably, impulsive subjects would tend to opt for speed at the expense of accuracy; conversely, reflective subjects would opt for the opposite. In a recent study, scores on the **MFFT** were found to be significantly related to several measures of inspection performance (Latorella et al., 1992). Since the task used in this latter study was the **NDI** simulation developed by Drury et al. and used in the present study, it seemed desirable to investigate further the relationship of **MFFT** scores to performance on this task.

5.1.3.8 Internal-External Locus of Control Scale

Rotter's (1966) Internal-External (I-E) Locus of Control Scale was developed to measure differences between individuals in the extent to which they believe either that rewards and reinforcements are contingent on or independent of their own behavior. The internal person believes that rewards are contingent on his own effort, attributes, or capacities; the external

person believes that rewards result largely from luck, chance, fate, or forces outside of his control.

In a study of vigilance performance, Sanders, Halcomb, Fray, and Owen (1976) hypothesized that "internals," by constantly striving for mastery of a situation and by exhibiting a belief in their own ability to determine the outcome of their efforts, would perform better on a vigilance task than would an "external" person. The results supported this hypothesis in that internals, relative to externals, missed significantly fewer signals. Also, the internal subjects continued to progress in the monitoring task with a very small decline in performance, while the externals showed a consistently increasing performance decrement.

Because the Rotter scale has apparently not been used previously in inspection research, it seemed important to determine whether relationships similar to those found in vigilance would apply to inspection performance.

5.1.3.9 Jackson Personality Research Form (PRF)

The **PRF** is a widely used test designed to yield a set of scores for personality traits broadly relevant to the functioning of individuals in a wide variety of situations. It is a personality test that focuses primarily upon areas of normal functioning, rather than psychopathology.

The PRF used in this study consists of sixteen scales, of which nine were actually employed. The included scales were (a) Achievement, (b) Endurance, (c) Understanding, (d) Cognitive Structure, (e) Autonomy, (f) Change, (g) Impulsivity, (h) Infrequency, and (i) Desirability. A brief description of each and the reason(s) for its inclusion are as follows:

- *Achievement.* A measure of the willingness to put forth considerable effort to accomplish difficult tasks. This was included as a possible measure of intrinsic motivation or perseverance in task performance and was mentioned in the interim report as a desirable quality of **NDI** technicians (Galaxy Scientific Corporation, in press).
- *Endurance*. A measure of the willingness to work long hours and to be patient and unrelenting in work habits. This trait appears somewhat related to the above measure, and, in fact, loads on the same factor in a factor analysis of the test. It was included for the same reasons as the Achievement trait.
- *Understanding*. A measure of intellectual curiosity and the desire to understand many areas of knowledge. This was included because it was felt that it might correlate negatively with performance on a task as constrained and repetitive as eddy-current testing.
- *Cognitive Structure*. A measure of the need to make decisions based upon definite knowledge with a dislike of ambiguity and uncertainty. It was felt that this trait might be positively related to decision time, i.e. the time spent searching each rivet for possible faults.
- *Autonomy.* This is a measure of the need to be independent and not to be tied down, restrained, confined, or restricted in any way. This was mentioned in the interim report as a trait characterizing the most proficient inspectors (FAA/AAM

& GSC, in press). This trait was also mentioned by some of the **NDI** instructors interviewed by the present author.

- *Change*. A like of new and different experiences, with a dislike and avoidance of routine activities. Inclusion of this trait is self-evident, since **NDI** tasks are so often referred to as boring and monotonous.
- *Impulsivity.* A measure of the tendency to act on the "spur of the moment" and without deliberation. This was included as an additional measure of impulsivity to compare with similar measures obtained from the **EPI** and from the **MFFT** described previously.
- *Infrequency and Desirability.* These were two scales included as measures of carelessness and response bias in taking the test.

The various tests and measures described in the preceding sections were included because it was felt that each might serve to measure some aspect of the categories mentioned under **Section 5.1.3** as predictors and/or correlates of **NDI** performance. It should be apparent that a number of these tests and measures bear similarities to one another and may indeed be measures of the same trait, aptitude, or ability. However, one cannot always tell from test titles and descriptors whether or not they measure similar things, and some were included to determine empirically the extent of their interrelationships, or lack thereof.

5.1.4 Procedure

Each subject was tested over two successive days. The morning of the first day was devoted to administration of the various tests and measures; during the afternoon, subjects practiced using the mouse and were required to read and be tested on a document describing eddy-current testing. They then practiced the **NDI** simulation task. The afternoon training procedures were essentially the same as those used and reported by Drury et al. (1991). Subjective rating scales were administered at various times during the course of both days.

Training in the use of the mouse was provided by a display program consisting of an enlarged picture of a rivet head with a training circle surrounding it. The subject practiced using the mouse and cursor to circle the rivet while staying within the circle. After each pre-selected block of training trials, feedback was provided consisting of average times required to circle the rivet, and averages of the number of times the cursor head touched the rivet or went outside the circle. Training continued until the subject reached a consistent level of performance. This usually required approximately 30 minutes of practice.

Training on the task began with a short (20-rivet) demonstration session in which the basic elements of the **NDI** task were explained. This was followed by three training sessions each 60 rivets long. Thirty percent of the rivets in each of the three training sessions contained faults (cracks). In addition, the second and third sessions also contained small, but visible (2 mm) "noise" spots at various locations at or near a rivet. Frequency of "noisy rivets" was also thirty percent. Locations of faults and noise were randomly assigned for each task session (both training and subsequent test tasks). Performance feedback was automatically provided after each block of 10 rivets. In the first and second sessions, training circles were provided around each rivet to assist the subject in keeping the cursor in the appropriate region while circling the rivets;

no training circles were used in the third session.

On the morning of the second day, subjects performed a short (20-rivet) "refresher" version of the **NDI** task and then performed two lengthy (180-rivet) test sessions. Since these sessions were self-paced, test durations for each subject varied from 60 to 90 minutes. There was a fixed 10-15 minute rest break between each session, although subjects were told that they could take short (10-20 second "stretch" breaks as needed during any session. Following a 60-minute lunch break, this same procedure (two 180-rivet sessions), minus the short practice session, was followed in the afternoon. No feedback was provided following test sessions and the frequency of both faults and noise was held at 30 percent each. At the end of the second day, subjects were debriefed and questioned about various attitudes about and approaches to the **NDI** task.

5.2 RESULTS

5.2.1 Criterion Performance

Figure 5.2 shows mean values for misses and false alarms across the three training sessions. Visual examination of this figure reveals an apparent increase in false alarms during the second training session. However, subjects typically made no errors (misses or false alarms) during these training sessions and the increase noted above was caused by two subjects making two false alarms during this second session. The only important information to be gained from this figure is that miss rate remains level during the last two training sessions and false alarm rate returns to its initial level.




Figure 5.2 Mean Misses and False Alarms Across Training Sessions

Raw data for misses and false alarms during the four test sessions are given in **Tables 5.2** and **5.3** respectively. Mean values obtained from these two tables are plotted as bar graphs in **Figure 5.3**. In addition, this figure also plots miss and false alarm data for the first and second half of each test session shown in **Tables 5.2** and **5.3**. Notice the general increase in both misses and false alarms across sessions and the general increase in both types of errors within sessions. Analyses of variance revealed the differences between sessions to be significant for both misses (F(3/15)=4.90, p=.014) and false alarms (F(3/15)=3.72, p=.035), while differences between first and second halves of the sessions approached significance at the .05 level for both misses (F(1/5)=5.79, p=.061) and false alarms (F(1/5)=4.65, p=.084). The Interaction of Session Halves with Sessions was not significant for either misses or false alarms.

B i u	18 1	Seuui	оп 1	Seuui	оп 2	Seuu	ion 3	Seuu	ion 4	
Subject Number	Gender	1st 1/2	2nd 1/2	1st 1/2	2nd1/ 2	1st 1∤2	2nd 1/2	1st 1/2	2nd 1/2	Total
01	Male	1	5	3	2	2	2	5	10	30
02	Female	0	1	5	2	3	1	1	0	13
03	Male	5	11	5	16	19	13	10	11	90
04	Male	3	6	6	7	5	5	6	8	46
05	Female	2	5	6	13	12	9	2	13	62
06	Female	3	4	1	1	4	4	7	18	42

Table 5.2 Frequency of Missed Faults Over the Four Test Sessions

Table 5.2 Frequency of Missed Faults Over the Four Test Sessions

Falue /	Varme	Secuio	оп 1	Seuu	ion 2	Seuui	оп 3	Sequion 4		
Subject Number	Gender	1st 1/2	2nd 1/2	1st 1/2	2nd 1/2	1st 1/2	2nd 1/2	1st 1/2	2nd 1/2	Total
01	Male	0	0	0	1	4	8	6	7	26
02	Female	0	0	0	1	0	0	0	2	03
03	Male	3	4	6	14	6	16	19	15	83
04	Male	0	1	1	1	0	3	12	14	32
05	Female	0	0	0	1	1	0	0	1	03
06	Female	2	0	0	2	0	0	0	1	05

Table 5.3 Frequency of False Alarms Over the Four Test Sessions

 Table 5.3 Frequency of False Alarms Over the Four Test Sessions




Figure 5.3 Mean Misses and False Alarms Across Test Sessions

Total task time and mean time per rivet are shown in **Table 5.4**. As can be seen in this table, there was a general decrease in both total task time and mean time per rivet during training as well as during the test sessions. Analysis of variance revealed the decline in total task time to be nonsignificant both during training and test sessions (p>.10). Mean time per rivet, however, decreased significantly both during training (F(8/2)=4.27, p=.05) and during test sessions (F(3/15)=8.22, p=.002). The increase in mean time per rivet from the last training session to the first test session can probably be attributed to the fact that the larger number of rivets in the test sessions caused the meter in the simulation to be slightly more sluggish in its response. This aspect was explained to subjects before the first test session, and subjects characteristically began the session by circling the rivets with greater care and deliberation.

Table 5.4 Mean Total Task Time and Mean Time per Rivet

Taak	Mn Total Time (min)	Mn Time Per Rivet (sec)
Training Session 1	29.7	23.4
Training Session 2	27.9	23.6
Training Session 3	26.3	20.3
Test Session 1	92.7	28.8
Test Session 2	82.8	24.1
Test Session 3	93.1	24.9
Test Session 4	78.6	19.4

Table 5.4 Mean Total Task Time and Mean Time per Rivet

Estimates of task reliability were obtained by comparing the combined data of test sessions 1 and

2 with the combined data of sessions 3 and 4. The correlation between combined sessions was r=.82 (p < .05) for false alarms and r = .81 (p < .05) for missed events. Total false alarms across sessions was also compared with total misses across sessions. The obtained correlation was r=.73 (p=.10) which, although failing to reach the .05 level, suggests that the two measures might be significantly related, given a larger sample size.

5.2.2 Subjective Measures

As indicated earlier, subjective ratings of attentiveness, tiredness, strain, boredom and annoyance were obtained at various times during the two-day period. Measurements of each were obtained at the beginning of each morning and afternoon of the two-day periods each subject was tested. These same measures were obtained at the end of the first day's training session and at the end of the morning and afternoon test sessions of the second day. In addition, items relating to perceived task difficulty and to the amount of effort required to maintain alertness were also administered at the end of the above three sessions. Data for the subjective ratings are given in **Table 5.5**.

	Mean Fre- and Post-Session Subject	ine mings
Yariable	Mn Pre-Session Ratings	Mn Post-Session Ratings
Attentiveness	7.0	5.7
Tiredness	4.3	5.3
Strain	3.5	4.3
Boredom	3.2	3.9
Annoyance	1.2	1.8
Effort	4.4	5.1
Difficulty	2.7	3.9

Table 5.5 Mean Pre- and Post-Session Subjective Ratings

Table 5.5 Mean Pre- and Post-Session Subjective Ratings

Comparing the pre- and post-session data of **Table 5.5**, it is apparent that attentiveness decreased, while tiredness, strain, boredom, and annoyance all increased. Analyses of variance, however, revealed that only those changes associated with tiredness and strain were significant (F(1/4)=7.90, p=.048 and F(1/4)=11.0, p=.029 respectively). The increases in perceived effort and perceived difficulty were nonsignificant (p>.10).

5.2.3 Predictor Measures

Means and standard deviations for the various predictor tests and measures used are shown in **Table 5.6**. Because of the small sample size used in the pilot study, with the attendant risk of obtaining spurious correlations, no attempts were made to correlate or compare any of these measures with performance variables. Where normative data were available, most measures appeared to fall within one standard deviation of the reported mean values. Several deviations are worth mentioning, however: The sample as a whole scored relatively low on impulsivity as measured by the **PRF** and **EPI** scales, on boredom susceptibility as measured by the Boredom

Standard Deviation Variable Mean Typical Exper Inv 22.00 6.90 Bennett Mech Comp 40.67 2.88 LES Boredom Prone 5.33 4.03 LES Inattentiveness 2.33 2.58 3.83 2.32 LES Apathy MFFT Mn Error 1.23 0.37 MFFT Mn Time 59.80 23.40 EP1 Extraversion 12.50 1.52 EP1 Impulsivity 3.83 1.47 7.33 EP I Sociability 1.37 WAIS Digit Symbol 56.17 14.18 WAIS Digit Span 13.00 2.83 WAIS Arithmetic 7.83 2.93 **PRF** Achievement 12.50 2.59 PRF Autonomy 6.83 2.48 PRF Change 8.50 1.64 PRF Cog Structure 10.17 2.71 PRF Endurance 13.33 1.97 3.50 PRF Impulsivity 3.39 PRF Understanding 7.00 4.34 FE Scale 8.33 3.61

Proneness Scale, and relatively high on endurance as measured by the **PRF** scale.

Table 5.6 Means and Standard Deviations of the Predictor Measures

 Table 5.6 Means and Standard Deviations of the Predictor Measures

5.3 DISCUSSION

Discussion of the findings of this pilot study is not extensive for two reasons. First, the essential purpose of this initial study was simply to test and evaluate the various tests, scales, procedures and task used in order to determine whether changes were necessary for the major study of which this was only the initial phase. Second, the small size of the sample used increases the risk of obtaining spurious results and makes any conclusions drawn from the data risky at best. However, some comment on the findings is necessary and appropriate.

The significant increase in misses (faults) obtained over the four test sessions suggests a boredom and/or fatigue effect resulting from the repeated testing, perhaps causing the subjects to become less careful or attentive in examining the rivets. This decline in performance efficiency

was accompanied by an increase in ratings of both boredom and fatigue. However, only the increase in tiredness was found to be significant. There was also a significant increase in strain, suggesting that continued task performance over the four successive sessions was not only tiring, but emotionally demanding as well.

While an increase in fatigue (tiredness) across sessions seems a plausible explanation for the increase in missed faults, it is somewhat puzzling to see how increasing tiredness could also result in an increase in false alarms as **Figure 5.3** shows. The possible increase in carelessness and inattentiveness with fatigue could again be a contributing factor. Recall that **Table 5.4** showed a significant decrease during the test sessions in mean time spent examining rivets. While this could merely be an indication of increased skill in the use of the mouse, it seems more likely that it indicates less careful examination of the individual rivets by at least some of the subjects, especially during the last session. Less careful examination would likely increase the number of times a rivet edge was touched or "noisy" area was crossed. The resulting meter deflections might then be erroneously interpreted as faults.

One should also not overlook the possibility that the increase in false alarms might simply be an artifact of the particular sample used. Examination of **Table 5.3** reveals that half of the subjects (subjects 2, 5, and 6) showed essentially zero false alarms across all four sessions. The increase in false alarms was essentially the result of subjects 1, 3, and 4. Thus, whether the larger, more representative sample to be used in the primary study to follow this one will show an increase or no increase in false alarms across sessions cannot really be predicted from these data. Likewise, one should not attribute much significance to the fact that the three subjects of **Table 5.3** showing no increase in this type of error were all females. Whether or not a gender difference exists in this respect again must await the findings of the subsequent study.

Of the remaining data, there is little more that can be discussed. Reliability of the **NDI** task, in terms of both misses and false alarms, was shown to be acceptable, and one would hope that these reliability estimates will approximate those to be obtained in the primary study. As noted earlier, the particular sample used scored somewhat below average on measures of impulsivity, on measured boredom susceptibility, and above average on the **PRF** measure of task endurance. Also, the sample appeared to show a gender difference in frequency of false alarms on the **NDI** task. Whether any or all of the above characteristics of this sample will be reflected in the larger sample of the primary study remains to be determined. The experiment protocol of the pilot study proved to be workable with testing and training occurring on the first day and with the second day devoted to successive test trials. No problems were encountered in administration of the various psychometric tests and measures and all will be used in the primary study.

As indicated in the Introduction, the pilot study reported here represents the initial phase of a larger effort (the primary study) to investigate relationships of selected subject variables to **NDI** performance. A second aspect of this effort is to investigate possible task-induced fatigue resulting from sustained performance on the **NDI** task and to examine possible interactions between performance changes and the various subject variables examined in the pilot study. Approximately 25-30 subjects will be tested in the primary study, but the basic procedures and approach will remain essentially those incorporated in this pilot study.

5.4 REFERENCES

Ahmed, S. M.S. (1990). Psychometric properties of the boredom proneness scale. *Perceptual and Motor Skills*, 71, 963-966.

Berch, D. B. & Kanter, D. R. (1984). Individual differences. In J. S. Warm (Ed.). *Sustained attention in human performance*. New York: Wiley.

Drury, C. G., Gramopadhye, A., Latorella, K., Patel, S., Prabhu, P., & Reynolds, K. (1992). *Human reliability in aircraft inspection*. Phase II Report on FAA Contract to Galaxy Scientific Corporation, Atlanta, Georgia.

Drury, C. G., Prabhu, P., Gramopadhye, A., & Latorella, K. (1991). *Nondestructive testing in aircraft inspection*. Report of a pilot study prepared under subcontract 89-1014-SC-3 to Galaxy Scientific Corporation, Mays Landing, New Jersey.

Eysenck, H. J. (1967). The biological basis of personality. Springfield, Illinois: Thomas.

Eysenck, S. B. G. & Eysenck, H. J. (1963). On the dual nature of extraversion. *British Journal* of *Psychology*, 2, 46-55.

Farmer, R. & Sundberg, N. D. (1986). Boredom proneness - The development and correlates of a new scale. *Journal of Personality Assessment*, *50*, 4-17.

Gallwey, T. J. (1982). Selection of tests for visual inspection on a multiple fault type task. *Ergonomics*, 25, 1077-1092.

Goodenough, D. R. & Karp, S. A. (1961). Field dependence and intellectual functioning. *Journal of Abnormal and Social Psychology*, *63*, 241-246.

Kagan, J., Rosman, B., Day, D., Albert, J., & Phillips, W. (1964). Information processing in the child: Significance of analytic and reflective attitudes. *Psychological Monographs*, 78, (1, Whole No. 578).

Karp, S. A. (1963). Field dependence and overcoming embeddedness. *Journal of Consulting Psychology*, 27, 294-302.

Koelega, H. S. (1992). Extraversion and vigilance performance: 30 years of inconsistencies. *Psychological Bulletin*, *112*, 239-258.

Latorella, K. A., Gramopadhye, A. K., Prabhu, P. V., Drury, C. C., Smith, M. A., & Shanahan, D. E. (1992, October). *Computer-simulated aircraft tasks for off-line experimentation*. Paper presented at the Annual Meeting of the Human Factors Society, Atlanta, Georgia.

Pearson, D. W. & Thackray, R. I. (1970). Consistency of performance change and autonomic response as a function of expressed attitude toward a specific stress situation. *Psychophysiology*, *6*, 561-568.

Revelle, W., Humphreys, M. S., Simon, L., & Gilliland, K. (1980). The interactive effect of personality, time of day, and caffeine: A test of the arousal model. *Journal of Experimental*

Psychology: General, 109, 1-31.

Rotter, J. B. (1966). Generalized expectancies for internal versus external control of reinforcement. *Psychological Monographs: General and Applied*, 80, (1, Whole No. 609).

Sanders, M. G., Halcomb, C. G., Fray, J. M., & Owens, J. M. (1976). Internal-external locus of control and performance on a vigilance task. *Perceptual and Motor Skills*, *42*, 939-943.

Schroeder, J. E., Dunavant, D. W., & Godwin, J. G. (1988). *Recommendations for improving Air Force nondestructive inspection technician proficiency*. SwRI Project No. 17-7958-845, San Antonio Air Logistics Center, Air Force Logistics Command, Kelly Air Force Base, Texas.

Thackray, R. I., Bailey, J. P., & Touchstone, R. M. (1977). Physiological, subjective, and performance correlates of reported boredom and monotony while performing a simulated radar control task. In R. R. Mackie (Ed.). *Vigilance: Theory, Operational Performance, and Physiological Correlates.* New York: Plenum.

Thackray, R. I., Jones, K. N., & Touchstone, R. M. (1973). Self-estimates of distractibility as related to performance decrement on a task requiring sustained attention. *Ergonomics*, *16*, 141-152.

Thackray, R. I., Jones, K. N., & Touchstone, R. M. (1974). Personality and physiological correlates of performance decrement on a monotonous task requiring sustained attention. *British Journal of Psychology*, 65, 351-358.

Thackray, R. I. & Touchstone, R. M. (1991). Effects of monitoring under high and low taskload on detection of flashing and coloured radar targets. *Ergonomics*, *34*, 1065-1081.

Wang, M. J. & Drury, C. G. (1989). A method of evaluating inspector's performance differences and job requirements. *Applied Ergonomics*, 20.3, 181-190.

Wiener, E. L. (1975). Individual and group differences in inspection. In C. G. Drury & J. G. Fox (Eds.). *Human reliability and quality control*. New York: Taylor & Francis.

CHAPTER SIX THE EFFECTS OF CREW RESOURCE MANAGEMENT (CRM) TRAINING IN AIRLINE MAINTENANCE:RESULTS FOLLOWING ONE YEAR'S EXPERIENCE (Report of Work Completed through 6-30-92)

6.0 SUMMARY

This report describes the first full year's evaluation of the effects of one airline's Crew Resource Management (**CRM**) training program. This evaluation focuses on maintenance managers' attitudes, their reported behaviors, and the maintenance performance of their units. The results reveal a strong positive effect of the training.

The overall program represents a long-term commitment to improving safe, dependable, and efficient performance through effective communication at all levels in airline maintenance operations (Appendix Part 1, Appendix Part 2, Appendix Part 3, and Appendix Part 4 contain the current syllabus). The initial findings described in a previous progress report (Galaxy Scientific Corporation, 1992) are reinforced and elaborated here. The current results benefit from a larger sample size. Additional months of performance data and results from six- and twelve-month follow-up questionnaires also contribute to the value of this data set.

In the present report, we examine maintenance performance changes following training, as well as the relationships noted between the post-training attitudes and performance. Maintenance performance reported here includes safety from ground damage, safety from injury, maintenance costs in overtime paid, delays in RON (remain in station overnight) aircraft departures, as well as dependability of on-time departures for other scheduled flights. We further describe these measures in **Table 6.1**.

```
I. MEASURES OF EFFICIENCY
        A. Cost
                1. % Overtime paid to total wage bill<sup>b</sup> (60)
II. MEASURES OF SAFETY
        B. Safety of Aircraft
                2. Number of Ground Damage Incidents<sup>4</sup>(44)
        C. Personal Safety
                3. % Occupational Injury Days Lost<sup>*</sup>(60)
III. Measures of Dependability
        D. <u>Departure Performance</u> (Line Station data only, n=31)
                4. % Departure within 5 minutes*
                5. % Departure within 15 minutes*

 % Departure within 60 minutes<sup>b</sup>

                7. % Departure over 60 minutes, but not canceled<sup>e</sup>
                Number of Delays due to late from Maintenance<sup>*</sup>
                (n=35)
a = Measures evaluated mest sensitive to effects of CRM training
b = Measures evaluated moderately sensitive to effects of CRM training
c = Measures evaluated least sensitive to effects of CRM training
```

Table 6.1 Technical Operations Performance Measures Available by Work Unit

The analyses reported here examine training effects on performance, on attitudes and on indicators of behavior. In particular, we compare managers' immediate post-training attitudes with their follow-up attitudes about a variety of management and organizational factors. We also test the relationship of attitudes with maintenance performance measures. Highlights of results from this training program include increased safety and improved costs from management of stress, and improved on-time performance from the application of more assertive communications. More specific results are as follows:

1. We noted positive trends in a number of the company's overall maintenance performance for the 12 months after the onset of training, compared with the 12 months before. The two performance categories of Efficiency (Figure 6.3) and Safety (Figures 6.4-6.5) improve after the training. In addition, most of the overall results of Dependability performance remain stable in the 12 months after the onset of training (Figures 6.6, 6.7, 6.8, 6.9, and 6.10).

 Table 6.1 Technical Operations Performance Measures Available by Work Unit (maximum number of work units possible are in parentheses)




Figure 6.3 Efficiency Overtime (time series)




Figure 6.4 Safety Ground Damage (time series)




Figure 6.5 Safety Occupational Injury (time series)




Figure 6.6 Dependability Departure in 5 Minutes (time series)




Figure 6.7 Dependability Departure in 15 Minutes (time series)




Figure 6.8 Dependability Departure in 60 Minutes (time series)




Figure 6.9 Dependability Flights Not Cancelled (time series)






Figure 6.10 Dependability Late From Maintenance (time series)

2. Comparisons of managers' attitudes immediately after their training with their attitudes months later confirm that the effects of training on beliefs are stable. Comparison of managers' attitudes before and after their training showed a showed significant improvement in three of the four attitude indicators. Improvement took place in attitudes about "willingness to share command responsibility," "usefulness of communication & coordination," and "recognition that stressors affect management decision-making" (Galaxy Scientific **Corporation**, 1992). The present report goes beyond that examination of pre-post test comparison of attitudes to look at the same attitudes shown by these managers months later. This test of the questionnaire data shows that the favorable post-training attitudes remain at those high levels two months, six months, and twelve months after the training. The influence of the training on managers' attitudes is thus a stable and robust change and not merely a brief "honeymoon effect." We present these comparisons graphically in **Figures 6.1** and **6.2**.



n=450, pre; n=1036, post; n=352, 2 mo.; n=261, 6 mo.; n=76, 12 mo.; p=ns

Figure 6.1 Attitude Indices Pre, Post, Two, Six, Twelve Months



n=450, pre; n=973, post; n=314, 2 mo.; n=234, 6 mo.; n=72, 12 mo. p=ns

Figure 6.2 Behavioral Indices Pre, Post, Two, Six, Twelve Months

3. Another analysis of the data looks at the relationships between the post-training attitudes and maintenance results over several months. In this "time-lagged" analysis, we test the effects for performance before the training, performance at the same time as the training, and performance months after the training. As we describe in the main body of this report, we found a pattern of significant relationships (in the expected direction) between the managers' **immediate post-training attitudes** and performance. Specifically, some attitudes are associated with concurrent performance of work units, as well as performance several months later. Effective performance, as measured by the dependability measures, in the months before the training are associated with favorable post-training feelings about communication and coordination and the importance of work stresses in management decision-making (cf., **Tables 6.7**, **6.8**, **6.9**, **6.10**, and **6.11**). Furthermore, these two attitude measures are also significantly related to on-time performance in the months following the training (**Table 6.7**).

	3004/304 1951	Augy Sep	Collí Rin y	Dec/	Feb/ Mar	Apr/ May	Jun/Jul 19992
Sharing Command Responsibility	213	- 17	36*	20	.19	- 00	,24
Communication and Coordination				-354	.41**	.20	~~
Recognition of Streamer Effects	324	25	.25	.86*	.41**	28	.15
Willingness to Voice Disagramment	\$â	P	ĸ	45	·25	18	. 1 3
Gast Athinment with Own Group	25	. 15	, pə	28	.45**	.28	.28
Gost Altainment with Other Groups		.06	bi	.13	8	.28	Ø

 Lable 6.7 Spearman-Blo Consistions between Post-training CRMPTOQ Remits and Maintenaure Dependability Performance for Department within Five Mistrites

n z 27. Smood two tre northe concernest with the trialing (and the reasonance) and excite fed two are the northe following mining $^{12}p < 05$ $^{12}p < 05$

	Jun:Jul 1991	Aug/ Sep	Oci/ Nov	Dec/ Jan	Feb/ Mar	Apr/ May	JuniJul 1992
Sharing Command Responsibility	.23	20	-62	29	.18	.08	29
Communication and Coordination	.86°	24	.95	.18	28	.10	50.
Recognition of Streasor Effects	:24	35	18	28	.29	.1C	.16
Willingness to Voice Disagreement	:162*	ŝ	úér .	.17	2:3	غتير	12
Gost Atlainment aith Oan Group	.24	4D	303	.96*	· 48+	.07	.31
Goal Attainment			0 0	.10	.36*	.17	±0.

u v 26. Eladed area no works concursor with the training (and the reasonance) and antituded area are the events define by training $^{\prime\prime}p$ 0.05 $^{\prime\prime}p$ 0.01

	Jan/Jal 1991	Ацд/ Бар	Colf Hov	Doo/ Jan	Fob/ Mar	Apri May	Jun/Jul 1982
Sharing Command Responsibility	.97	27	æ	15	.11	-:14	.14
Communication and Coordination	30*	щ	- 00	.25	<u>an</u>	ús	21
Recognition of Streager Effects	.45**	22	-7	.07	·.D1	. 5 5	.06
Willingnoss to Voice Disagrooment		- 18	.05	- ,04	.02	Ś	.00
Good Attainment with Own Scoup	(75	0 9	-715	.14	.07	.08	02
Goel Aftainment with Other Groups			-)89	26	.32	- 09	-4

Table 6.9 Spearsman-Rio Correlations bottman Port-training CRUITOQ Results and Maintenance Dependebility Performance for Departures within facty Manufes

n 287. Thaded marine a conflict operating with the mining (with a conservation) with a last a feed and a feed and the lossing quakary. * p 4.03, **p 4.03

	Jun/Jul 1991	Awg/ Sap	Ge <i>ll</i> Hov	Dec/ Jan	Fab/ Mar	Apr/ May	Jun/Jul 1992
Shuring Comsund Responsibility	. (6 8	D\$.2Þ	.05	.00	.19	.80
Gemmunication and Geordination	[·.44**]		39	.50	00	24	.16
Recognition of Stressor Effects		27	, at ir	-,19	.00	25	.39
Willingoess to Voice Disegreement	ΩÐ	X23	.30	- 03	- 50	20	.30
Goal Atlainment with Carn Group	-42	.03	93	. 19	- 28	.08	.25
Goal Attainment with Other Groups		17	12	.04	- 27	-47**	.28

Table 4.10 Spearman.Rho Coundations between Post-training CRECTOQ Results and Maintenance Dependabaty Performance for Shity Manules, Not Carnetad

 μ = 27. Stable respectively construct with the training (rad the excursive K) and united of two are the events following training, $^{-1}p<.05$, $^{-1}p<.01$

-	a year and a state of a	Contraction of the					
	Jun/Jul 1991	Ашд/ Бөр	Cot/ Ho⊻	Dec/ Jan	Feb/ Mar	Apr <i>l</i> May	Jun/Jul 1992
Sharing Gommand Responsibility	15		27	. 12	- 33*	47	28
Communication and Continuition	3417	- 4873	× 52⊄≉	-,461*	•11.	377	24
Recognition of Streasor Effects	- 89	- 23	- 50	-9	24	14	- 40*
Willingtred a to Voice Disagreement	, to	-22	-20	- <u>10</u> -7	10	15	-20
Goal Attainment with Own Group	tð		. 20	18	1C	.11	-20
Gool Attainment		- 22	- 12	- 38	- 27	.09	13

Table 6.11 Spraman-Rho Consolutions between Post-training CRM/COQ Results and Maintenance Dependentity Performance for Delay Day to Late Green Maintenance³

a • 18. Shadad eras are morthe concerned with the training (and the neuronaux or) and nucleoid was a refre monthe tolerang consistent Trans. These Awar second lower data publicance a particular that the direction of the straining should be segurize. 1 pr 0.09. "pr 0.01"

4. The pattern of relationships between **attitudes assessed two months after training,** and performance is somewhat different. These "follow-up attitudes" have more sustained relationships with performance over the several months examined than attitudes immediately following the training. A low rate of ground damage incidents before and during the period of the two-month follow-up survey is most related to three indices in the follow-up measure. Those three are the "recognition of stressor effects on decision-making," and the participant reports of "work goal sharing" within and between work groups (**Table 6.13**). Measures of assertiveness and of sharing command responsibility are consistently related to on-time performance (**Table 6.15**) and to the other measures of dependability (**Tables 6.16, 6.17, and 6.18**).

	210 1000 11 -0 07	ance satelli i		CITE SETS IN SET			
	Jan/Jai 1991	Ашд/ Бөр	Oet/ Nov	Dec/ Jan	Feb/ Mar	Арг/ Мяу	Jun/Jul 1992
Sharing Command Responsibility	- 22	26	03	.10	-44*	18	.16
Communication and Coordination	· 37	21	12		\$27	-37	.22
Recognition of Streasor Effects	.13	47*		- 49 *	43ª	-28	-11
Williagness to Voice Disagreement	.05	-,04	19	3 2	<u>a</u>	-30	· co
Gool Attainmont with Own Group	- 40	~63**	:29	46 *	.4 5*	22	-32
Goal Allainmani with Other Groups	· 25	-,62**	-15	£34	-,44*	01	. 40

Table 6.13 Spearman-Flo Correlations between Two Month Follow-up CFM/TOQ Results and Maintenance Safety Performance for Ground Damage¹

n = 18. Studied area are nowing concerners with the two north to Low-up or vey for the comple of induing portebacty examined. More: These here scare lower when performance is posities, these the direction of the statistics should be negative. "p < .05, "p < .01

	Jun/Jul 1991	Aug/ Sop	Oct/ Nov	Dec/ Jan	Fob/ Mar	Apr/ May	Jun/Jul 1992
Sharing Command Responsibility	.54**	.27	30	28	te.	.49 °	,40
Communication and Coordination	08	18	.16	;40	-09	-21	02
Recognition of Stressor Effects	.33	.17		1 9	 04	.27	,28
Wittingness to Voice Disagreement	.64**	.69**	-69ea	-52*	57**	.69**	.65**
Gost Attainment with Own Group	.434	53.	514	.65**	844	,32	49 4,
Goal Attainment with Other Groups	03	.10	-20	.26	.21	.84	.24

Table 4.15 Speaman-Rio Consistions between Two Month Follow-up CRM/TOQ Results and Maintenance Dependability Performance for Departures within Five Minutes

n+17 . Such a constant of the two most followup surrey for the sample of training participants consists $^{*}p<03,^{*}p<01$

	Jun/Jul 1991	<i>Augt</i> Sop	Cot/ Nov	Doo/ Jan	Fab/ Mar	Apr/ May	Jun/Jul 1992
Sharing Command Responsibility	.42*	.21	:::::::::::::::::::::::::::::::::::::::	23	05	. 45*	.84
Communication and Goordination	.91	23	17	œ	10	30	.11
Recognition of Stressor Effects	.31	.13	神	,1\$.07	.10	.33
Willingness to Voice Disagreement	,6211	.65**	.74**	.57**	46*	.70**	. 47*
Goal Attainment with Own Group	.42*	.524	.51*	.62**	.57**	.31	. 40*
Goal Attainment with Other Groups	.01	.12	.10	.24	.205	.07	.22

Table 6.16 Spearman-Rho Correlations between Two Month Follow-up CRM/TOQ Results and Maintenance Dependability Performance for Departures within Fifteen Minutes

n = 17. Sincial area to movile contradied with the two month followup envoy for the energie of training participants oriented. + p < .05, + p < .05

memoriance Dependentity renomence (or Depertures within toxic minimes								
	Jun/Jul 1991	Aug/ Sep	Oct/ Nov	Dec/ .fan	Feb/ Mar	Apı7 Məy	Juni/Jul 1992	
Sharing Command Responsibility	. 46*	.23	.40	.31	14	.61**	.36	
Communication and Coordination	25	-, 10		23		-234	.18	
Recognition of Streasor Effects	35	.22			-38	.03	.38	
Willingnoss to Yoice Disagrooment	.ŏ6**	.63*	,70**	.43*	.28	.68**	.31	
Gosi Atlainmant with Own Group	38	.37		-46		13	.25	
Goel Attainment with Other Groups	10	.07				- 36	.28	

Table 6.17 Spearman-Fibo Correlations between Two Month Follow-up CRM/TOQ Results and Maintenance Dependability Performance for Departures within Sixty Minutes

u = 17. Shaded are an months concurred with the two means follow-up energy for the sample of training participants examined. $^{o}p < .05$, $^{o+p} < .01$

	Jan/Jal 1991	Аод/ Sөр	Ocl/ Bov	Dec/ Jan	Fab/ Mar	Арт/ Мау	Jun/Jul 1992
Sharing Command Responsibility	(64**)	-21		{ -44 *}	(00**)	(-57±*)	.36
Communication and Coordination	.24	· 08	,6e	Å	э	.79	,18
Recognition of Streasor Effects	·.31	.09	.12	32	- 30	32	.39
Willingness lo Volce Dissgrooment	14	· 30	B	4	81	. 43	.31
Gost Attainment with Own Group	07	18	: (9		01	· .09	25
Goal Attainment with Other Groups	.23	10				.37	28

Table 5.12 Sparman-Rho Completions between Two Month Follow-up CRM/TOQ Results and Maintenance Dependability Performance for Departures within Sixty Minutes, Not Canceled

as π . Boded area are nearly concerned with the two reads follow up carry for the sample of training participants econical. Tp 4.05 $^{\circ}$ p 4.01

5. Managers' self-reports of their behavior for the six- and twelve-month follow-up surveys confirm change from more passive behaviors to more active and interactive behaviors. Passive behaviors can be accomplished by oneself and do not require the cooperation of others. It is for that reason that we find those self-reports consistent with our expectations. The passive behaviors of "better listening" and "being more aware of others" are reported as most used two months after the training, but they do not increase appreciably in the six-month and twelve-month surveys. On the other hand, the active behaviors of "communicating" and "dealing better with others" increase markedly in written descriptions by participants twelve months after the training (Figure 6.12). This latter result offers powerful implications for the long-term effects of the training. It appears that during the CRM training these managers learn some skills that they begin to use right away, and others that they apply only months afterward.

Mantenance Entremy Terronnance // Overtime Tabilo Total (rage							
	Jun/Jul 1991	Аug/ Sep	Oct/ Nov	Dec/ Jan	Feb/ Mar	Арг/ Мау	Jun/Jul 1992
Sharing Command Reaponaibiltiy	.00	.00	.03	.08	.09	07	12
Communication and Coordination	09	16	01	09	- 19	11	.07
Recognition of Streasor Effects	.09	.21	:25	. 6 2	• 21	12	38*
Willingness to Voice Disagreement	15	09	- 07			18	15
Goal Attainment with Own Group	03	07	-05	.09	.00	.03	.30
Goal Attainment with Other Groups	11	14		/19	.15	21	.20

 Table 6.12 Spearman-Rho Correlations between Two Month Follow-up CRM/TOQ Results and Maintenance Efficiency Performance % Overtime Paid to Total Wage¹

n = 32. Shaded area are months concurrent with the two month follow-up survey for the sample of training participants examined. *Note: These items score lower when performance is positive, thus the direction of the statistics should be negative. *p < .05, ** p < .01

Methods used in the study

Maintenance managers' attitudes are measured based on a questionnaire developed a decade ago by **NASA** and The University of Texas. The NASA/UT program has used that questionnaire to evaluate the results of **CRM** flight crew training in a large number of U.S. and foreign carriers (Helmreich, Foushee, Benson, & Russini, 1986). Questionnaire data for the present study were collected before, and immediately after, the training, as well as two months after, six months after, and twelve months after. The managers were requested to choose an identification number (known only to them) and to use that number on all questionnaires they completed. Using these numbers, it was possible to match the same managers' answers to the same questions over the various time intervals.

All questionnaires used here included 26 separate multiple choice questions, which we later collapsed into six composite index measures. Of these six composites, four are measures of attitudes which the **CRM** training should influence, and two are perceptions of goal attainment behavior that the training should not predictably change. The first four composites measure attitudes about "sharing command responsibility," "communicating & coordinating," "managing stressors," and "assertiveness." The other two composites measured managers' attitudes about sharing work goals within their own groups, and between work groups.

In addition to the multiple choice questions, all questionnaires administered after the training included several open-ended questions. Those open-ended questions explore how the managers expected to use what they learned from the training, how they did use it, and what they thought would improve the training. This report describes the results, using the six questionnaire composite measures and the four open-ended items.

6.1 BACKGROUND

The **CRM** training reported here is first-time training in several team-related concepts, including communication skills, self-knowledge, situational awareness, and assertiveness skills for maintenance management personnel in one large U.S. airline (hereafter called "the company"). Maintenance in this company includes engineering, quality assurance, technical planning, systems & procedures, contracts administration and purchasing, as well as the more direct maintenance functions of line- and base- maintenance, inspection, shops, and material services. It is the company's intention to train all of its 1,800 maintenance directors, managers, supervisors, and assistant supervisors.

CRM training in airline maintenance operations is unique to the present organization. This exceptional example has been intensively studied during its first 18 months. The first reports (c.f. Taylor, 1991a, 1991b) were limited to a relatively small sample of participants and a small number of months of post- training maintenance performance data. A summary report of the first six months was published in the **FAA** Office of Aviation Medicine's Second Annual Human Factors Research and Development Progress Report (**Galaxy Scientific Corporation, 1992**). The present report continues to document the company's **CRM** training efforts and particularly examines the effects of training-related attitudes on subsequent performance, as well as the stability of post-training attitude changes.

The effectiveness of this training, as measured by its ongoing evaluation, can help direct the airline industry's maintenance human resources practices in the future and guide the development of future **ATA** and **FAA** training policies and regulations.

The analyses reported below assess the relationships among managers' post-training attitudes about a variety of management and organizational factors and maintenance unit performance.

6.2 THE PURPOSE OF THE PROGRAM AND OF THE COURSE

The program's champion is the company's Senior Vice President for Maintenance. He has stated that his aim for the training and evaluation program is to improve human resource (HR) management. This **HR** progress, he believes, will be hastened by using science-based tools and techniques for evaluating the training outcomes and using those results for continuously improving the program's effectiveness.

This particular training program originally began with help from the company's flight operations training group who had nearly a decade's experience with their own **CRM** program. Now, however, the training is a maintenance program entirely. The program is managed and administered by maintenance people, and the trainers (in conjunction with professional human factors consultants) are maintenance people too.

The purpose of the training, as stated by trainers on the first day of each training session, is "To

equip all maintenance personnel (management first) with the skill to use all resources to improve safety and efficiency."

6.2.1 Course Objectives

The objectives (the more specific goals of the training) are also clearly stated during the trainers' introductory remarks. They are as follows:

- 1. Diagnose organizational "norms" and their effects on safety
- 2. Promote assertive behavior
- 3. Understand individual leadership styles
- 4. Understand and manage stress
- 5. Enhance rational problem-solving and decision-making skills
- 6. Enhance interpersonal skills

6.2.2 The Course as Designed for the Objectives

The aims and objectives of the training are achieved by following a course syllabus containing 12 modules (Appendix Part 1, Appendix Part 2, Appendix Part 3, and Appendix Part 4 contain the current syllabus).

6.2.3 State of Training Completed

At the time of this writing more than 1000 maintenance Managers have attended the **CRM** training course. Thus, the present analysis uses data from over half of the whole maintenance management staff who will eventually complete the training. By September 1992 all of senior management had attended the course. The people remaining to complete the course are maintenance management personnel, mainly maintenance supervisors and assistant supervisors located in the company's three largest cities.

6.2.4 Maintenance Work Units as the Focus of the Analyses

The analyses described in this report illustrate the effect of changes in management attitudes upon the maintenance performance of their work-units. In order to achieve this examination of attitude correlations with performance, the individual manager's data are combined into averages for the units to which they belong. The maintenance performance data (classified into categories of "safety," "quality," "dependability," and "efficiency") are also constructed into measures for the same work units.

6.3 THE 'CREW RESOURCE MGT/TECH OPS QUESTIONNAIRE' (CRM/TOQ)

6.3.1 Prior Experience in Measurement of Attitudes Related to CRM

Training

The Cockpit Management Attitudes Questionnaire (CMAQ) has long been a recognized measure for assessing flight crew attitudes. It is useful as a training, evaluation and research tool (Helmreich et al., 1986). The CMAQ questionnaire contains 25 items measuring attitudes that are either conceptually or empirically related to CRM. Taggart (1990) revised the CMAQ for use in a maintenance department, and reported positive initial results following CRM training conducted for maintenance managers in late 1989.

Two recent studies involved the close analysis of the **CMAQ** instrument through the use of Factor Analysis, a technique to explore for a consistent internal structure (Gregorich, Helmreich, & Wilhelm, 1990; Sherman, 1992). In these studies the authors showed, for separate samples of flight crews and air traffic controllers, that the relationships among the 25 **CMAQ** items were clustered into the following four constellations of attitudes:

Sharing Command Responsibility Value of Communication & Coordination Recognizing Stressor Effects Avoidance of Interpersonal Conflict.

Those authors combined the individual **CMAQ** items into the four composite indices to obtain more stable indicators of each concept. Such index scales permit a more detailed assessment of the separate but related attitudes than a single total score for the entire questionnaire. They also provide more accurate and reliable results than are available from each of the individual questionnaire items alone. Although Gregorich, et al. (1990) eventually reduced the set from four to three composites by dropping "Avoidance of Interpersonal Conflict," Sherman found a much more robust fourth factor, which he titled "Advocacy and Assertiveness."

6.3.2 Measurement of Attitudes in the Present Study

The "Crew Resources Management/Technical Operations Questionnaire" (CRM/TOQ) used in the present study is a modified version of Taggart's revised CMAQ. In obtaining a "good" measure of the complex concepts of CRM training, the present company's goal was to start with a proven survey shown to be valid with CRM training in the airline industry. In following the lead of the CMAQ, the CRM/TOQ is a short questionnaire with enough items to provide convergence to a smaller set of concepts.

The **CRM/TOQ** contains 26 multiple response items. The company's modifications of the **CMAQ** involved removing five questions and adding six others. The five questions were removed because they either lacked predictive validity as reported by earlier flight crew studies (Helmreich, et al., 1986) or, in the company's opinion, lacked relevance to maintenance.

A confirmatory Factor Analysis was undertaken for the data obtained with the **CRM/TOQ** in the present study (Taylor, 1991a). Results for the items drawn from the revised **CMAQ** were similar to those of Gregorich, et al. (1990) and Sherman (1992). As in the latter study, the **CRM/TOQ**'s fourth composite was statistically strong, and was therefore retained as the

reflected index "Willingness to Voice Disagreement."

Attitude change from pre-training to post-training using the **CRM/TOQ** was examined in the previous progress report (**Galaxy Scientific Corporation, 1992**). "Sharing Command Responsibility," "Communication & Coordination," and "Recognizing Stressor Effects," all increased significantly following training. "Willingness to Voice Disagreement" decreased (non-significantly) for the whole sample following training, but it rose significantly for the supervisors (the largest single group in the sample to that date) when they were viewed separately from assistant supervisors and directors.

Six questions were added to the **CRM/TOQ**, based on items intended to measure respondents' perceptions of behaviors dealing with attainment of work goals (Geirland & Cotter, 1990). These six items were considered important to add because the work of maintenance managers differs from that of flight crew officers (as managers) in the typically longer time required for technical operation's goal attainment and the relatively greater ambiguity of those goals. In addition, because goal setting and attainment were not covered in the **CRM** training they could act as "control questions" which were not predicted to change in a consistent or positive way following the training. These items loaded onto two factors in the Factor Analysis: "Goal Attainment in Own Group" and "Goal Attainment with Other Groups." The goal attainment scales were not expected to change because goal attainment was not a topic covered in the training, and because there would not be time, during the training, to change the behaviors that were the focus of the measures. Similar to attitudes, these perceptions can be influenced by exposure to new information or by reconsidering initial assessments. These perceptions did change during the **CRM** training and they have proven to be also related to maintenance performance.

There are four versions of the **CRM/TOQ** questionnaire that have been used in various phases of this project. Although the first two versions are not part of the present analysis, they are described with the latter versions below.

- 1. A "Baseline Questionnaire" was mailed to all 1,800 maintenance managers, supervisors, and assistant supervisors in the company in May 1991 before the training was announced. The results of this baseline assessment of management attitudes were factor analyzed and were also used to assess the reliability and validity of the **CRM/TOQ** (Taylor, 1991a). The Baseline version will not be further discussed.
- 2. A "pre-training" questionnaire is completed by all participants in the first minutes of the workshop. Respondents place a confidential identification (I.D.) number or code on the questionnaire so that their responses can be compared with their responses on subsequent, follow up questionnaires. These pre- training attitudes have been compared with post-training attitudes to test the effects of the training (Galaxy Scientific Corporation, 1992). Further results using the pre-training questionnaire will not be discussed here.
- 3. A "post-training" questionnaire is completed by all participants at the workshop's conclusion. Respondents write their I.D. code on the questionnaire, and are asked to note the number in their course workbook to help them remember it for later "follow-up" questionnaires (see version 4 below). The training facilitators collect

and mail the completed pre-training and post-training questionnaires to the University for processing. Data from this post-training version of the **CRM/TOQ** have been compared with the pre-training questionnaire data, as noted above. The present report will discuss responses from the post-training questionnaire and will compare these matched responses with the participants matched responses to version number 4, the "follow-up" questionnaires.

4. "Follow-up" questionnaires are individually mailed by the company to all past participants two, six, and twelve months following their **CRM** training. Respondents are asked to include their I.D. code so that these follow-up questionnaires can be matched with the earlier questionnaires and to return the questionnaires to the University for confidential processing. Although the two, six, and twelve month follow-up surveys are all identical in form, they measure the respondents' thoughts, assessments, and attitudes over increasingly remote periods from the training.

6.3.3 Sample Size and Response Ratio

The following is the ratio of post-training and follow-up **CRM/TOQ** questionnaires processed by July 1992, to those distributed:

- 1,040 post-training questionnaires, (93%)
- two-month follow-up questionnaires, (44%)
- six-month follow-up questionnaires, (42%)
- 76 twelve-month follow-up questionnaires, (40%).

6.4 RESULTS SECTION 1: COMPARISON OF POST-TRAINING ATTITUDES WITH TWO-MONTH, SIX-MONTH, AND TWELVE MONTH FOLLOW-UP SURVEYS

Figures 6.1 and **6.2** present the comparisons for the four attitude scales and the two goal-attainment scales respectively using all the responses available without regard for matched responses. No significant differences were found among the post-training, two, six and twelve-month surveys. All four attitude scales and the two "Goal Attainment" measures remain high in the year following **CRM** training. The tests shown in **Figures 6.1** and **6.2**, in turn, have been compared with survey data which were *directly matched*, by individual respondent I.D. number, among the several follow-up questionnaires, and the results are remarkably similar. In this way, the potency of examining the responses from the same individuals matched over time, was combined with the power of the larger unmatched sample of responses for comparison.

6.4.1 Matched Questionnaires and Sample Size

For the remainder of the analyses in this report the results for the **CRM/TOQ** will be reported in terms of the largest number of **matched** individual responses available, i.e., those that can be matched by I.D. code number across the various surveys. The practical implication of this matching is that the total size of the matched sample is limited by the number of smallest wave of data. For example, by July 1992 (13 months after the onset of the training) there were 74 people who returned the twelve month follow-up questionnaire, 64 of whom included an I.D. number that could be matched to their earlier questionnaires. Any statistical tests of comparisons between post-training and twelve-month follow-up questionnaires would necessarily be based on that limiting twelve-month sample size of 64. Using, instead, only the two- month follow-up questionnaires, the number of respondents whose I.D. numbers matched to their post- training questionnaires could rise much higher.

6.5 PERFORMANCE DATA DESCRIBED

Maintenance managers in the company already collect performance data in abundance. **Table 6.1** presents the eight measures used as end-result criteria in the present study. Three conditions were met in order to include these measures in the work-unit analysis reported here. First (and obviously), the performance measures need to be available by work unit (i.e., line station, shop, warehouse, etc.), and not just by department or function. Second, the measures must be ones that people in the work unit can affect by their actions, and not merely ones that are conveniently assigned to a unit, but for which it can do little. The third condition applied was that the measures not be directly related to (or completely determined by) other measures in the set. The eight performance measures used in the present analysis are included in the company's categories of "safety," "dependability," and "efficiency." The "quality" measures used by the company cannot at this time be applied to the specific maintenance units, so they are not included in this present analysis.

The trainers and administrators of the **CRM** course evaluated the performance measures and predicted which of them would be more sensitive to effects of **CRM** training. The results of their evaluation are footnoted in **Table 6.1**. Their conclusions were that five measures were the most readily improved by the training. These five performance measures included the two aircraft safety items ground damage and days lost to occupational injury, and dependability measures, based on departures within 5 and 15 minutes and delays due to maintenance error. Their second ranked performance measures likely to improve in response to training included the dependability of departures within 60 minutes and the efficiency of overtime paid. A performance indicator rated least likely to improve as a function of the training was departures later than 60 minutes.

6.5.1 Performance Measures and Attitudes

The present analysis examines the impact of pretraining performance on management attitudes, and those attitudes' lagged effects on the measures of concurrent and subsequent maintenance performance. We are focused mainly on the training's longer-term effects on attitudes, which are

related to performance **following** the training **as well as occurring at the same time.** Therefore, the sample selected included as many matched responses to follow-up questionnaires as possible, yet left the months between January and July 1992, to permit a test of "lagged" performance effects.

6.5.2 The Sample Used for the Present 'Lagged Attitude-Performance Analysis'

By January 1, 1992, 570 of the 573 managers attending one of the **CRM** workshops had completed an immediate post-training questionnaire. Four-hundred four of those 570 managers were employed in one of the five maintenance-oriented departments in the Maintenance Division -- line maintenance, base maintenance, inspection, shops, and materials service. The data file containing the 404 maintenance managers was matched, by confidential identification number, to the file containing the 2-month follow-up questionnaires, 225 of which had been completed and returned. The total actually matched by I.D. number was 181. This sample represents the direct maintenance managers who attended the **CRM** workshop during June through December 1991 and who answered the two month follow-up questions. The sample provided the two-month time interval between measurements of attitudes and up to six months between measures of attitudes and performance. The tables show that this sample includes mainly line maintenance supervisors, who are in their 30's, male, many of whom have some college education.

Two Month Follow-up Survey (n=181), Categorical Percentages										
Job Title	Assistant Supervisor	Super- visor	Manager	Director	Engineer	Co- ordinator	Quality Assurance			
	29%	47%	17%	2%	12	12	3%			
Dept	Line	Base	Quality	Shop	Material					
	54%	10%	12%	11%	13%					
Total Years Working at the Company	2-6 yrs	7-10 yrs	11-17 yrs	21-25 yrs	26-48 yrs					
	52%	20%	7%	8%	13%					
Years ¥orbing in Present Position	0-5 yrs	6-10 yrs	11-20 yrs	21-30 yrs	31-45 yrs					
	79%	10%	3%	6%	2%					
Years Working with Other Airlines	0-5 yrs	6-10 yrs	11-15 yrs	16-25 yrs	26-35 yrs					
	68%	7%	8%	13%	4%					

 Table 6.2 Demographics of CRM Managers Attendees (June-December, 1991) Matched with Their Two Month Follow-up Survey (n=181), Categorical Percentages

Ag•	20-23 yrs	30-39 yrs	40-43 yrs	50-60 yrs	61-70 yrs
	62	42%	23%	21%	8%
5+1	Male	Female			
	98%	2%			
Years in Billtar;	0-5 yrs	6-10 yrs	11-20 yrs	21-30 yrs	
	93%	3%	12	3%	
Years in Trade School	0-1.5 yrs	2-4 yrs	5-10 yrs	15-20 yrs	
	55%	41%	4%	.01%	
Years in College	0-1.5 yrs	2-3.5 yrs	4-5 yrs	6-7 yrs	
	52%	31%	17%	.01%	
Compan;	Company 1	Company 2			
	99%	12			

 Table 6.3 Demographics of CRM Managers Attendees (June-December, 1991) Matched with Their Two Month Follow-up Survey (n=181), Categorical Percentages

6.6 RESULTS SECTION 2: TESTING RELATIONSHIPS OF POST-TRAINING ATTITUDES WITH PERFORMANCE

The first associations examined here are among post-training attitudes measured at the end of each training session and maintenance performance for seven combined two-month intervals (Jun/Jul'91; Aug/Sept'91; Oct/Nov'91; Dec'91/Jan'92; Feb/Mar'92; Apr/May'92; Jun/Jul'92). Performance measures are analyzed for the periods prior to and concurrent with the training (Jun-Dec'91), and two, four and six months following training (Jan-July '92). The individual months of performance are combined into two-month increments to improve the distribution characteristics.

The distributions of the performance measures require that non-parametric statistical tests be used for optimal analytic power (cf., Taylor, 1991b). Therefore, the relationships between the attitude indices and the performance measures are indicated by the Spearman Rank-order Correlation ("Rho"), as presented in **Tables 6.4**, **6.5**, **6.6**, **6.7**, **6.8**, **6.9**, **6.10**, and **6.11**.

	.log/.inf 1991	Aug/ Sep	Oel/ Hev	Dec <i>f</i> .fan	Feb/ Mar	Apr/ May	.htm/Jul 1991
Sharing Command Responsibility		08	iq.	08	06	10	.08
Communication and Coordination	.đđ	- 08	-03	.19	46	- 07	.D4
Recognition of Stressor Effects	.18	9		.08	24	03	.92
Willingnoss to Voice Dissgreament	-30	90	:04	.11	42	12	37*
Goal Attainment with Own Group		¢¥	jee	.16	01	.03	ഷ
Goal Attainment with Other Groups		- 12	- 23	.12	12	.01	.14

Table 6.4 Speamar-Rho Correlations between Post-training CRM/TOQ Results and Maintenance Efficiency Performance for % Overtime Paid to Total Warshill¹

n 4 09. Sheded were new newlar observers with the training (and the measurement) and uncheded were use the membro following training. Hence Russ items seems lower where performence is positive, thus the direction of the statistics should be negative. "Ip < 05, "Ip < 01

	Jon/Jat 1991	Aog/ Sep	QeV Nov	Dec <i>i</i> Jan	Feb <i>l</i> Mar	Apr/ May	.lun/,kal 1992
Sharing Command Responsibility		Ø	.) 3	.21	30	10	s.23
Communication and Coordination	-08	-07	-06	.12	14	.08	01
Recognition of Streason Effects	26	30	.29	.13	.04	14	10
Willingness to Voice Disagraement	22	20	.20	-10	~ 38*	14	31
Goal Attainment with Own Group		- 11	-38*	- 22	09	11	.05
Goal Altainment with Other Groups	-36	-42*	-22	· 20	-,21	16	07

Kable 6.5 Spearman-File Correlations between Post-training CRM/TOQ Results and Maintenance Safety Performance for Ground Damage³

a 4 81. Iluded area we nearly categories (40 fb t thinky (and be reason that) and us/haded area are the nearly belowing tricking. Note: There is no sees lower also performence is positive, there the direction of the statistics should be negative. *p (-03, **p (-01)

Safety periodistance for Occupational Stany Days Lost									
	Jun/Jul 1991	Aug/ Sop	Oot/ Nov	Doof Jan	Fob/ Mor	Apr/ May	Jan/Jel 1992		
Staring Command Responsibility	.Q 7		, Q 9	13	- 03	.03	-,10		
Communication and Coordination	.24	.26	-20	.08	-13	08	13		
Recognition of Stressor Effects	-62	.67	-03	.20	- 18	05	-,47		
Willingnoss to Voteo Diaogrooment	.03	-,62	-26	.04	10	10	28°		
Goal Attainment with Own Group	10	- 20	32*	20	- 30*	-,14	- 41**		
Goal Attainment with Other Groups	.08		- 304	16	~ 5 0**	20	34 ^{zz}		

Table 6.6 Spearmin-Rho Correlations between Post-training CRMUTOQ Results and Maintenance Safety performance for Occupational Injury Days Lost¹

n 7 42. Staded was no worthe concurrent with the training (and the resonancent) and we haded area we the worthe following training. These These there years have a short partner where is goodbar, these the diversities of the statistics should be segure. "If 0.05, "Ip 0.05," p 0.01

6.6.1 The Relationships Between the Post-Training Questionnaire Scales and Maintenance Unit Performance Measures

The overtime performance measure described here was rated by the trainers as only moderately likely to improve as a result of the training. We will start with that one, to explain the way these tables are set up and to provide a contrast with the more interesting and/or consistent results in the remaining tables.

6.6.1.1 "Percent of Overtime to Total Wages"

The six rows of **Table 6.4** are comprised of the four attitude scales and the two goal-attainment scales. The seven columns represent performance in overtime costs for seven different time periods. Jun/Jul, Aug/Sept, and Oct/Nov 1991 represent the concurrent performance, while Dec/Jan, Feb/Mar, Apr/May, and Jun/Jul 1992 represent performance following training. The cell entries in **Table 6.4** are Rho coefficients testing the degree of relationship between the six questionnaire scales and the overtime measure at the seven different times. The calculations are derived from work-groups. Even a large company like this one has only 60 work units in maintenance that report overtime used. **Table 6.4** shows that 39 of those 60 work units were included in this analysis. The missing ones were dropped for a variety of reasons, including the fact that less than one third of all the managers had been through the training by January 1992.

There is only one statistically significant relationship and no consistent pattern of results in **Table 6.4**, as there are <u>negative relationships</u> as well as positive ones. In fact, this efficiency measure of labor costs was rated by the trainers to be less influenced by the training than would be other performance measures. Thus, this table is essentially an example of an absence of training effect.

6.6.1.2 "Number of Ground Damage Incidents"

In **Table 6.5** the safety measure of Ground Damage incidents shows one significant association, in the expected direction, between assertiveness ("Willingness to Voice Disagreement") in one period following training. This result, taken with the others in the same row displaying the same direction of relationship, suggests that people intervene and speak up more when aircraft may be damaged in those groups with higher scores for this attitude. There are two other significant relationships in the expected direction between the goal attainment scales and concurrent ground damage performance.

6.6.1.3. "Occupational Injury Days Lost"

"Occupational Injury Days Lost" is the second safety-related performance indicator to be examined. **Table 6.6** shows the pattern of results indicating that the two goal attainment scales account for most of the significant differences in performance. Occupational injury rates are

consistently lower, both concurrently with training and subsequent to it, in work units where managers and supervisors believe that team goals are shared within their units, and between them. Although goal attainment shows a strong association with this performance, it is not a specific management value addressed by the **CRM** training. Of the attitude improvements intended to be affected by the training, Willingness to Voice Disagreement is again significantly related to later safety performance. Other post-training attitudes don't show much uniformity of pattern in relationships with this performance indicator.

6.6.1.4 "Aircraft Departures Within Five Minutes of Schedule"

This dependability measure involves only the line maintenance stations. **Table 6.7** contains 27 data points. One relationship between concurrent, on-time performance and sharing command responsibility is significant. Several concurrent and subsequent measures of departures within 5 minutes are related to communication and to recognition of stressor effects. This is not surprising, as managers of large line stations, during the busiest hours, must relinquish moment-to-moment decisions or they will slow things down. Likewise, they must ensure communication among everyone involved and recognize that the adverse consequences of stress are also related to dependable performance. Work in line stations creates some of the highest levels of work-related stress in maintenance. Relationships in **Table 6.7** signify that there are differences in management attitudes toward sharing their power, communicating, and managing stress such that the more these attitudes improve, the more the on-time departures.

With respect to the pattern of results for all of **Table 6.7**, the proportion of significant and directional relationships between six immediate post-training attitudes and the seven maintenance performance measures, to the total number of tests conducted, is substantially better than that expected by chance alone. Eight Spearman "Rhos" of the 42 total were significant p.05 (8/42 = 19% > 5%), and three of those were significant p < .01 (3/42 = 7% > 1%).

Tables 6.8, **6.9**, **6.10**, and **6.11** present relationships between the six questionnaire items and further measures of dependability.

6.6.1.5 "Departures Within Fifteen Minutes"

Table 6.8 shows that command responsibility, communication & coordination, and assertiveness are all significantly and positively related to departures within 15 minutes of schedule during the period concurrent with the training. The two goal attainment scales are related to this performance measure subsequent to the training.

6.6.1.6 Departures Within Sixty Minutes"

Table 6.9 displays only two significant relationships to departures within 60 minutes. This performance measure was one of those the trainers felt would be only moderately sensitive to training effects. In fact the two significant relationships represent a proportion we could expect by chance alone (2/42 = 5%).

6.6.1.7 "Departures Over Sixty Minutes, Not Canceled"

The measure, "departures over 60 minutes, but not canceled," (**Table 6.10**) is one that the trainers felt would be least sensitive to training effects. Although **Table 6.10** shows three significant positive correlations (only slightly above a chance expectation for the table overall), it also contains one significant negative relationship (opposite to that expected). Given the absence of any pattern to the relationships in **Table 6.10**, we may conclude that post-training attitudes and perceptions do not have an effect on this performance.

6.6.1.8 "Delay Due to Late from Maintenance"

Table 6.11 presents relationships between post-training questionnaire responses and delays due to late from maintenance. This is a measure of the number of aircraft, either scheduled to remain in station overnight (RON) or on the ground (AOG) for repair, which are not ready for morning flights. "Communication & Coordination" is significantly correlated and in the expected direction with this performance measure concurrently with training and subsequent to it. These results indicate that as more managers communicate and coordinate among themselves and with mechanics, the lower the number of delays due to the aircraft being late from maintenance.

6.7 RESULTS SECTION 3: THE RELATIONSHIPS BETWEEN THE TWO-MONTH FOLLOW-UP QUESTIONNAIRE SCALES AND MAINTENANCE UNIT PERFORMANCE MEASURES

The same eight performance measures are examined again, using the matched group of maintenance managers' two month follow-up questionnaires. Although **Tables 6.12**, **6.13**, **6.14**, **6.15**, **6.16**, **6.17**, **6.18**, and **6.19** are arranged in the same manner as **Tables 6.4**, **6.5**, **6.6**, **6.7**, **6.8**, **6.9**, **6.10**, and **6.11** above, they differ in the performance periods preceding, concurrent with, and subsequent to the survey. Because the follow-up surveys (for the present sample) took place between October 1991 and February 1992, the first two performance periods (Jun/Jul, Aug/Sept'91) are "pre-survey," Oct'91-Mar'92 are "concurrent" with the survey, and Apr-Jul'92 are subsequent to the training. As in the preceding section the performance measures will be examined for "Efficiency," "Safety" and "Dependability," respectively.

	JonAJul 1991	Aug/ Sep	Oci/ Nov	Dec/ Jan	Feb/ Mar	Apr/ May	Jum/Jul 1992
Sharing Command Responsibility	.08	.03	47	.29	ŧ	5.	.03
Communication and Coordination	04	16	27			.06	22
Recognition of Streasor Effects	œ	02	.07	.29	:10	06	19
Willingssess to Voice Disagreement	- 38*	12		,09	- 14	-,42**	-,17
Gool Attainment with Own Group	08	20		.00	.00	07	.04
Goal Attainment with Other Groups	- 10	16	330	04	10	09	.01

Table 6.14 Spearnen-Kho Correlations between Two Month Follow-up CRM/TOQ Reads and Maintenance Safety Performance for Compational Injury⁴

c = 28. Sindled area and monthly concerned with the two month following range for the sample of triving participants counted. There: There share soon to use when performance is possible, that the direction of the statistics chould be segrable. (p < 0.5, mp < 0.0)</p>

Distinguance Dependently Performance for Dawys Die to the India Mandenance							
	.)um/.lul 1991	Ang/ Sep	OeV Hov	Da <i>ci</i> Jan	Feb/ Mar	Apr/ May	.jun/.kul 1992
Sharing Command Respansibility	.61	26	.63			47	. 4 4 ²
Communication and Coordination	06	81	.09	39	09	.00	30
Recognition of Streasor Effects	∿ 56™	38	36		- Z7	~65**	- 45 *
Willingness to Voice Disagreement	33	40*	.28		20	43	13
Goal Attainment with Own Group	57#	5 9¤	-,62**	.10	-55	27	46*
Goal Allainment with Other Groups	- 19	94	- 49•	24	-40	20	30

Table 5.19 Spearman-Ric Correlations between Two Month Follow-up CRMTOQ Results and Maintenance Dependability Performance for Delays Due to Late from Maintenance¹

a ×10. Staded use we nextly concernent with the two recent follow-up survey for the sample of training participants examined. More: This performance item econes former when performance is positive, then the direction of the statistics should be negative. "φ (.0). "φ (.0)

6.7.1 'Overtime Paid to Total Wages'

Table 6.12 shows a similar absence of results for two-month follow-up attitudes as those presented above for post-training attitudes and overtime performance. Only one significant relationship is noted in **Table 6.12**, between recognition of stressor effects and June/July 1992 overtime. In fact, the trainers had rated overtime as only moderately sensitive to the training effects. A more powerful impact on overtime may originate from upper management policy and dictum. Using the data from both **Tables 6.4** and **6.12**, that assumption seems substantiated.

6.7.2 'Number of Ground Damage Incidents'

This safety measure in **Table 6.13** shows ten significant associations, in the expected direction, between "Recognition of Stressor Effects," "Sharing Command Responsibility," and goal attainment, after the **CRM** training, but concurrent with the two month follow-up survey.

Recognition of the effect of stressors on decision making is also related to the performance prior to the two month follow-up questionnaire, as are the two goal attainment scales.

6.7.3 'Occupational Injury Days Lost'

Only three significant relationships are seen in **Table 6.14**, which is only barely above chance probability. "Willingness to Voice Disagreement" is correlated with this performance, both before and after the survey period. One of the goal attainment scales is also significantly correlated with this safety-related performance indicator.

6.7.4 'Departures within Five Minutes'

This pattern of results for departures within 5 minutes in **Table 6.15** differs from that shown for the immediate post-training survey. This two-month follow-up shows "Sharing Command Responsibility" is still positively related to 5 minute departures. The relationship between departures within 5 minutes and both assertiveness and goal attainment within ones' own group, though, is much more sustained over time. There is very clearly an effect of assertiveness ("Willingness to Voice Disagreement") and goal attainment within work units, upon on-time departures.

6.7.5 'Departures within Fifteen Minutes'

Table 6.16 Departures within 15 minutes shows the same pattern of results as departures within 5 minutes. That is, command responsibility, assertiveness, and shared goals within the group are positively and significantly related to this "dependability."

6.7.6 'Departures within Sixty Minutes'

Similar to the other dependability measures, departures within 60 minutes continues to show significant positive correlations with command responsibility and assertiveness as shown in **Table 6.17**. Shared goals, however, is no longer strongly associated with dependability performance. In addition, the communication & coordination scale shows a significant <u>negative</u> relationship with 60 minute departures following the survey, that is, favorable attitudes toward communication and coordination two-months after training, are correlated with poor 60 minute departure performance.

6.7.7 "Flight departures not Canceled, but over Sixty Minutes Late"

The pattern is consistent <u>and negative</u> for sharing command responsibility depicted in **Table 6.18**. Anecdotal evidence suggests that the maintenance control department often directs line maintenance to hold an aircraft and its passengers and to require periodic updates of departure times, resulting in delays of over an hour. This protracted and indirect arrangement for holding a

flight causes local maintenance employees and managers to feel impotent, and probably obliged to provide unrealistic departure time estimates regardless of their ability to do so. The negative, largely concurrent, relationships in **Table 6.18**suggest that as more aircraft are held over one hour in an attempt to repair them, line station management feel that command responsibility is not shared; rather, it is usurped by others.

6.7.8 'Flights Delayed Due to Late from Maintenance'

Like its counterpart (**Table 6.11**) for the immediate post-training questionnaire data, **Table 6.19** shows a pattern of significant correlations in the expected directions. Differences between the two, however, are revealed in an increase in effect of "Recognition of Stressors" for this follow-up measure, and the disappearance of any effect of follow-up "Communication & Coordination" with this dependability indicator. "Goal Attainment with Own Group" measured two months after training is also significantly correlated with this performance index.

6.7.9 A Note on the Different Patterns

The patterns of relationships with maintenance performance between the post-training surveys and the two- month follow-up questionnaires for this same sample are different. These differences have been noted, but they require some explanation. Whereas the post-training survey represents virtually all the **CRM** training participants in 1991, the two-month survey was returned by approximately 55% of participants, and I.D. codes could be matched with the post-training set for about 80% of those. Although this is a very good return for such surveys, it is nonetheless limited. Examination of the demographic characteristics of the two-month follow-up sample reported here shows that some station (city) locations are over-represented, and some occupations and hierarchical levels are under-represented whereas others are over-represented. In particular the proportion of assistant maintenance supervisors for several large cities is lower for the two-month follow-up than for the post-training questionnaire. These proportions, in turn, contribute to the differences in the work unit mean scores on the "assertiveness" and "command responsibility" scales between the two surveys.

6.8 RESULTS SECTION 4: TRENDS IN MAINTENANCE PERFORMANCE TWELVE MONTHS BEFORE AND TWELVE MONTHS AFTER THE ONSET OF CRM TRAINING

To study the trends in the eight maintenance performance indicators 12 months before and 12 months after the commencement of the **CRM** training, comparisons are presented here. There are two trend lines in each of the **Figures 6.3**, **6.4**, **6.5**, **6.6**, **6.7**, **6.8**, **6.9**, and **6.10**. Each figure presents one of the eight performance indicators. One line in each figure estimates the trend for the 12 months preceding **CRM** training and the other line shows the trend after the onset of training. The discussion below will focus on the post-training trends for the performance categories of efficiency, safety and dependability.

6.8.1 Efficiency

6.8.1.1 Overtime Wages Paid

One trend analysis was conducted for efficiency concerning the performance measure of overtime. **Figure 6.3** shows that the trend of overtime expenses for the 12 months following June 1991 (the onset of the **CRM** training) improves at a faster rate than it had in the 12 months preceding. Improved cost performance appears coincident with the training, and may be affected by it.

6.8.2 Safety

Two trend analyses were performed for the safety performance measure consisting of ground damage and occupational injury. These are shown in **Figures 6.4** and **6.5**.

6.8.2.1 Number of Ground Damage Incidents

Figure 6.4 shows a clear reversal of trends for the number of ground damage incidents, in the year before and the year after June 1991. Reduced ground damage incidents is clearly related in time to the **CRM** training.

6.8.2.2 Occupational Injury Rates

Occupational injury rates, shown in **Figure 6.5**, already show a sharp decline in the year preceding the training, but the injury rates remain low during the following year. The training may have some effect on keeping these rates low.

6.8.3 Dependability

Five trend analyses were conducted for the dependability performance measures regarding departure times and delays due to maintenance. These are shown in **Figures 6.6**, **6.7**, **6.8**, **6.9**, and **6.10**.

6.8.3.1 "Departures within Five Minutes of Schedule"

Figure 6.6 shows a slightly higher level of performance, overall, in the post-training year, but the performance was trending up in the year preceding the training. The apparent effect of the **CRM** training on 5 minute performance overall is to maintain pretraining performance levels.

6.8.3.2 "Departures within Fifteen Minutes of Schedule"

The pattern in **Figure 6.7** shows a similar trend to departures within 5 minutes. That is, performance improves (the trend is up) in the year preceding the onset of **CRM** training, and that

performance remains high and stable in the year following. Like departures within 5 minutes, the overall effect of the **CRM** training on 15 minute performance is cloudy, although results from the follow-up survey demonstrates the relationship between assertiveness and dependability (cf., **Tables 6.15-6.16**).

6.8.3.3 "Departures within Sixty Minutes of Schedule"

In **Figure 6.8**, the performance remains the same (quite undifferentiated) between the year preceding and the year following the onset of **CRM** training. The training appears to have no impact on this performance.

6.8.3.4 "Flights Delayed over Sixty Minutes, but not Canceled"

The trend lines in **Figure 6.9** show a very similar slope between the before- and after-training time periods. Here also the training appears to have neither positive nor negative impact on this performance indicator.

6.8.3.5 "Frequency of Late Flights due to Maintenance."

No appreciable improvement in "Late from Maintenance" is noted in **Figure 6.10** for the year following the onset of **CRM** training, although the trend is toward improved performance during both years.

6.9 RESULTS SECTION 5: MANAGERS SELF-REPORTS OF BEHAVIOR CHANGE: WRITTEN COMMENTS FROM THE POST-TRAINING AND FOLLOW-UP CRM/TOQ WRITTEN COMMENTS FROM THE POST-TRAINING AND FOLLOW-UP CRM/TOQ

Two open-ended questions were asked of the maintenance managers concerning the intended use of the **CRM** training and its application to the job. What follows are the results of these two questions. The full sample available by July 1992 is employed in the following analysis.

6.9.1 Intended Use of CRM Training

On the post-training, two, six, and twelve month follow-up questionnaires, participants were asked to write their responses to a question concerning how they expected to use the **CRM** training on the job. Content coding of the answers to this question resulted in four categories of response: "Better listening;" "More awareness of others;" "Dealing better with others;" and "Better communication." These categories represent two types of self-perception of potential behavior change: the first two categories show a "passive" improvement made within the person, while the last two categories show an "active" transfer of information by direct interpersonal

approaches.

6.9.1.1 "How will You Use the CRM Training"

Figure 6.11 presents the results of the question, coded into the categories, for all four measurement waves. As the figure shows, expectations for all four categories are low in approbation as measured by frequency of response (none of the four categories accounts for as much as 25% of those answering) immediately following the training. In the subsequent waves of measurement in the months following, the two "passive" categories show a flat and low pattern, while two "active" categories (dealing better with others and better communication) increase. "Dealing better with others" includes statements such as more "problem solving activities," "team work," and "group consensual decision making." The shifting pattern from passive and reactive involvement, to more active information transfer and working with others is clearly shown in **Figure 6.11**.




Figure 6.11 Percent Written Responses - How Training will be Used

6.9.2 How Training was Used on the Job

For the sample of participants who returned the two, six and twelve month follow-up questionnaires, responses to the question of how they actually used the **CRM** training on the job were content coded. The trainees' self-perception of behavior responses were coded in the same

four categories as the other open ended question regarding the intended use of the CRM training.

6.9.2.1 "How did you Use the CRM training?"

Figure 6.12 presents the graphed percentages of how the training was used on the job for the survey periods of two, six and twelve months. Better listening tended to decrease in reported percentage from 20% for two months to 17% for six months and 13% for twelve months. The other passive category, "be more aware of others," showed a stable pattern over time for the two and six month survey periods and increased to 23% for the twelve month survey period. The active category of "deal better with others" displayed high percentages for both two and six months (25% and 21% respectively) and rose substantially for twelve months with 40%. Better communication also showed a high percentage of use, for all three follow-up questionnaires. These open-ended responses appear to confirm that improved interpersonal behaviors have resulted from the positive attitudes that followed the training. Furthermore, the preferred behaviors tend to have shifted from those people could do by themselves (e.g., "be a better listener" and "being more aware of others"), to behaviors that involve others, such as "communicating better" and "dealing better with others."




Figure 6.12 Percent Written Responses - How Training was Used

6.9.3 Other Evidence for Improved Behavior Patterns Following

Training

6.9.3.1 Anecdote Concerning Behavior Change

The use of anecdotal data for reporting trainees' behavior change on the job and the application of the knowledge learned from the training is recommended by Blakeslee (1982) and Ford (1989). One such anecdotal case involves a long-term employee who was planning to quit due to the supervisor's management style. After attending the **CRM** training course and returning to work, the boss's style changed considerably. The supervisor was apparently actively applying the concepts of the **CRM** training to the work environment. Only after this supervisor had actively committed to this new management style, did the employee decide not to quit the company. After this incident occurred, and the employee's turn to attend the **CRM** came, the change in the supervisor's behavior was described to the training facilitators. The employee commented that what had happened to the supervisor must be attributable to the **CRM** training. The employee stated that the boss's behavior had obviously changed after the training and now reflected many of the **CRM** principles and concepts in daily work.

6.9.4 Specific Reactions to the Course Itself -- Suggestions for Its Improvement

6.9.4.1 Good Aspects of the Training

On the post-training and two, six and twelve month follow-up **CRM/TOQ**, there was an open ended question consisting of "what aspects of the training were particularly good?" The participants written-in responses were content coded and the categories of comments with the highest frequencies were selected and percentages calculated. The five resulting categories include specific **CRM** course topics and they are shown in **Table 6.20**. All four survey periods including post-training, two, six and twelve month participants responses are presented in **Table 6.20**. Results for these four survey periods indicated that the Strength Development Inventory or personality (behavioral) style self-analysis exercise had the highest reported enthusiasm for all four survey periods.

SURVEY PERIOD						
	Post- training	Two Month Follow-up	Six Month Followr-up	Tweive Month Follow-up		
Response						
Strength Development Inventory	17%	11%	18%	19%		
Communication	9%	3%	14%	16%		
Listening Skills	8%	3%	5%	6%		
Assertiveness	11%	4%	2%	5%		
Stress Management	10%	7%	10%	8%		

 Table 6.20 Written-in Responses Indicating Particularly Good Aspects of Training for Post-training, Two, Six and Twelve Month Follow-up

For the post-training survey period, the assertiveness module was rated as the second highest, (particularly good) aspect of the **CRM** training. Also, for the post-training survey results, the stress management training module was rated nearly the same by the participants, followed by the communication and listening skills modules.

6.9.4.2 Training Improvements

The open-ended question "what do you think could be done to improve the training?" was asked in order to gain information to make the **CRM** training course better. All of the participants' written-in responses were content coded and the categories of comments with the highest frequencies were selected and percentages calculated. Results of the content coding indicating how the training might be improved for the three survey periods of post-training, two, six and twelve month are shown in **Table 6.21**. For the post-training survey period, the largest category of responses was that the training does not need any improvements; "do nothing" or "it's fine as it is." Second in order was the comment that the participants would like more training similar to this or "bring us back for follow-up training." As **Table 6.21** shows, the other four categories for the post-training survey were all similar in frequency.

	Post- training	Two Month Follow-up	Six Month Followr-up	Twelve Month Follow-up		
Response						
Needs Nothing	35%	16%	12%	14%		
More Training & Follow-up	11%	27%	28%	29%		
More Role Playing	7%	11%	4%	7%		
Add Time to Training	7%	5%	4%	5%		
More Case Studies	6%	7%	7%	8%		
Better Mix of Participants	6%	5%	7%	6%		

 Table 6.21
 Percentage of Written-in Responses Indicating How Training Might be Improved for Posttraining, Two, Six and Twelve Month Follow-up

Results of the participants' responses for the two, six and twelve months follow-up survey period showed that the largest single category of comments was for recurrent training and ("bring us back for follow-up training"). The next largest response category for all three surveys was the "needs nothing" responses. These comments seem to indicate that most respondents showed approval of the program and perhaps more important, wanted more training like it. Participants in roughly similar proportions to their post- training responses, suggested more role playing and case studies, adding more time to the training and having a better mix of participants.

6.9.4.3 General Analysis of Open Ended Responses

Analysis of the open ended question pertaining to the particularly good aspects of the CRM training seminar, indicates that for all four survey time periods the participants found the strength development inventory or analysis of ones' behavioral style to be particularly good. In this training module, the participants were given information concerning their behavioral style with the implications of that style for human interactions and management practices. Furthermore, it appeared that learning ones' behavioral style under various workloads and conflict situations heightens the awareness and appreciation of how people will react and manage. Many maintenance managers wrote that having understood ones' behavioral style brought a sense of clarity of how other people were responding to them under various leadership and working situations. Also, understanding one's boss's behavioral style alerted them of why the boss was managing the work units in a particularly way. The stress management, assertiveness and communication training modules were all mentioned as particularly good aspects of the **CRM** training. It follows from this that after the trainees understood their own behavioral style and their boss's behavioral style, learning how to become more assertive, manage stress better and communicate more effectively under stressful conditions was deemed important. Active listening skills assisted the technical manager in better communicating and

understanding the working situation.

Over time, the design of the **CRM** training program was still considered as "fine" and it "needs nothing." What was clearly being stated by the participants was the need for more training and follow-up courses that incorporated more role playing exercises, along with more case studies. It appears, by what they report to practice over time, that the technical managers have attempted to apply as much as they can to their work environment; now they want some more constructive practice and study on how to further improve their resource management skills. A refresher course on crew coordination concepts skills seems to be important to these maintenance managers. Many of them indicated that they would like to work more with the professionals in this area of **CRM** and interact with other technical managers in practicing and applying these skills. These data are consistent with developments in the company to produce a follow-up **CRM** course for these managers, including a broader mix of participants, more "real life" case studies and more role-playing exercises.

Other written-in comments reinforce the generally positive response to the training. Several of the participants wrote that because this course was well designed and delivered, it was the first time they did not fall asleep in the training seminar! The authors observed several of the training sessions, and noted a high level of activity and involvement of the participants. We observed that everyone was actively participating and interacting with others during the course exercises. Many of the managers were taking notes in their training manual and studying the material during breaks. Several of the participants stated that they went home and discussed the material with their family members and commented on how the course material could be reasonably easy in applying it to their home situation as well as at work.

6.10 CONCLUSIONS

The combined results of the five major analyses reported here reveal a strong and positive effect of the maintenance management **CRM** training after its first full year of implementation. Although all maintenance management personnel have not yet been trained, a sizable portion of them have. Additionally, a full 12 months of post-training performance data provide a good sample of performance effects following the onset of training.

The stability of the follow-up measures for individual respondents is established, although there appears to be some sampling effect in the follow-up data caused by a variable return rate by station and hierarchical level.

Many individuals report changing their behavior to take advantage of what they learned in the **CRM** training. Most measures of maintenance performance improve in the year following the onset of the training when compared with the same period before the training. Furthermore (despite the sampling effect noted above), the improved attitudes toward sharing responsibility, coordinating, speaking up, and recognizing stressor effects are significantly related to concurrent and subsequent maintenance performance.

Additional survey data have been, and continue to be, collected in the months following training. Larger sample sizes and longer time periods will become available for analysis in the coming

months and we expect some of the variability in longitudinal group data to decrease. Based on the time-lagged results shown in the present report we can expect to see even stronger evidence for the power of the **CRM** training in improving safety in the future.

6.11 REFERENCES

Blakeslee, G. S. (1982). Evaluating a communications training program. *Training and development Journal*, 36(11), 84-89.

Ford, W.Z. (1989). *Evaluating communication skills training in organizations*. Paper presented at the annual meeting of the Speech communication Association, San Francisco, CA.

Geirland, J.G. & J.J. Cotter (1990). *Social Analysis Questionnaire*, No. Hollywood, CA: John J. Cotter & Associates, Inc.

Gregorich, S.E.; Helmreich, R.L. & Wilhelm, J.A. (1990). The structure of cockpit management attitudes. *Journal of Applied Psychology*, 75, 682-690.

Helmreich, R.L.; Foushee, H.C.; Benson, R. & Russini, R. (1986). Cockpit management attitudes: exploring the attitude-performance linkage. *Aviation, Space and Environmental Medicine*, 57, 1198-1200.

Sherman, P.J. (1992). "New Directions of CRM Training." *Proceedings of the Human Factors Society 36 Annual Meeting*, p.896.

Taggart, W. (1990). "Introducing CRM into Maintenance Training." *Proceedings of the Third International Symposium on Human Factors in Aircraft Maintenance and Inspection*. Federal Aviation Administration, Washington, D.C.

Taylor, J.C., (1991a) "Crew Resource Management (CRM) Training for Maintenance: Some measurement characteristics of the CRM/TOQ questionnaire." FAA, Office of Aviation Medicine, Biomedical and Behavioral Sciences Branch. Task 2 Report.

Taylor, J.C., (1991b) "Crew Resource Management (CRM) Training for Maintenance: Assessment of performance measures, and a demonstration of analysis plan." FAA, Office of Aviation Medicine, Biomedical and Behavioral Sciences Branch. Task 3 Report.

Taylor, J.C., B.A. Bettencourt and M.M. Robertson (1992). The Effects of Crew Resource Management (CRM) Training in Maintenance: An Early Demonstration of Training Effects on Attitudes and Performance (Report of Work Completed Through 12-31-91). In *Human Factors in Aviation Maintenance Phase 2: Progress Report*. Federal Aviation Administration, Office of Aviation Medicine. Washington, D.C., (in press).

CHAPTER SEVEN A HUMAN FACTORS GUIDE FOR AVIATION MAINTENANCE

7.0 INTRODUCTION

Maintenance for air carriers is conducted under a myriad of pressures caused by strict flight schedules, new aircraft technologies, aging aircraft issues, personnel working conditions, and economic factors. Irrespective of these pressures, the quality of maintenance must be high if industry safety standards are to be achieved. Also, the efficiency of maintenance must be high if the airline industry is to remain economically viable. These industrial imperatives can only be met with a maintenance workforce that is both productive and rigorous. Maintenance tasks must be accomplished expeditiously and accurately. A Human Factors Guide can be valuable in supporting and enhancing the performance of aviation maintenance personnel and thereby aid in meeting the industry's goals.

The Federal Aviation Administration (FAA) program on Human Factors in Aviation Maintenance is developing, as one end product, a guidebook presenting human factors information to support the work activities of maintenance technicians. The philosophy of the guide is that a maintenance technician represents one operating element in a "maintenance system," with other elements being the aircraft, the maintenance facility, supervisory forces, and maintenance equipment. In this context, we need to know the "operating characteristics" of the technician just as we would those of any other operating element. Information is necessary concerning the capabilities and limits of humans, the effect of environmental factors, and the way in which humans operate most effectively in a human-machine relationship. In short, we need to understand the "human factors" of aviation maintenance.

The Human Factors Guide was prepared on the basis of stated preferences of maintenance personnel. This was done to ensure that the guide is usable and that its potential for helping maintenance is not degraded by problems of acceptance or by its physical characteristics. Selection of topics and the presentation of materials was guided by information obtained through a series of **FAA**-sponsored human factors meetings as well as input gained from a particaptory panel of maintenance personnel.

7.1 STATUS OF HUMAN FACTORS GUIDE

During the past twelve months, the *Human Factors Guide for Aviation Maintenance* has progressed through the following stages: (1) **Concept Definition**; (2) **Methodology Development**; (3) **Data Collection and Analysis, Data Synthesis and Abstraction, and Draft Section Authoring**; (4) **Advanced Technical Data Solicitation**; and (5) **Preliminary Draft**

Review. Copyright and Permission Approvals are being obtained as required.

Concept Definition was addressed through two means that involved key members of the air carrier maintenance community: (1) A topic selection meeting and (2) a data gathering phase.

The topic selection meeting was held in January 1992 prior to the convening of the Sixth FAA Meeting on Human Factors Issues in Aircraft Maintenance and Inspection. Attendees included invited individuals representing the interests of experienced Air Transport Association Inspection Panel Members, manufacturers, carriers, unions, universities, the FAA, and FAA support contractors. The topic selection meeting resulted in preliminary recommendations relative to the Guide's scope and purpose, primary target audience, writing style and tone, and suggested topical sections.

During June-July 1992, a **concept definition** for the Guide was sought from 60 key members of the air carrier maintenance community. Information solicited was designed to ensure that the real needs of aviation maintenance personnel would be met and that the Guide would be authored and constructed consistent with likely end-user needs. The information obtained addressed issues of target audience identification, as well as Guide content, size, and style.

A detailed analysis of information obtained from the air carrier representatives was presented in August 1992 at the Seventh **FAA** Meeting on Human Factors Issues in Aircraft Maintenance and Inspection: "Science, Technology and Management, A Program Review." Also included as part of the **presentation** was a **methodology development** strategy, along with a prototype topical section on Area and Task Lighting. Subsequently, draft Guide sections have been developed using the outline shown in **Table 7.1**.

Table 7.1 Outline for Human Factors Guide Sections

- Importance of Topic in Industrial Operations
 - Industrial Experience
 - Related Research
- Application in Aviation Maintenance
 - Industry Practices
 - Opinionnaire/Audit/Research Findings
- Human Factors Guidelines
 - Brief Discussion
 - Specific Guidelines
 - Procedures for Evaluating the Situation

Also, as part of **methodology development**, a broad outline for the entire Guide was established, including the following:

- Part I: Introduction
- Part II: Maintenance and Inspection
- Part III: Workplace Design
- Part IV: The Human Operator
- Part V: Workplace Issues.

Data Collection and Analysis, Data Synthesis and Abstraction, and **Draft Section Authoring** has progressed sequentially for all sections of the Guide. Primary data sources are shown in **Table 7.2**.

Table 7.2 Primary Data Sources

- Proceedings from the FAA Meetings on Human Factors Issues in Aircraft Maintenance and Inspection
- Aviation maintenance manufacturers and carriers
- Professional journals and publications
- Copyrighted human factors and performance enhancement textbooks and publications
- Professional society and/or association conference proceedings
- Government and Professional guidelines and standards
- National Research Council, Committee on Human Factors
- University human factors and behavioral technology research laboratories and aviation maintenance programs

Information was abstracted and synthesized, with concepts and ideas condensed to present key information concisely. Relevant information is presented in either a bullet format or in short listings and statements. Illustrations are used to support textual material, as appropriate.

Advanced Technical Data. Because of the technical nature of some Guide sections, data were solicited from organizations such as the Industrial Engineering Laboratory, State University of New York at Buffalo; ATA Committees on Standardized/Simplified Language and Maintenance Manual Data/Format; the Equal Employment Opportunity Commission; and the U.S. Department of Health and Human Services.

A **preliminary review of draft** Guide sections was held at BioTechnology on 9 March 1993. The meeting's purposes were to (1) review the draft Guide and (2) to discuss efforts needed to bring the Guide to completion. Issues addressed at this review meeting included a final discussion of target audience to ensure that sponsor and contractor personnel were in full agreement; illustrations and photographic support; Guide size, cross referencing, and format; copyrights and approvals; air carrier and air manufacturer aviation maintenance technical review comments; and publication, printing, and distribution issues.

Many, but not all, **copyright and permission** requirements have been identified (e.g., for scanned images, photographs and quoting/abstracting more than 500 words of copyrighted textual material). A complete audit of each Guide section relative to copyright obligations continues. To date, letters have been sent to 35 publishers. Fourteen have responded positively.

Not all copyright and permission letters have been prepared. Of those copyright and approval letters for which responses have been received, **Table 7.3** is a composite summary of permission requirements established by publishers:

Table 7.3 Permission Requirements

- Publishers require copyright credit lines.
- Permissions typically:
 - Are restricted to print reproduction only and *do not include electronic*

media or any type of electronic format

- Are limited to the English language distribution (some publishers restrict distribution to the U.S., its territories and dependencies, the Philippines, and Canada; other publishers allow distribution in the English language world-wide)
- Do not extend to any copyrighted materials credited to other sources
- Are non-exclusive and are not transferable
- Require one copy of the final work to be provided to the publisher
- Require that any changes to the draft submission be approved
- Require a signed agreement.

The *Human Factors Guide for Aviation Maintenance* will undergo final review by the Federal Aviation Administration 199. The Guide will be available to the air carrier maintenance industry upon completion of the review cycle and subsequent publication. Distribution of the Guide will be controlled through the Office of Aviation Medicine, Federal Aviation Administration.

CHAPTER EIGHT Bibliography - Formal Presentations and Publications for the FAA Office of Aviation Medicine Human Factors in Aviation Maintenance and Inspection Research Program, 1989-1993

The following is a listing of over 100 presentations and publications resulting from the **FAA** Office of Aviation Medicine Human Factors in Aviation Maintenance and Inspection Research Program, 1989 through July 1993.

Dr. William T. Shepherd

Shepherd, W.T. Committee Member. *National Plan for Aviation Human Factors*. Throughout 1990.

Shepherd, W.T. (1991). Demographics of aviation maintenance technicians for the nineties and beyond. In *Challenges in Aviation Human Factors: The National Plan*.

Shepherd, W.T. (1991). Human factors in aircraft maintenance and inspection. In *Proceedings* of the 1991 International Conference on Aging Aircraft and Structural Airworthiness. NASA Conference Publication 3160.

Shepherd, W.T. (1992). (title). In *Proceedings of the FAA/NASA Conference on Artificial Intelligence and Human Factors in Air Traffic Control and Aviation Maintenance*. Daytona Beach, FL.: Embry Riddle Aeronautical University.

Shepherd, W.T. (1992). Integrated information systems for anti/de-icing work environments. In *Report of the FAA International Conference on Airplane Ground De-Icing*. FAA Flight Standards Service.

Shepherd, W.T. (1992). Issues in aviation maintenance human factors. In *Report of the Flight Safety and Human Factors Regional Seminar*. ICAO: Cairo, Egypt.

Shepherd, W.T. (1992). Aircraft maintenance challenges and human factors solutions. In *Report* of the Flight Safety and Human Factors Regional Seminar. ICAO: Mexico City.

Shepherd, W.T. (in press). Human factors in aircraft maintenance and inspection. ICAO Digest.

Shepherd, W.T. & Johnson, W.B. (1991). Aircraft maintenance challenges and human factors solutions. *Proceedings of the ICAO Flight Safety and Human Factors Seminar*. Bangkok, Thailand.

Shepherd, W.T. & Johnson, W. B. (1993). Human factors issues in commercial aircraft maintenance and inspection - applications of advanced technologies. In *Proceedings of the 5th International Conference on Structural Airworthiness of New and Aging Aircraft*. June 16-18,

1993. Germany.

Shepherd, W.T. & Parker, J. F. (1991). Future availability of aircraft maintennace personnel. In *Proceedings of the 35th Annual Meeting of the Human Factors Society*. San Francisco, CA: Human Factors Society.

Galaxy Scientific Corporation

Johnson, W.B. Committee Member. *National Plan for Aviation Human Factors*. Throughout 1990.

Johnson, W.B. Session Chairperson. American Institute for Astronautics & Aeronautics. April, 1990.

Johnson, W.B. Speaker. "Human Factors and Training in Maintenance." US Air Transport Association - Maintenance Training Committee & European Air Transport Association. May, 1990.

Johnson, W.B. (1990). Intelligent tutoring systems for technical training: Progress and obstacles. *Proceedings of the Topical Meeting on Advances in Human Factors Research on Man-Computer Interactions: Nuclear and Beyond*. LaGrange, IL: American Nuclear Society.

Johnson, W.B. (1990). Advanced technology for aviation maintenance. *Proceedings of Human Factors in Aviation Maintenance and Inspection*. Washington, DC: Federal Aviation Administration Office of Aviation Medicine; also in *Proceedings of The FAA Training Technology Symposium*. Washington, DC: FAA Office of Training and Higher Education.

Johnson, W.B. (1990). Advanced technology for aviation maintenance training: an industry status report and development plan. *Proceedings of the 34th Annual Meeting of the Human Factors Society*. Orlando, FL: The Human Factors Society.

Johnson, W.B. Speaker. "Human Factors Training: Program Review." Air Transport Association. October, 1990.

Johnson, W.B. Speaker. "National Human Factors Plan: Training." American Aircraft Industries Association. January, 1991.

Johnson, W.B. Speaker. "National Plan for Aviation Human Factors." Aviation Technician Education Council. April, 1991.

Johnson, W.B. Speaker. "Aviation Medicine Human Factors Research." Air Transport Association. April, 1991.

Johnson, W.B. & Shepherd, W.T. (1991). Human factors in aviation maintenance: research and development in the USA. *Proceedings of the ICAO Flight Safety and Human Factors Seminar*. Douala, Cameroon.

Johnson, W.B. (1991). The national plan for aviation human factors: maintenance research issues. *Proceedings of the 35th Annual Meeting of the Human Factors Society*. San Francisco, CA: The Human Factors Society.

Johnson, W.B. Speaker. "Advanced Technology Training." Civil Aeromedical Institute. October, 1991.

Johnson, W.B. (1992). Enhancing human performance in maintenance with automated information and training. *Proceedings of the FAA/NASA Conference on Artificial Intelligence and Human Factors in Air Traffic Control and Aviation Maintenance*. Daytona Beach, FL: Embry Riddle Aeronautical University.

Johnson, W.B. Speaker."Portable Job Aids: A Concept." Flight Standards Training & Automation Committee. July, 1992.

Johnson, W.B. Speaker. "Advanced Technology Training Trends." FAA Administrator's Blue Ribbon Panel on AMT/Pilot Shortage. August, 1992.

Johnson, W.B. Speaker. "Training Evaluation at Delta Air Lines." ATA Maintenance Training Committee. October, 1992.

Johnson, W.B. (March/April, 1993). Ongoing research: The human factors that affect maintenance. *Aircraft Technician*. p.42.

Johnson, W.B. (in press). Computer-based approaches for enhancing human performance in aviation maintenance. In *Proceedings of the ICAO Flight Safety and Human Factors Symposium*. April 11-15, 1993.

Johnson, W.B. (in press). Human factors research: Can it have an impact on a financially troubled U.S. aviation industry? *1993 Human Factors Society Meeting*.

Johnson, W.B., Layton, C. F., & Norton, J. E. Speakers. "Information Systems." ATA Portable Maintenance Access Terminal Standards Working Group. October, 1992.

Johnson, W.B. & Norton, J.E. (1991). Using intelligent simulation to enhance human performance in aircraft maintenance. *Proceedings of the 1991 International Conference on Aging Aircraft and Structural Airworthiness* (NASA Conference Publication 3160). Washington, DC: Federal Aviation Administration and National Aeronautics and Space Administration.

Johnson, W.B. & Norton, J.E. (1992). Integrated systems for training, aiding, and information retrieval. *Proceedings of the East-West Conference on Emerging Technology in Education*. Moscow, Russia.

Johnson, W.B. & Norton J.E. (1992). Integrated information for maintenance training, aiding, and on-line documentation. In *Proceedings of the 36th Annual Meeting of the Human Factors Society*. Atlanta, GA: The Human Factors Society.

Johnson, W.B., Norton J.E., and Utsman L.G. (1992). New technology for the schoolhouse and flightline maintenance environments. In *Proceedings of the 7th FAA Conference on Human Factors in Aircraft Maintenance and Inspection*. Washington, DC: FAA Office of Aviation Medicine.

Johnson, W.B. & Shepherd, W. T. (1993). Distance learning and human performance enhancement: Advanced technologies can be transferred from current FAA research and

development. CAMI Distance Learning Meeting. April 5-6, 1993.

Johnson, W.B. & Shepherd, W. T. (1993). The impact of human factors research on commercial aircraft maintenance and inspection. *Proceedings from the Flight Safety Foundation 46th Annual International Air Safety Seminar*. November 8-11, Kuala Lumpur.

Layton, C.F. (1992). Emerging technologies for maintenance job aids. In *Proceedings of the 7th FAA Conference on Human Factors in Aircraft Maintenance and Inspection*. Washington, DC: FAA Office of Aviation Medicine.

Layton, C.F. (in press). Pen computer technology and electronic performance support systems: An application. *1993 SALT Conference*.

Layton, C.F., Smith, P.J., McCoy, C. E., & Bihari, T.E. (1992). An empirical evaluation of tools to aid in enroute flight planning. In *Proceedings of the 36th Annual Meeting of the Human Factors Society*. Atlanta, GA: The Human Factors Society.

Layton, C.F., Smith, P.J., McCoy, C.E., & Bihari, T.E. (1992). An empirical evaluation of computer- based tools to aid in enroute flight planning. In *Proceedings of the Institute of Electrical and Electronics Engineers 1992 Conference on Systems, Man and Cybernetics*.

Layton, C.F. & Johnson, W. B. (1993). Job performance aids for the flight standards service. *1993 Human Factors Society Meeting*.

Layton, C.F., Shepherd, W. T., Johnson, W. B., & Norton, J. E. (1993). Enhancing human reliability with integrated information systems for aviation maintenance. In *Proceedings of the Annual Reliability and Maintainability Symposium*.

Norton, J.E. (1992). **Intelligent simulation for maintenance training**. In *Proceedings of the 7th FAA Conference on Human Factors in Aircraft Maintenance and Inspection*. Washington, DC: FAA Office of Aviation Medicine.

Norton, J.E. (1993). Environmental control system tutor: Combining simulation-based training with intelligent tutoring. *1993 SALT Conference*.

Norton, J.E., Pearce, M., & Thompson, D. Speakers. Presentation on ECS Tutor. John Moore, Director of School of Aviation Maintenance, Clayton State College. April, 1992.

Pearce, M. (1993). How much is enough: Choosing a computer-based video technology. In *Proceedings of the 1993 Association for Applied Interactive Multimedia Conference*.

Pearce, M. (1993). The system is the expert: Architecture for a model-based tutor. In *Proceedings of the 1993 Human-Computer Interaction International Conference*.

BioTechnology, Inc.

Parker, J.F. (1989). Aviation maintenance parameters. In *Human Factors Issues in Aircraft Maintenance and Inspection*. Washington, DC: FAA Office of Aviation Medicine.

Parker, J.F. (1992). A human factors guide for aviation maintenance. In *Proceedings of the 7th FAA Conference on Human Factors in Aircraft Maintenance and Inspection*. Washington,

DC: FAA Office of Aviation Medicine.

Parker, J.F. & Shepherd, W.T. (In press). The management of human resources in air transport operations. In R. L. Dehard (Ed.), *Fundamentals of aerospace medicine* (2nd ed.). Philadelphia: Lea & Febiger.

Aviation Education Consultants

Eiff, G.M. & Eismin, T.K. (1992). Recruitment, selection, training and placement of non-traditional workers in aviation maintenance. Paper presented to the FAA Blue Ribbon Panel on Shortage of Pilots and Aviation Maintenance Technicians.

Taylor

Taylor, J.T. (1990). Facilitation of information exchange among organizational units within industry. In 2nd FAA Meeting on Human Factors Issues in Aircraft Maintenance and Inspection Final Report. Washington, DC: FAA Office of Aviation Medicine.

Taylor, J.T. (1990). Organizational context in aviation maintenance: Some preliminary findings and training implications. In *3rd FAA Meeting on Human Factors Issues in Aircraft Maintenance and Inspection Final Report*. Washington, DC: FAA Office of Aviation Medicine.

Taylor, J. T. Speaker. "Managing People." ATA Engineering & Maintenance Forum. October, 1991.

Taylor, J. T. & Goglia, J. Speaker. "Human Factors." ATA Engineering, Maintenance, & Material Forum. October, 1992.

Taylor, J.T. & Robertson, M.M. (1992). New directions of "CRM" training. In *Proceedings of the 36th Annual Meeting of the Human Factors Society*. Atlanta, GA: The Human Factors Society.

Stelly, J. & Taylor, J.T. (1992). Crew coordination concepts for maintenance teams. In *Proceedings of the 7th FAA/AAM Meeting on Human Factors Issues in Aircraft Maintenance and Inspection*. Washington, DC: FAA Office of Aviation Medicine.

Thackray, R.

Thackray, R. Speaker. FAA Human Factors Program in Aging Aircraft Maintenance & Inspection. International Conference on Aging Commuter Aircraft. April, 1989.

SUNY

Drury, C. G. Committee Member. *National Plan for Aviation Human Factors*. Throughout 1990.

Drury, C.G. (1990). Design for inspectability. In *Proceedings of the IEA Human Factors in Design for Manufacturability and Process Planning*. Honolulu, HI.

Drury, C. G. (1990). Exploring search strategies in aircraft inspection. In *Proceedings of the Second International Conference on Visual Search*. England: University of Durham.

Drury, C.G. (1990). The information environment in aircraft inspection. In *Final Report* -Second Federal Aviation Administration Meeting on Human Factors Issues in Aircraft Maintenance and Inspection. Washington, DC: FAA Office of Aviation Medicine.

Drury, C.G. (1990). Designing ergonomic studies and experiments. In J.R. Wilson and E.N. Corlett (Eds.), *Evaluation of Human Work*. London: Taylor and Francis.

Drury, C.G. (1990). The ergonomics audit. In E.J. Lovesey, (Ed.), *Contemporary Ergonomics*. London: Taylor and Francis.

Drury, C.G. (1991). Errors in aviation maintenance: Taxonomy and control. In *Proceedings of the 35th Annual Meeting of the Human Factors Society*. San Francisco, CA: The Human Factors Society.

Drury, C.G. (1991). Product design for inspectability: A systematic procedure. In G. Salvendy (Ed.), *Handbook for Industrial Engineering*, *13*. New York: John Wiley and Sons.

Drury, C.G. (1992). Performance: Do speed and accuracy trade off? In *Proceedings for the Ergonomics Society of Australia Conference*. December, 1992.

Drury, C.G. (1992). Inspection performance. In G. Salvendy (Ed.), *Handbook of Industrial Engineering*, 88. New York: John Wiley and Sons.

Drury C. G. (1993). Exploring search strategies in aircraft inspection. *Visual Search 2*. London: Taylor & Francis, 101-112.

Drury, C.G. & Goonetilleke, R.S. (1992). Stress, performance and automation: A field study. In *Proceedings for the Ergonomics Society of Australia Conference*. December, 1992.

Drury, C. G. & Gramopadhye, A. (1990). Training for visual inspection. In *Final Report - Third Federal Aviation Administration Meeting on Human Factors Issues in Aircraft Maintenance and Inspection*. Washington, DC: FAA Office of Aviation Medicine.

Drury, C.G. & Gramopadhye, A. (1991, draft). Speed and accuracy in aircraft inspection.

Drury, C.G. & Gramopadhye, A. (1992). Training for visual inspection: Controlled studies and field implications. In *Proceedings of the Seventh Federal Aviation Administration Meeting on Human Factors Issues in Aircraft Maintenance and Inspection*. Atlanta, GA: FAA Office of Aviation Medicine.

Drury, C.G. & Kleiner, B.M. (1990). Training in industrial environments. In *Proceedings of the Human Factors Association of Canada Meeting*. Ottawa, Canada.

Drury, C.G. & Latorella, K. (1991, draft). Errors in aviation inspection and maintenance: A

system modeling approach to error management.

Drury, C.G. & Lock, M.W.B. (1992) Ergonomics in civil aircraft inspection. In *Contemporary Ergonomics*. London: Taylor & Francis.

Drury, C.G. & Lock, M.W.B. (1992) draft. Reliability in aircraft inspection: U.K. and U.S.A. perspectives. Civil Aeronautics Authority. (to be published jointly by FAA/CAA)

Drury, C.G. & Prabhu, P. (1991, draft). Feedforward and feedback in aircraft inspection.

Drury, C.G. & Prabhu, P. (1992). Human factors in test and inspection. In G. Salvendy and W. Karwowski (Eds.), *Handbook of Human Factors in Advanced Manufacturing*. New York: John Wiley and Sons.

Drury, C.G., Prabhu, P. & Gramopadhye, A. (1990). Task analysis of aircraft inspection activities: Methods and findings. In *Proceedings of the Human Factors Society 34th Annual Conference*. Santa Monica, CA: The Human Factors Society.

Gramopadhye, A. (1992). Training for visual inspection. Unpublished Ph.D. Thesis, State University of New York at Buffalo.

Gramopadhye, A., Drury, C.G. Sharit, J. & Sudet, A. (1992). A framework for functional allocation in inspection. In *Proceedings of the 3rd International Conference on Human Aspects of Advanced Manufacturing and Hybrid Automation*. Helsenkirchen, Germany.

Gramopadhye, A. and Drury, C. G. (1993). Training for decision making in aircraft inspection. 1993 Human Factors Society.

Latorella, K. & Drury, C. G. (1992). Errors in aviation inspection and maintenance: A system modeling approach to error management. Technical report for FAA Office of Aviation Medicine.

Latorella, K.A. & Drury, C.G. (1992). A framework for human reliability in aircraft inspection. In *Meeting Proceedings of the Seventh Federal Aviation Administration Meeting on Human Factors Issues in Aircraft Maintenance and Inspection*. Atlanta, GA: FAA, Office of Aviation Medicine.

Latorella, K.A., Gramopadhye, A., Prabhu, P.V., Drury, C.G., Smith, M.A. & Shanahan, D.E. (1992). Computer-simulated aircraft inspection tasks for off-line experimentation. In *Proceedings of the Human Factors Society 36th Annual Meeting*. Atlanta, GA: The Human Factors Society.

Patel, S. Drury, C. G. & Lofgren, J. (1993). Design of workcards for aircraft inspection. 1993 Human Factors Society.

Patel, S., Prabhu, P. & Drury, C.G. (1992). Design of work control cards. In *Meeting Proceedings of the Seventh Federal Aviation Administration Meeting on Human Factors Issues in Aircraft Maintenance and Inspection*. Atlanta, GA: FAA, Office of Aviation Medicine.

Patel, S., Prabhu, P. & Drury, C.G. (1992). Design of work control cards. Final Technical Report for the Galaxy Scientific Corporation Contract No. DTFA01-92-Y-01005, Subtask

No. 2.1.

Prabhu, P. & Drury, C.G. (1992). A framework for the design of the aircraft inspection information environment. In *Meeting Proceedings of the Seventh Federal Aviation Administration Meeting on Human Factors Issues in Maintenance and Inspection*. Atlanta, GA: FAA, Office of Aviation Medicine.

Reynolds, J. and Drury, C. G. (1993). An evaluation of the visual environment in aircraft inspection. 1993 Human Factors Society.

Reynolds, J.L., Gramopadhye, A. & Drury, C.G. (1992). **Design of the aircraft inspection/maintenance visual environment**. In *Meeting Proceedings of the Seventh Federal Aviation Administration Meeting on Human Factors Issues in Maintenance and Inspection*. Atlanta, GA: FAA, Office of Aviation Medicine.

Reynolds, J.L., Gramopadhye, A. & Drury, C.G. (1992). Design of aircraft inspection/maintenance visual environment. Final Technical Report for the Galaxy Scientific Corporation Contract No. DTFA01-92-Y- 01005, Subtask No. 2.1.

Meeting Proceedings for the FAA/AAM Meetings on Human Factors Issues in Aircraft Maintenance & Inspection

1st	"Human Factors Issues in Aircraft Maintenance and Inspe October 1989	ction''
2nd	"Information Exchange and Communication"	Dec. 13-14, 1989
3rd	"Training Issues"	June 12-13, 1990
4th	"The Aviation Maintenance Technician"	Dec. 12-13, 1990
5th	"The Work Environment in Aviation Maintenance"	June 19-20, 1991
6th	"Maintenance 2000"	Jan. 22-23, 1992
7th	"Science, Technology, and Management: A Program Revie	w'' Aug. 5-6, 1992

Progress Reports

Human Factors in Aviation Maintenance Phase I: Progress ReportDOT/FAA/AM-91/16Human Factors in Aviation Maintenance Phase II: Progress ReportDOT/FAA/AM-93/5